FILE HEADER INFORMATION PORT SIDE MAIN DECK STRAKE 4

DME DL FILE NUMBER: 1 See Sketch 3

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.434

NOMINAL	ACTUAL	% WASTAGE
0.438	0.464	-6%
0.438	0.472	-8%
0.438	0.430	2%
0.438	0.431	2%
0.438	0.437	0%
0.438	0.448	-2%
0.438	0.432	1%
0.438	0.445	-2%
0.438	0.417	5%
0.438	0.409	7%
0.438	0.416	5%
0.438	0.405	8%
0.438	0.418	5%
0.438	0.430	2%
0.438	0.427	3%
0.438	0.440	0%
0.438	0.443	-1%
0.438	0.445	-2%

FILE HEADER INFORMATION PORT SIDE MAIN DECK STRAKE 3

DME DL FILE NUMBER: 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.434

NOMINAL	ACTUAL	% WASTAGE
0.438	0.446	-2%
0.438	0.452	-3%
0.438	0.444	-1%
0.438	0.448	-2%
0.438	0.446	-2%
0.438	0.432	1%
0.438	0.433	1%
0.438	0.432	1%
0.438	0.428	2%
0.438	0.432	1%
0.438	0.428	2%
0.438	0.411	6%
0.438	0.413	6%
0.438	0.400	9%
0.438	0.443	-1%
0.438	0.436	0%
0.438	0.441	-1%
0.438	0.440	0%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 3 PORT SIDE MAIN DECK STRAKE 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.435

NOMINAL	ACTUAL	% WASTAGE
0.438	0.439	0%
0.438	0.452	-3%
0.438	0.439	0%
0.438	0.444	-1%
0.438	0.448	-2%
0.438	0.451	-3%
0.438	0.431	2%
0.438	0.429	2%
0.438	0.431	2%
0.438	0.430	2%
0.438	0.412	6%
0.438	0.422	4%
0.438	0.410	6%
0.438	0.420	4%
0.438	0.433	1%
0.438	0.427	3%
0.438	0.456	-4%
0.438	0.450	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 4 PORT SIDE MAIN DECK STRAKE 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.434

NOMINAL	ACTUAL	% WASTAGE
0.438	0.452	-3%
0.438	0.441	-1%
0.438	0.440	0%
0.438	0.447	-2%
0.438	0.430	2%
0.438	0.443	-1%
0.438	0.436	0%
0.438	0.431	2%
0.438	0.434	1%
0.438	0.430	2%
0.438	0.426	3%
0.438	0.419	4%
0.438	0.414	5%
0.438	0.413	6%
0.438	0.426	3%
0.438	0.436	0%
0.438	0.447	-2%
0.438	0.442	-1%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 5 CENTERLINE MAIN DECK STRAKE

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.439

NOMINAL	ACTUAL	% WASTAGE
0.438	0.441	-1%
0.438	0.459	-5%
0.438	0.443	-1%
0.438	0.428	2%
0.438	0.439	0%
0.438	0.433	1%
0.438	0.441	-1%
0.438	0.438	0%
0.438	0.432	1%
0.438	0.432	1%
0.438	0.446	-2%
0.438	0.440	0%
0.438	0.426	3%
0.438	0.422	4%
0.438	0.434	1%
0.438	0.447	-2%
0.438	0.435	1%
0.438	0.461	-5%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 6 STARBOARD MAIN DECK STRAKE 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.432

NOMINAL	ACTUAL	% WASTAGE
0.438	0.441	-1%
0.438	0.443	-1%
0.438	0.440	0%
0.438	0.443	-1%
0.438	0.438	0%
0.438	0.433	1%
0.438	0.431	2%
0.438	0.428	2%
0.438	0.439	0%
0.438	0.430	2%
0.438	0.416	5%
0.438	0.409	7%
0.438	0.421	4%
0.438	0.419	4%
0.438	0.435	1%
0.438	0.429	2%
0.438	0.434	1%
0.438	0.453	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 7 STARBOARD MAIN DECK STRAKE 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.408

NOMINAL	ACTUAL	% WASTAGE
0.438	0.452	-3%
0.438	0.451	-3%
0.438	0.450	-3%
0.438	0.444	-1%
0.438	0.435	1%
0.438	0.432	1%
0.438	0.419	4%
0.438	0.435	1%
0.438	0.426	3%
0.438	0.429	2%
0.438	0.417	5%
0.438	0.422	4%
0.438	0.421	4%
0.438	0.416	5%
0.438	0.422	4%
0.438	0.448	-2%
0.438	0.433	1%
0.438	0.446	-2%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 8 STARBOARD MAIN DECK STRAKE 3

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.404

NOMINAL	ACTUAL	% WASTAGE
0.438	0.433	1%
0.438	0.450	-3%
0.438	0.434	1%
0.438	0.425	3%
0.438	0.443	-1%
0.438	0.431	2%
0.438	0.437	0%
0.438	0.419	4%
0.438	0.433	1%
0.438	0.427	3%
0.438	0.420	4%
0.438	0.416	5%
0.438	0.406	7%
0.438	0.405	8%
0.438	0.436	0%
0.438	0.421	4%
0.438	0.439	0%
0.438	0.450	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 9 STARBOARD MAIN DECK STRAKE 4

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 18 MEAN: 0.407

NOMINAL	ACTUAL	% WASTAGE
0.438	0.456	-4%
0.438	0.455	-4%
0.438	0.449	-3%
0.438	0.443	-1%
0.438	0.430	2%
0.438	0.431	2%
0.438	0.431	2%
0.438	0.433	1%
0.438	0.393	10%
0.438	0.437	0%
0.438	0.430	2%
0.438	0.448	-2%
0.438	0.376	14%
0.438	0.416	5%
0.438	0.433	1%
0.438	0.436	0%
0.438	0.432	1%
0.438	0.462	-5%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 10 DME DL FILE NAME: FWD PRT WG WL IB

COMMENTS: FORWARD MIDSHIP HALF LENGTH PORT WING WALL INBOARD. SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.5
MINIMUM READING: 0.474 IN MINIMUM READING AT LOCATION: 15
MAXIMUM READING: 0.517 IN MAXIMUM READING AT LOCATION: 6
RANGE OF READINGS: 0.043 IN MEAN: 0.496 IN

LOCATION	READING	% WASTAGE
1	0.503	1%
2	0.501	0%
3	0.506	1%
4	0.495	-1%
5	0.504	1%
6	0.517	3%
7	0.500	0%
8	0.507	1%
9	0.485	-3%
10	0.494	-1%
11	0.493	-1%
12	0.477	-5%
13	0.512	2%
14	0.499	0%
15	0.474	-5%
16	0.479	-4%
20	0.506	1%
21	0.503	1%
22	0.494	-1%
23	0.483	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 11 DME DL FILE NAME: FWD STBD WG WL IB

COMMENTS: FORWARD MIDSHIP HALF LENGTH STBD WING WALL INBOARD. SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.500

MINIMUM READING: 0.471 IN MINIMUM READING AT LOCATION: 9

MAXIMUM READING: 0.515 IN MAXIMUM READING AT LOCATION: 5

RANGE OF READINGS: 0.044 IN MEAN: 0.494 IN

LOCATION	READING	% WASTAGE
1	0.506	1%
2	0.489	-2%
3	0.485	-3%
4	0.489	-2%
5	0.515	3%
6	0.509	2%
7	0.495	-1%
8	0.512	2%
9	0.471	-6%
10	0.474	-5%
11	0.472	-6%
12	0.476	-5%
13	0.498	0%
14	0.507	1%
15	0.493	-1%
16	0.509	2%
20	0.508	2%
21	0.511	2%
22	0.488	-2%
23	0.486	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 12 DME DL FILE NAME: FWD CNTR BLKHD

COMMENTS: FORWARD MIDSHIP HALF LENGTH CENTER BULKHEAD.
SEE SKETCH 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS:	5	NOMINAL THICKNESS	0.500
MINIMUM READING:	0.492 IN	MINIMUM READING AT LOCATION:	3
MAXIMUM READING:	0.516 IN	MAXIMUM READING AT LOCATION:	5
RANGE OF READINGS:	0.024 IN	MEAN:	0.502 IN

LOCATION	READING	% WASTAGE
1	0.493	-1%
2	0.515	3%
3	0.492	-2%
4	0.498	0%
5	0.516	3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 13 DME DL FILE NAME: MDSP FWD PORT WG WL IB

COMMENTS: FORWARD MIDSHIP FULL LENGTH PORT WING WALL INBOARD. SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.500
MINIMUM READING: 0.481 IN MINIMUM READING AT LOCATION: 22
MAXIMUM READING: 0.515 IN MAXIMUM READING AT LOCATION: 3
RANGE OF READINGS: 0.034 IN MEAN: 0.500 IN

LOCATION	READING	% WASTAGE
1	0.508	2%
2	0.483	-3%
3	0.515	3%
4	0.515	3%
5	0.508	2%
6	0.509	2%
7	0.503	1%
8	0.508	2%
9	0.490	-2%
10	0.497	-1%
11	0.491	-2%
12	0.510	2%
13	0.497	-1%
14	0.511	2%
15	0.503	1%
16	0.505	1%
20	0.503	1%
21	0.498	0%
22	0.481	-4%
23	0.484	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 14 DME DL FILE NAME: MDSP FWD STBD WG WL IB

COMMENTS: FORWARD MIDSHIP FULL LENGTH STBD WING WALL INBOARD. SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.500

MINIMUM READING: 0.480 IN MINIMUM READING AT LOCATION: 23

MAXIMUM READING: 0.515 IN MAXIMUM READING AT LOCATION: 13

RANGE OF READINGS: 0.035 IN MEAN: 0.496 IN

LOCATION	READING	% WASTAGE
1	0.499	0%
2	0.490	-2%
3	0.493	-1%
4	0.491	-2%
5	0.499	0%
6	0.492	-2%
7	0.507	1%
8	0.507	1%
9	0.493	-1%
10	0.489	-2%
11	0.504	1%
12	0.496	-1%
13	0.515	3%
14	0.506	1%
15	0.504	1%
16	0.494	-1%
20	0.502	0%
21	0.495	-1%
22	0.483	-3%
23	0.480	-4%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 15 DME DL FILE NAME: MDSP FWD CNTR BLKHD

COMMENTS: FORWARD MIDSHIP FULL LENGTH CENTER BULKHEAD.
SEE SKETCH 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS:	4	NOMINAL THICKNESS	0.500
MINIMUM READING:	0.507 IN	MINIMUM READING AT LOCATION:	1
MAXIMUM READING:	0.514 IN	MAXIMUM READING AT LOCATION:	2
RANGE OF READINGS:	0.007 IN	MEAN:	0.510 IN

LOCATION	READING	% WASTAGE
1	0.507	1%
2	0.514	3%
3	0.513	3%
4	0.508	2%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 16 DME DL FILE NAME: MDSP PORT WG WL IB

COMMENTS: MIDSHIP FULL LENGTH PORT WING WALL INBOARD.
SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.500
MINIMUM READING: 0.472 IN MINIMUM READING AT LOCATION: 16
MAXIMUM READING: 0.518 IN MAXIMUM READING AT LOCATION: 1
RANGE OF READINGS: 0.046 IN MEAN: 0.496 IN

LOCATION	READING	% WASTAGE
1	0.518	4%
2	0.513	3%
3	0.509	2%
4	0.491	-2%
5	0.503	1%
6	0.488	-2%
7	0.504	1%
8	0.500	0%
9	0.490	-2%
10	0.495	-1%
11	0.481	-4%
12	0.488	-2%
13	0.504	1%
14	0.503	1%
15	0.477	-5%
16	0.472	-6%
20	0.509	2%
21	0.513	3%
22	0.487	-3%
23	0.492	-2%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 17 DME DL FILE NAME: MDSP STBD WG WL IB

COMMENTS: MIDSHIP FULL LENGTH STBD WING WALL INBOARD.
SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.5
MINIMUM READING: 0.474 IN MINIMUM READING AT LOCATION: 16
MAXIMUM READING: 0.503 IN MAXIMUM READING AT LOCATION: 8
RANGE OF READINGS: 0.029 IN MEAN: 0.492 IN

LOCATION	READING	% WASTAGE
1	0.491	-2%
2	0.497	-1%
3	0.485	-3%
4	0.478	-4%
5	0.496	-1%
6	0.501	0%
7	0.495	-1%
8	0.503	1%
9	0.503	1%
10	0.488	-2%
11	0.494	-1%
12	0.475	-5%
13	0.495	-1%
14	0.497	-1%
15	0.488	-2%
16	0.474	-5%
20	0.502	0%
21	0.502	0%
22	0.485	-3%
23	0.492	-2%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 18 DME DL FILE NAME: MDSP CNTR BLKHD

COMMENTS: MIDSHIP FULL LENGTH CENTER BULKHEAD.
SEE SKETCH 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 4 NOMINAL THICKNESS 0.500
MINIMUM READING: 0.502 IN MINIMUM READING AT LOCATION: 2
MAXIMUM READING: 0.518 IN MAXIMUM READING AT LOCATION: 3
RANGE OF READINGS: 0.016 IN MEAN: 0.506 IN

LOCATION	READING	% WASTAGE
1	0.505	1%
2	0.502	0%
3	0.518	4%
4	0.502	0%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 19 DME DL FILE NAME: MDSP AFT PORT WG WL IB

COMMENTS: AFT MIDSHIP FULL LENGTH PORT WING WALL INBOARD.
SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.500
MINIMUM READING: 0.467 IN MINIMUM READING AT LOCATION: 20
MAXIMUM READING: 0.499 IN MAXIMUM READING AT LOCATION: 14
RANGE OF READINGS: 0.032 IN MEAN: 0.488 IN

LOCATION	READING	% WASTAGE
1	0.496	-1%
2	0.492	-2%
3	0.495	-1%
4	0.480	-4%
5	0.490	-2%
6	0.496	-1%
7	0.476	-5%
8	0.479	-4%
9	0.496	-1%
10	0.494	-1%
11	0.493	-1%
12	0.489	-2%
13	0.483	-3%
14	0.499	0%
15	0.488	-2%
16	0.497	-1%
20	0.467	-7%
21	0.481	-4%
22	0.490	-2%
23	0.485	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 20 DME DL FILE NAME: MDSP AFT STBD WG WL IB

COMMENTS: AFT MIDSHIP FULL LENGTH STBD WING WALL INBOARD.
SEE SKETCH 1

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 20 NOMINAL THICKNESS 0.5
MINIMUM READING: 0.455 IN MINIMUM READING AT LOCATION: 10
MAXIMUM READING: 0.512 IN MAXIMUM READING AT LOCATION: 14
RANGE OF READINGS: 0.057 IN MEAN: 0.490 IN

LOCATION	READING	% WASTAGE
1	0.502	0%
2	0.488	-2%
3	0.490	-2%
4	0.496	-1%
5	0.474	-5%
6	0.487	-3%
7	0.488	-2%
8	0.481	-4%
9	0.491	-2%
10	0.455	-9%
11	0.487	-3%
12	0.499	0%
13	0.486	-3%
14	0.512	2%
15	0.477	-5%
16	0.503	1%
20	0.509	2%
21	0.505	1%
22	0.493	-1%
23	0.486	-3%

FILE HEADER INFORMATION

DME DL FILE NUMBER: 21 DME DL FILE NAME: MDSP AFT CNTR BLKHD

COMMENTS: AFT MIDSHIP FULL LENGTH CENTER BULKHEAD.
SEE SKETCH 2

STATISTICAL INFORMATION ON DME DL DATA

NUMBER OF READINGS: 4 NOMINAL THICKNESS 0.500
MINIMUM READING: 0.490 IN MINIMUM READING AT LOCATION: 3
MAXIMUM READING: 0.512 IN MAXIMUM READING AT LOCATION: 2
RANGE OF READINGS: 0.022 IN MEAN: 0.498 IN

LOCATION	READING	% WASTAGE
1	0.500	0%
2	0.512	2%
3	0.490	-2%
4	0.490	-2%