

AMTRACKS

AMCOM Message Tracking System

[Home](#) [Logout](#)

AMTRACKS Serial Number Report

Serial Number: 8023496

Report Date: 22-Dec-14

Click Select to view the message detail.

Message	Issue Date	Message Subject	Status
H-60-08-ASAM-01	01- Oct- 07	Troop/Gunners Seat Upper Energy Attenuating Wires	Closed <input type="button" value="Select"/>
H-60-08-AMAM-01	15- Oct- 07	Main Landing Gear Shock Struts	Closed <input type="button" value="Select"/>
H-60-08-ASAM-02	05- Nov- 07	Power Available Control Cable	Closed <input type="button" value="Select"/>
H-60-08-ASAM-03	06- Nov- 07	Changes To Current Fuel System Integrity Checks	Closed <input type="button" value="Select"/>
H-60-08-ASAM-04	26- Nov- 07	Pilot's Lower Seat Rail Chafing Electrical Harness	Closed <input type="button" value="Select"/>
H-60-08-AMAM-02	26- Nov- 07	Tail Rotor Outboard Retention Plate Shims	Closed <input type="button" value="Select"/>
H-60-08-ASAM-05	11- Dec- 07	Tail Rotor Quadrant Spring Capsule Assembly	Closed <input type="button" value="Select"/>
H-60-08-AMAM-03	20- Dec- 07	MIL-PRF-23699 High Temperature Stability (HTS) Oil	Closed <input type="button" value="Select"/>
H-60-08-AMAM-04	14- Jan- 08	Cockpit Door Jettisonable Window	Closed <input type="button" value="Select"/>
H-60-08-SOF-01	28- Jan- 08	Main Rotor Blade Expandable Pin Inspection Change	Closed <input type="button" value="Select"/>
H-60-08-AMAM-05	29- Jan- 08	Goodrich Internal Rescue Hoists	Closed <input type="button" value="Select"/>
H-60-08-AMAM-06	05- Feb- 08	Common Missile Warning System (CMWS) Sequencers	Closed <input type="button" value="Select"/>
H-60-08-ASAM-06	26- Feb- 08	Main Rotor Pylon Sliding Forward Fairing	Closed <input type="button" value="Select"/>
H-60-08-AMAM-07	24- Mar- 08	AN/ASN-128/D/B Doppler GPS Navigation Set (DGPS)	Closed <input type="button" value="Select"/>
H-60-08-AMAM-08	19- May- 08	Flight Control Rigging Update	Closed <input type="button" value="Select"/>
H-60-08-ASAM-10	09- Jul- 08	Electrical Wire Chafe Issues	Closed <input type="button" value="Select"/>
H-60-08-ASAM-11	18- Aug- 08	Flight Control Inspection	Closed <input type="button" value="Select"/>
H-60-08-ASAM-12	15- Sep- 08	Parker Aerospace Air Turbine Starters (ATS)	Closed <input type="button" value="Select"/>

H-60-08-ASAM-13	22-Sep-08	Fire Extinguisher Tube Union Ring	Closed	<input type="button" value="Select"/>
H-60-08-ASAM-14	22-Sep-08	Suspect Engine Harnesses	Closed	<input type="button" value="Select"/>
H-60-09-SOF-01	21-Oct-08	Hydro-Mechanical Unit (HMU)	Closed	<input type="button" value="Select"/>
H-60-09-SOF-02	07-Nov-08	AN/ALQ-144 Infra-Red Countermeasures System (IRCMS)	Closed	<input type="button" value="Select"/>
H-60-09-SOF-03	13-Nov-08	Possible Retirement Life Over-Flight	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-01	12-Jan-09	T701C Gas Generator (GG) Rotor Assemblies	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-04	26-Feb-09	Rescue Hoist Cartridge Activation Device (CAD)	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-05	03-Mar-09	Update to Life Limit Change for TR Quadrant Spring Capsules	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-07	06-Apr-09	Fire Extinguisher Wiring (Breakaway Thread)	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-08	21-Apr-09	Engine Cowling Weight Restriction	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-09	06-May-09	Fire Extinguisher Wiring (Breakaway Threads) (Revision to H-60-09-ASAM-07)	Closed	<input type="button" value="Select"/>
H-60-09-ASAM-11	24-Jun-09	Cargo Door Window Emergency Jettison Handle Assembly	Closed	<input type="button" value="Select"/>
H-60-09-AMAM-04	24-Aug-09	A2C2S	Closed	<input type="button" value="Select"/>
H-60-09-AMAM-06	25-Aug-09	Cargo Hook Cartridge Actuated Device Life Reduction	Closed	<input type="button" value="Select"/>
H-60-09-AMAM-07	14-Sep-09	Halon Hand-Held Fire Extinguishers (HHFE)	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-01	01-Oct-09	Hamilton-Sundstrand Hydro-Mechanical Units (HMU)	Closed	<input type="button" value="Select"/>
H-60-10-AMAM-02	05-Oct-09	Redesigned Planetary Gear Carrier Retirement Life	Closed	<input type="button" value="Select"/>
H-60-10-AMAM-04	10-Nov-09	ASN-128B/C DGNS	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-03	10-Nov-09	Fire Bottle Discharge Lines and Nozzles	Closed	<input type="button" value="Select"/>
H-60-10-AMAM-05	18-Nov-09	ULLS-A(E) LCF Change 60B	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-04	18-Nov-09	Stability Augmentation System (SAS) Links	Closed	<input type="button" value="Select"/>
H-60-10-AMAM-11	28-Jan-10	Oil Sampling Schedule Changes	Closed	<input type="button" value="Select"/>

H-60-10-ASAM-06	09-Feb-10	Auto-Ignition and TDI Modification	Closed	<input type="button" value="Select"/>
H-60-10-SOF-01	15-Apr-10	Depot Repair of Legacy Main Rotor Blades	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-07	21-Apr-10	Stabilator Hinge Fittings	Closed	<input type="button" value="Select"/>
H-60-10-AMAM-12	28-Apr-10	Improved Drag Beam	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-08	17-May-10	Auxiliary Power Unit (APU) and APU Firewall	Closed	<input type="button" value="Select"/>
H-60-10-SOF-02	18-Jun-10	Spindle Lug NDI and Retirement Life Changes	Closed	<input type="button" value="Select"/>
H-60-10-AMAM-16	23-Jun-10	Common Missile Warning System Guarded Dispense Switch	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-11	15-Jul-10	Common Component Retirement Change Times Update	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-12	29-Jul-10	T700 Engine Component RC Time	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-15	10-Aug-10	Improved External Stores Support System (ESSS), Fuel System Vent Elbow	Closed	<input type="button" value="Select"/>
H-60-10-ASAM-16	08-Sep-10	Rescue Hoist Safety Inspection	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-02	13-Oct-10	Tail Rotor Servocylinder Assembly Hardware	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-03	25-Oct-10	Oil Cooler Fan Axial Bearing	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-04	25-Oct-10	LCF Change 61 Requirements	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-03	23-Nov-10	Hamiltonn Standard Hydro-Mechanical Units)HMU)	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-04	01-Dec-10	AN/ARN-153 TCN-500 TACAN Receiver Bearing Error	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-06	21-Dec-10	Cyclic Stick Stop Bolts	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-08	03-Feb-11	LOS/IFF Antenna and IVHMS Accelerometer Connectors Safety Wire	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-06	07-Feb-11	Medevac Carousel Refurbishment	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-09	28-Mar-11	Internal Auxiliary Fuel Transfer Systems (IAFTS)	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-11	18-Apr-11	Airworthiness Release Status Update	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-09	18-Apr-11	Engine Component Operating Hour Record	Closed	<input type="button" value="Select"/>

H-60-11-AMAM-13	07-Jun-11	External Rescue Hoist Mount Fitting	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-11	22-Jun-11	Anti-Ice/Start Bleed Valve Actuator Shafts	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-13	29-Jun-11	Engine Air Inlet Anti-Icing/Modulating Valve	Closed	<input type="button" value="Select"/>
H-60-11-ASAM-14	07-Jul-11	Engine Cowling Repair Restrictions	Closed	<input type="button" value="Select"/>
H-60-11-SOF-01	07-Jul-11	Discrepant Self Locking Double Hexagon Nuts	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-15	11-Jul-11	Integrated Vehicle Health Management System	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-17	19-Sep-11	Tail Rotor Inboard/Outboard Retention Plate Shims	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-19	20-Sep-11	ULLS-A (E) LCF Change 62 Requirements	Closed	<input type="button" value="Select"/>
H-60-11-AMAM-20	20-Sep-11	AN/ASN-128D Doppler and AMPS Software Upgrade	Closed	<input type="button" value="Select"/>
H-60-12-SOF-01	08-Oct-11	Tail Rotor Intermediate Gearbox	Closed	<input type="button" value="Select"/>
H-60-12-SOF-03	14-Oct-11	Tail Rotor Intermediate Gearbox	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-01	17-Oct-11	Tail Rotor Output Bevel Gear NDI	Closed	<input type="button" value="Select"/>
H-60-12-AMAM-03	31-Oct-11	Transponder and Common Missile Warning System Installation	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-02	05-Dec-11	Drag Beam Replacement	Closed	<input type="button" value="Select"/>
H-60-12-SOF-04	17-Feb-12	Breeze Eastern External Rescue Hoist Operations	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-06	21-Feb-12	Fuel Sys Breakaway Valve and Fire Sys Directional Valve	Closed	<input type="button" value="Select"/>
H-60-12-SOF-05	09-Apr-12	Change to Depot Repaired Legacy Main Rotor Blade Compliance Date	Closed	<input type="button" value="Select"/>
H-60-12-AMAM-09	16-May-12	Hydraulic Line Chafe Due to Missing Clamps	Closed	<input type="button" value="Select"/>
H-60-12-AMAM-12	10-Jul-12	Rescinded Common Component Removal Dates	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-07	10-Jul-12	Electrical Wire Chafe	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-08	18-Jul-12	Cargo Hook Manual Release Spring Assembly	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-09	22-Aug-12	Rescue Hoist Cartridge Actuated Device (CAD) Electrical Connector	Closed	<input type="button" value="Select"/>

H-60-12-AMAM-15	29- Aug- 12	Trim Actuator	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-10	05- Sep- 12	Engine Anti-Ice/Start Bleed Valve (AISBV)	Closed	<input type="button" value="Select"/>
H-60-12-AMAM-16	05- Sep- 12	Main Rotor Spindle Sub-Component Tracking Requirements	Closed	<input type="button" value="Select"/>
H-60-12-ASAM-11	05- Sep- 12	Hydro-Mechanical Unit (HMU)	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-01	22- Oct- 12	Flight Control Rigging Procedures	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-02	06- Nov- 12	Attitude Heading Reference System (AHRS)	Closed	<input type="button" value="Select"/>
H-60-13-ASAM-01	27- Nov- 12	Anti-Collision Lights Power Supply	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-03	27- Nov- 12	DECU/EDECU Turbine Gas Temperature (TGT) Bias	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-04	27- Nov- 12	ULLS-A(E) AMCOM Logistics Center (ALC) LCF Change 63 Requirements	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-05	17- Jan- 13	Main Landing Gear Wheel Brake Assembly	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-06	11- Feb- 13	Crashworthy External Fuel System (CEFS)	Closed	<input type="button" value="Select"/>
H-60-13-ASAM-03	26- Feb- 13	Main rotor Spindle Anti-Flap Assemblies	Closed	<input type="button" value="Select"/>
H-60-13-ASAM-04	21- Mar- 13	Plastic Media Blast (PMB) and Oxide Flake Residue	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-07	21- Mar- 13	Load Demand Spindle (LDS) Cable Clearance	Closed	<input type="button" value="Select"/>
H-60-13-ASAM-05	08- Apr- 13	Breeze Eastern Variable Speed Electric Rescue Hoist	Closed	<input type="button" value="Select"/>
H-60-13-ASAM-06	07- May- 13	Phase Maintenance Inspection (PMI) Checklist Changes	Closed	<input type="button" value="Select"/>
H-60-13-SOF-01	31- May- 13	Attitude Heading Reference Set (AHRS)	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-10	17- Jun- 13	Legitimate Code File (LCF) Change 64 Requirements	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-11	01- Jul- 13	Main Xmsn Filter Bowl Attachment Hardware	Closed	<input type="button" value="Select"/>
H-60-13-ASAM-10	19- Aug- 13	Woodward Hydro-Mechanical Unit (HMU) P3 Tube	Closed	<input type="button" value="Select"/>
H-60-13-AMAM-15	25- Sep- 13	CEFS Right Hand Fuel Cell Cover Plate	Closed	<input type="button" value="Select"/>
H-60-14-SOF-01	01- Nov- 13	Breeze Eastern External Rescue Hoist Installation	Closed	<input type="button" value="Select"/>

H-60-14-ASAM-02	21- Nov- 13	Health Usage Monitoring System (HUMS) Accelerometers	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-03	23- Dec- 13	Discrepant Connecting Links	Closed	<input type="button" value="Select"/>
H-60-14-ASAM-03	30- Dec- 13	Engine Inlet Barrier Filter Bracket Removal	Closed	<input type="button" value="Select"/>
H-60-14-ASAM-04	30- Dec- 13	Main Rotor Bub Assembly	Closed	<input type="button" value="Select"/>
H-60-14-SOF-02	24- Jan- 14	Tail Rotor Pitch Change Shaft Assembly	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-05	05- Feb- 14	ULLS-A(E) ALC Legitimate Code File (LFC) Change 65 Requirements	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-08	04- Mar- 14	AN/ASE-15E Communication Console Circuit Breaker Protection	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-09	26- Mar- 14	Main Transmission Filter Bowl and Chip Detector Attachment Hardware	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-10	08- Apr- 14	Hontek Coated Main Rotor (MR) Blade Removal	Closed	<input type="button" value="Select"/>
H-60-14-ASAM-06	14- Apr- 14	Flight Control Mixer Assembly	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-12	21- Apr- 14	MR Spindle Nut Retirement Life Extension	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-14	28- May- 14	Integrated Vehicle Health Management System (IVHMS) Cabling	Closed	<input type="button" value="Select"/>
H-60-14-SOF-03	23- Jun- 14	Discrepant Self Locking Double Hexagon Nuts	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-16	14- Jul- 14	Attitude Heading Reference Unit 2410 Tracking	Closed	<input type="button" value="Select"/>
H-60-14-ASAM-08	30- Jul- 14	Hydro-Mechanical Unit (HMU) Quick Disconnect Pins	Closed	<input type="button" value="Select"/>
H-60-14-ASAM-09	30- Jul- 14	Engine Output Shaft	Closed	<input type="button" value="Select"/>
H-60-14-AMAM-19	11- Aug- 14	ULLS-A(E) Legitimate Code Change 66 Requirements	Closed	<input type="button" value="Select"/>
H-60-14-SOF-04	26- Aug- 14	Operators and Crewmembers Checklist	Closed	<input type="button" value="Select"/>
H-60-14-ASAM-10	02- Sep- 14	Main Transmission Planetary Carrier Assembly	Closed	<input type="button" value="Select"/>
H-60-15-AMAM-02	20- Oct- 14	INTEGRATED VEHICLE HEALTH MONITORING SYSTEM (IVHMS) WIRING MANAGEMENT	Open	<input type="button" value="Select"/>
H-60-15-SOF-01	27- Oct- 14	Oil Cooler Fan Axial Bearing	Closed	<input type="button" value="Select"/>
H-60-15-ASAM-01	17- Nov- 14	Light Emitting Diode (LED) Caution Advisory Panel (CAP)	Closed	<input type="button" value="Select"/>

H-60-15-AMAM-05	11- Dec- 14	Attitude Heading Reference System (AHRS) Emergency Procedure	Closed	Select
-----------------	-------------------	--	--------	--------

[Return To Tail Number Lis](#)

[Home](#) | [Contact Us](#) | [AMCOM Home](#) | [Messages](#) | [FAQ](#)