

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: A - ELECTRONICS COMPARTMENT STA 162 - 204

MDS: UH-60A
 SERIAL NO: 7822975
 CONSTANT: 1,000

1. (190924) AASF BOISE, ID
 2. (180815) AASF BOISE, ID
 3. (170821) AASF BOISE, ID
 4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
 6. (140702) AASF BOISE, ID
 7. (130604) BOISE, ID
 8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
A -000.00	MASTER CHART A RELEASED 19 MAY 08	0.1					2019/09/24	0	0	0	0	0	0	0	0
A -001.00	LOWER SHELF WL - 215	0.1					2019/09/24	0	0	0	0	0	0	0	0
A -002.00	COMPUTER KIT-1C/TSEC	8.3	174.00	1.44			2020/06/18	1	1	1	1	1	1	1	1
A -003.00	SIGNAL DATA CONVERTER CV-3338A/ASN-128B	13.5	174.00	2.35	X		2019/09/24	1	1	1	1	1	1	1	1
A -004.00	DISPLACEMENT GYRO CONTROL, LHS CN-1314/A (9000C)	5.7	174.00	0.99	X		2019/09/24	1	1	1	1	1	1	1	1
A -005.00	DISPLACEMENT GYRO CONTROL, RHS CN-1314/A (9000C)	5.7	174.00	0.99	X		2019/09/24	1	1	1	1	1	1	1	1
A -006.00	SIGNAL DATA CONVERTER, (HUD) CV-4229/AVS-7	13.7	175.00	2.40			2020/06/18	1	1	1	1	1	1	1	0
A -007.00	COMMAND INSTRUMENT (CIS) PROCESSOR CP-2036/A	5.7	175.00	1.00	X		2019/09/24	1	1	1	1	1	1	1	1
A -008.00	SIGNAL DATA CONVERTER (ALTERNATE) P30A002-02	11.0	177.00	1.95			2019/09/24	0	0	0	0	0	0	0	0
A -009.00	TRANSMITTER, RATE GYROSCOPE, LHS TRU-2A/A NSN 6615-01-059-7909	1.7	181.00	0.31	X		2019/09/24	1	1	1	1	1	1	1	1
A -010.00	TRANSMITTER, RATE GYROSCOPE, RHS TRU-2A/A NSN-6615-01-059-7909	1.7	181.00	0.31	X		2019/09/24	1	1	1	1	1	1	1	1
A -011.00	PROCESSOR, DIGITAL CP-1597A/APR-39(V)	5.9	184.00	1.09			2020/06/18	1	1	1	1	1	1	1	1
A -012.00	SAS AMPLIFIER 70901-02908	2.7	198.00	0.53	X		2019/09/24	1	1	1	1	1	1	1	1
A -013.00	RECEIVER, VOR R-2139/ARN-123(V)	9.2	204.00	1.88	X		2019/09/24	1	1	1	1	1	1	1	1
A -014.00	CANTED BULKHEAD STA 185	0.1					2019/09/24	0	0	0	0	0	0	0	0
A -015.00	DIRECTION GYRO CN-998(B)/ASN-43	5.5	182.00	1.00	X		2019/09/24	1	1	1	1	1	1	1	1
A -016.00	RECEIVER, ADF R-1496/APN-89	6.9	184.00	1.27	X		2019/09/24	1	1	1	1	1	1	1	1
A -017.00	UPPER SHELF WL - 226	0.1					2019/09/24	0	0	0	0	0	0	0	0
A -018.00	SECURITY SET, LHS TSEC/KY-58	4.9	190.00	0.93			2019/09/24	0	0	0	0	0	0	0	0
A -019.00	SECURITY SET, CENTER TSEC/KY-58	4.9	190.00	0.93			2020/06/18	1	1	1	1	1	1	1	0
A -020.00	SECURITY SET, RHS TSEC/KY-58	4.9	190.00	0.93			2020/06/18	1	1	1	1	1	1	1	0
A -021.00	SIGNAL DATA CONVERTER, FWD (INST) 70450-01916	9.2	199.00	1.83	X		2019/09/24	1	1	1	1	1	1	1	1
A -022.00	SIGNAL DATA CONVERTER, AFT (INST) 70450-01916	9.2	204.00	1.88	X		2019/09/24	1	1	1	1	1	1	1	1
A -023.00	AFT CANTED BULKHEAD, RHS	0.1					2019/09/24	0	0	0	0	0	0	0	0

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: B - COCKPIT COMPARTMENT STA 204 - 247

MDS: UH-60A
SERIAL NO: 7822975
CONSTANT: 1,000

1. (190924) AASF BOISE, ID
2. (180815) AASF BOISE, ID
3. (170821) AASF BOISE, ID
4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
6. (140702) AASF BOISE, ID
7. (130604) BOISE, ID
8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
B -001.00	INSTRUMENT PANEL, LHS	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -002.00	AIR BAG W/GAS GENERATOR, GLARESHIELD 70070-95117	2.7	205.00	0.55			2019/09/24	0	0	0	0	0	0	0	0
B -003.00	AIRSPD INDICATOR 70450-01042	1.0	206.00	0.21	X		2019/09/24	1	1	1	1	1	1	1	1
B -004.00	VERTICAL SITUATION INDICATOR, LHS 70450-01040 / NSN-6610-01-155-8315	5.7	206.00	1.17	X		2019/09/24	1	1	1	1	1	1	1	1
B -005.00	HORIZONTAL SITUATION INDICATOR, LHS 70450-01040	6.5	206.00	1.34	X		2019/09/24	1	1	1	1	1	1	1	1
B -006.00	RADAR ALTIMETER APN-209, RT-1115J	3.7	206.00	0.76	X		2019/09/24	1	1	1	1	1	1	1	1
B -007.00	ALTIMETER AAU-31/A	2.2	206.00	0.45	X		2019/09/24	1	1	1	1	1	1	1	1
B -008.00	VERTICAL SPEED INDICATOR 70450-01088	1.6	206.00	0.33	X		2019/09/24	1	1	1	1	1	1	1	1
B -009.00	CO-PILOT DISPLAY UNIT 70450-01916	4.3	206.00	0.89	X		2019/09/24	1	1	1	1	1	1	1	1
B -010.00	CLOCK ABU-11A/	1.0	206.00	0.21	X		2019/09/24	1	1	1	1	1	1	1	1
B -011.00	INSTRUMENT PANEL, CENTER	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -012.00	CAUTION / ADVISORY PANEL 70550-01107	5.4	206.00	1.11	X		2019/09/24	1	1	1	1	1	1	1	1
B -013.00	CENTRAL DISPLAY UNIT 70450-01043	9.0	206.00	1.85	X		2019/09/24	1	1	1	1	1	1	1	1
B -014.00	RADAR WARNING INDICATOR IP-1150/APR-39(V)	2.2	206.00	0.45			2020/06/18	1	1	1	1	1	1	1	1
B -015.00	ICE RATE METER 70550-01124	2.9	206.00	0.60			2019/09/24	0	0	0	1	1	1	1	1
B -015.05	DCIU, 79986-1007847	3.3	210.00	0.69	X		2019/09/24	1	1	1
B -016.00	AUXILIARY FUEL MANAGEMENT PANEL 70550-01411	2.6	206.00	0.54			2019/09/24	0	0	0	0	0	0	0	0
B -017.00	INSTRUMENT PANEL, RHS	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -018.00	AIR BAG W/GAS GENERATOR, GLARESHIELD 70070-95117	2.7	205.00	0.55			2019/09/24	0	0	0	0	0	0	0	0
B -019.00	PILOT'S DISPLAY UNIT 70450-01043	4.3	206.00	0.89	X		2019/09/24	1	1	1	1	1	1	1	1
B -020.00	CLOCK ABU-11A/	1.0	206.00	0.21	X		2019/09/24	1	1	1	1	1	1	1	1
B -021.00	AIRSPD INDICATOR 70450-01042	1.0	206.00	0.21	X		2019/09/24	1	1	1	1	1	1	1	1
B -022.00	VERTICAL SITUATION INDICATOR, RHS 70450-01040 / NSN-6610-01-155-8315	5.7	206.00	1.17	X		2019/09/24	1	1	1	1	1	1	1	1
B -023.00	HORIZONTAL SITUATION INDICATOR, RHS 70450-01040	6.5	206.00	1.34	X		2019/09/24	1	1	1	1	1	1	1	1
B -024.00	RADAR ALTIMETER ID-1917/APN-209	2.0	206.00	0.41	X		2019/09/24	1	1	1	1	1	1	1	1
B -025.00	ENCODING BAROMETRIC ALTIMETER AAU-32/A 23574	2.2	206.00	0.45	X		2019/09/24	1	1	1	1	1	1	1	1
B -026.00	VERTICAL SPEED INDICATOR, RHS 70450-01088	1.6	206.00	0.33	X		2019/09/24	1	1	1	1	1	1	1	1
B -026.10	12 STATION ICS CALL PANEL	0.5	206.00	0.10			2019/11/13	1	1	1	1	1	.	.	.
B -027.00	LOWER CONTROL CONSOLE, LHS	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -028.00	STORES JETTISON PANEL 70902-41400	2.5	216.00	0.54			2019/09/24	0	0	0	0	0	0	0	0
B -029.00	ADF RECEIVER C-7392/ARN-89	3.3	219.00	0.72	X		2019/09/24	1	1	1	1	1	1	1	1
B -030.00	ICS BOX C-6533/ARC	1.8	222.00	0.40	X		2019/09/24	1	1	1	1	1	1	1	1
B -031.00	CIVIL NAV CONTROL, VOR ARN-123	2.0	222.00	0.44	X		2019/09/24	1	1	1	1	1	1	1	1
B -032.00	RECEIVER, RADIO AN/ARN-147 NSN-5826-01-444-0314	8.0	224.00	1.79			2019/09/24	0	0	0	0	0	0	0	0
B -033.00	RCU, KY-58 CONTROL C-11466A	2.1	227.00	0.48			2019/09/24	0	0	0	0	0	0	0	0
B -034.00	FM CONTROL PANEL, C-11466A/ARC-201 NSN-5821-01-231-5660	1.7	229.00	0.39	X		2019/11/13	0	0	0	0	0	0	0	0
B -035.00	VHF CONTROL, AN/ARC-186(V) C-10604	1.6	233.00	0.37	X		2019/09/24	1	0	0	1	1	1	1	1
B -035.10	TECHNISONIC AMS-6000	0.8	225.00	0.18			2019/09/24	0	0	0	1	1	1	.	.
B -035.11	TECHNISONIC TDFM-6148/NV	4.5	228.00	1.03			2019/09/24	0	0	0	1	1	1	.	.
B -035.12	TDFM-136B TECHNISONIC RADIO	4.0	228.00	0.91			2019/11/13	1	1	0	1	0	.	.	.
B -035.15	CI-292-3 TECHNISONIC ANTENNA	0.5	222.00	0.11			2019/09/24	0	0	0	0	0	.	.	.
B -036.00	DIGITAL CONTROL DISPLAY UNIT C-12645/ALE A100766-001	2.6	240.00	0.62			2019/09/24	0	0	0	0	0	0	0	0

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: B - COCKPIT COMPARTMENT STA 204 - 247

MDS: UH-60A
 SERIAL NO: 7822975
 CONSTANT: 1,000

1. (190924) AASF BOISE, ID
2. (180815) AASF BOISE, ID
3. (170821) AASF BOISE, ID
4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
6. (140702) AASF BOISE, ID
7. (130604) BOISE, ID
8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
B -037.00	LOWER CONTROL CONSOLE, CENTER	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -038.00	DOPPLER CONTROL PANEL CP-1252C/ASN-128B	5.4	216.00	1.17	X		2019/09/24	1	1	1	1	1	1	1	1
B -039.00	AUXILIARY FUEL MANAGEMENT PANEL (ALT LOCATION, FWD) 70550-01411	2.6	218.00	0.57			2019/09/24	0	0	0	0	0	0	0	0
B -040.00	STABILATOR / FLIGHT CONTROL PANEL 70902-01070	4.4	222.00	0.98	X		2019/09/24	1	1	1	1	1	1	1	1
B -040.10	CONTROL PANEL VHF/AM C-10604A (V)6/ARC-186	2.0	224.00	0.45			2019/09/24	0	1	1
B -041.00	CONTROL PANEL RT-1296/APX-100	8.2	227.00	1.86	X		2019/09/24	1	1	1	1	1	1	1	1
B -042.00	CONTROL RESCUE HOIST KIT 70550-01119	2.0	240.00	0.48	X		2019/09/24	1	1	1	1	1	1	1	0
B -043.00	AUXILIARY FUEL MANAGEMENT PANEL, (ALT LOCATION, AFT) 70550-01411	2.6	246.00	0.64			2019/09/24	0	0	0	0	0	0	0	0
B -044.00	LOWER CONTROL CONSOLE, RHS	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -045.00	COMPASS CONTROL PANEL C-8021A/ASN-75	2.2	216.00	0.48	X		2019/09/24	1	1	1	1	1	1	1	1
B -046.00	RCU, KY-58 CONTROL C-11466A	2.1	219.00	0.46			2020/06/18	1	1	1	1	1	1	1	0
B -047.00	UHF CONTROL, RT-1518C AN/ARC-164	8.5	222.00	1.89	X		2019/09/24	1	1	1	1	1	1	1	1
B -048.00	ICS BOX C-6533/ARC	1.8	225.00	0.41	X		2019/09/24	1	1	1	1	1	1	1	1
B -049.00	RCU, KY-58 CONTROL C-11466A	2.1	228.00	0.48			2020/06/18	1	1	1	1	1	1	1	0
B -050.00	FM CONTROL PANEL, C-11466A/ARC-201 NSN-5821-01-231-5660	1.7	231.00	0.39	X		2019/09/24	1	1	1	1	1	1	1	0
B -051.00	CONTROL DISPLAY UNIT AN/ARC-220 C-12436/URC	3.2	234.00	0.75			2020/06/18	1	1	1	1	1	1	1	1
B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48			2020/06/18	1	1	1	1	1	1	1	0
B -053.00	SECURE COMMUNICATION CONTROL PANEL KY-100	6.0	253.00	1.52			2020/06/18	1	1	1	0	0	0	0	0
B -054.00	UNGROUPEd ITEMS	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -055.00	BPS, UH-60 CPT FLOOR-02	12.0	208.00	2.50			2019/09/24	0	0	0	0	0	0	0	0
B -056.00	BPS, UH-60 CPT FLOOR-03	13.0	210.70	2.74			2019/09/24	0	0	0	0	0	0	0	0
B -057.00	BPS, UH-60 CPT FLOOR-01 W/BRACKETS	17.0	214.00	3.64			2019/09/24	0	0	0	0	0	0	0	0
B -058.00	BPS, UH-60 CPT FLOOR-04 W/BRACKETS	22.0	218.90	4.82			2019/09/24	0	0	0	0	0	0	0	0
B -058.10	CONTROL CABLE W13 (12 STATION ICS)	0.7	227.00	0.16			2019/11/13	1	1	1	1	1	1	.	.
B -059.00	BPS, UH-60 CPT VER-05	9.0	231.00	2.08			2019/09/24	0	0	0	0	0	0	0	0
B -060.00	BPS, UH-60 CPT VER-06	9.0	231.00	2.08			2019/09/24	0	0	0	0	0	0	0	0
B -061.00	PILOT SEAT & RESTRAINT (ALTN) 70500-01151-101	102.0	235.00	23.97	X		2019/09/24	1	1	1	1	1	1	1	1
B -062.00	CO-PILOT SEAT & RESTRAINT (ALTN) 70500-01151	102.0	235.00	23.97	X		2019/09/24	1	1	1	1	1	1	1	1
B -063.00	PILOT SEAT & RESTRAINT D3801-01	112.5	235.00	26.44			2019/09/24	0	0	0	0	0	0	0	0
B -064.00	CO-PILOT SEAT & RESTRAINT (ARA) D3801-01	112.5	235.00	26.44			2019/09/24	0	0	0	0	0	0	0	0
B -065.00	ELECTRONIC CRASH SENSOR UNIT (AIR BAG SYSTEM) 70070-95117	3.2	236.00	0.76			2019/09/24	0	0	0	0	0	0	0	0
B -066.00	DC-DC POWER CONVERTER, EDM (BFT) 143-1075-003 OR 143-1075-006	2.0	237.00	0.47			2020/06/18	1	1	1	1	1	1	1	1
B -067.00	ARMORED WING, LHS 70500-01152	16.0	238.00	3.81	X		2019/09/24	1	1	1	1	1	1	1	1
B -068.00	ARMORED WING, RHS 70500-01152	16.0	238.00	3.81	X		2019/09/24	1	1	1	1	1	1	1	1
B -069.00	LATERAL AIR BAG W/GAS GENERATOR, LHS 70070-95117	3.5	240.00	0.84			2019/09/24	0	0	0	0	0	0	0	0
B -070.00	LATERAL AIR BAG W/GAS GENERATOR, RHS 70070-95117	3.5	240.00	0.84			2019/09/24	0	0	0	0	0	0	0	0
B -071.00	MICROCLIMATE COOLING UNIT (MCU), PILOTS/CO-PILOTS HOSES SF 00247-001 & -003	5.0	240.00	1.20			2019/09/24	0	0	0	0	0	0	0	0
B -072.00	FIRE EXTINGUISHER, SEAT, LHS NSN-4210-00-555-8837	6.1	243.00	1.48	X		2019/09/24	1	1	1	1	1	1	1	1
B -073.00	SAS / FPS COMPUTER (AFCS) 70901-02903	15.3	243.00	3.72	X		2019/09/24	1	1	1	1	1	1	1	1
B -074.00	BATTERY CHARGER / ANALYZER 70550-02929	5.0	243.00	1.22			2019/09/24	0	0	0	0	0	0	0	1
B -075.00	SEAT WELL, PILOT	0.1					2019/09/24	0	0	0	0	0	0	0	0
B -076.00	VHF/FM RADIO RT-1477/ARC-201C(V) NSN-5821-01-306-4653	6.7	223.00	1.49	X		2019/11/13	0	0	0	0	0	0	0	0

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: B - COCKPIT COMPARTMENT STA 204 - 247

MDS: UH-60A
 SERIAL NO: 7822975
 CONSTANT: 1,000

- | | |
|----------------------------|----------------------------|
| 1. (190924) AASF BOISE, ID | 5. (150708) AASF BOISE, ID |
| 2. (180815) AASF BOISE, ID | 6. (140702) AASF BOISE, ID |
| 3. (170821) AASF BOISE, ID | 7. (130604) BOISE, ID |
| 4. (160830) AASF BOISE, ID | 8. (120615) Groton, CT |

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								0	0	0	0	0	0	0	0
								9	8	8	8	7	7	6	6
								2	1	2	3	0	0	0	1
B -077.00	VHF/FM RADIO RT-1477/ARC-201C(V) NSN-5821-01-306-4653	6.7	229.00	1.53	X		2019/09/24	I	I	I	I	I	I	I	O
B -078.00	VHF AM/FM RADIO RT-1300A/ARC-186(V)	6.4	234.00	1.50	X		2019/09/24	I	I	I	I	I	I	I	I
B -079.00	IVHMS MWO						2019/09/24
B -079.01	REMOTE CONCENTRATOR (RDC) PN: 30201-0501 (IVHMS)	4.3	205.00	0.88			2020/06/18	I	I	I	I	I	I	I	I
B -079.02	COCKPIT DISPLAY UNIT (CDU) PN: 10150-0201 (IVHMS)	4.1	206.00	0.84			2020/06/18	I	I	I	I	I	I	I	I
B -079.03	DATA TRANSFER UNIT (DTU) PN: 30192-0201 (IVHMS)	1.8	245.00	0.44			2020/06/18	I	I	I	I	I	I	I	I
B -080.00	CONTROL INDICATOR 2566/AAR-47(V)	1.5	225.00	0.34			2020/06/18	I	I	I	I	I	I	I	I

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: C - FORWARD CARGO COMPARTMENT STA 247 - 288

MDS: UH-60A
 SERIAL NO: 7822975
 CONSTANT: 1,000

- | | |
|----------------------------|----------------------------|
| 1. (190924) AASF BOISE, ID | 5. (150708) AASF BOISE, ID |
| 2. (180815) AASF BOISE, ID | 6. (140702) AASF BOISE, ID |
| 3. (170821) AASF BOISE, ID | 7. (130604) BOISE, ID |
| 4. (160830) AASF BOISE, ID | 8. (120615) Groton, CT |

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
C -001.00	FIRST AID KIT, CO-PILOT SEAT, LHS NSN-6545-00-919-6650	1.3	247.00	0.32	X		2019/09/24	1	1	1	1	1	1	1	1
C -002.00	FIRST AID KIT, CO-PILOT SEAT, LHS #2 NSN-6545-00-919-6650	1.3	247.00	0.32	X		2019/09/24	1	1	1	1	1	1	1	1
C -003.00	FIRST AID KIT, PILOT SEAT, RHS NSN-6545-00-919-6650	1.3	247.00	0.32	X		2019/09/24	1	1	1	1	1	1	1	1
C -004.00	WALK AROUND ICS CORD, 50' (STOWED), RHS 70602-02016-041	2.1	247.00	0.52			2019/09/24	O	O	O	O	O	O	O	O
C -005.00	MAINTENANCE FLOODLIGHT (STOWED) 15-0366-1	1.9	247.00	0.47	X		2019/09/24	1	1	1	1	1	1	1	O
C -006.00	ICS BOX (CO-PILOT SEAT), LHS C-6533/ARC	1.8	248.00	0.45	X		2019/09/24	1	1	1	1	1	1	1	1
C -007.00	ICS BOX (PILOT SEAT), RHS C-6533/ARC	1.8	248.00	0.45	X		2019/09/24	1	1	1	1	1	1	1	1
C -007.10	8 STATION ICS BOXES	10.3	248.00	2.55			2019/11/13	1	1	1	1	1	1	1	1
C -008.00	CRASH AXE NSN-4210-00-243-0863	2.8	249.00	0.70	X		2019/09/24	1	1	1	1	1	1	1	1
C -009.00	MCU, W/POWER WIRES & MASK BLOWER HARNESSSES, CO-PILOTS	14.0	250.00	3.50			2019/09/24	O	O	O	O	O	O	O	O
C -010.00	MCU, W/POWER WIRES & MASK BLOWER HARNESSSES, PILOTS	14.0	250.00	3.50			2019/09/24	O	O	O	O	O	O	O	O
C -011.00	MCU, W/POWER WIRES & MASK BLOWER HARNESSSES, CREWMEMBERS, LHS	14.0	250.00	3.50			2019/09/24	O	O	O	O	O	O	O	O
C -012.00	MCU, W/POWER WIRES & MASK BLOWER HARNESSSES, CREWMEMBERS, RHS	14.0	250.00	3.50			2019/09/24	O	O	O	O	O	O	O	O
C -013.00	BATTERY, ACFT (SLAB) D8565/11-1	35.0	252.00	8.82	X		2019/09/24	1	1	1	1	1	1	1	1
C -014.00	BATTERY, ACFT (ALTERNATE) BB 716/A	16.7	252.00	4.21			2019/09/24	O	O	O	O	O	O	O	O
C -015.00	BATTERY COVER 70209-02532	2.5	252.00	0.63	X		2019/09/24	1	1	1	1	1	1	1	O
C -016.00	BPS, UH-60 PAX FLOOR-01B	3.0	254.80	0.76			2019/09/24	O	O	O	O	O	O	O	O
C -017.00	BPS, UH-60 PAX FLOOR-01C	4.0	255.40	1.02			2019/09/24	O	O	O	O	O	O	O	O
C -018.00	SOUNDPROOFING, SIDEWALL PANEL, LHS 70500-02053	4.0	257.00	1.03	X		2019/09/24	1	1	1	1	1	1	1	1
C -019.00	SOUNDPROOFING, SIDEWALL, RHS 70500-0253-065	4.0	257.00	1.03	X		2019/09/24	1	1	1	1	1	1	1	1
C -020.00	MCU MOUNT ASSY LSF 00447-001	37.0	260.00	9.62			2019/09/24	O	O	O	O	O	O	O	O
C -021.00	BPS, UH-60 PAX FLOOR-01A W/BRACKETS	42.0	260.90	10.96			2019/09/24	O	O	O	O	O	O	O	O
C -022.00	FIRE EXTINGUISHER, CABIN, RHS NSN-4210-00-555-8837	6.1	263.00	1.60	X		2019/09/24	1	1	1	1	1	1	1	1
C -023.00	MCU, CREWMEMBERS HOSES LSF 00247-005 & -007	5.0	270.00	1.35			2019/09/24	O	O	O	O	O	O	O	O
C -024.00	SOUNDPROOFING, CEILING, LHS 70500-02062	4.0	271.00	1.08	X		2019/09/24	1	1	1	1	1	1	1	1
C -025.00	SOUNDPROOFING, CEILING, RHS 70500-02062	3.0	271.00	0.81	X		2019/09/24	1	1	1	1	1	1	1	1
C -026.00	SOUNDPROOFING, CEILING, CENTER 70500-02061	3.0	271.00	0.81	X		2019/09/24	1	1	1	1	1	1	1	1
C -027.00	CONVERTER, MEDEVAC KIT NSN-6130-00-421-5314	96.0	276.00	26.50			2019/09/24	O	O	O	O	O	O	O	O
C -028.00	CREW CHIEF / GUNNER SEAT SUPPORT 70500-02160	9.7	280.00	2.72	X		2019/09/24	1	1	1	1	1	1	1	1
C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83			2020/06/18	O	1	O	1	1	O	O	O
C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83			2020/06/18	O	1	O	1	1	O	O	O
C -031.00	CREW CHIEF SEAT, RHS 70500-02152	24.5	282.00	6.91	X		2019/09/24	1	1	1	1	1	1	1	1
C -032.00	CREW CHIEF / GUNNER SEAT, LHS 70500-02152	24.5	282.00	6.91	X		2019/09/24	1	1	1	1	1	1	1	1
C -033.00	TROOP COMMANDER'S SEAT 70500-02151	16.0	282.00	4.51			2019/09/24	O	O	O	O	O	O	O	O
C -034.00	BPS, UH-60 PAX VER-02	36.0	287.70	10.36			2019/09/24	O	O	O	O	O	O	O	O
C -035.00	BPS, UH-60 PAX VER-05	36.0	287.90	10.36			2019/09/24	O	O	O	O	O	O	O	O

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: D - CENTER CARGO COMPARTMENT STA 288 - 343

MDS: UH-60A
 SERIAL NO: 7822975
 CONSTANT: 1,000

1. (190924) AASF BOISE, ID
2. (180815) AASF BOISE, ID
3. (170821) AASF BOISE, ID
4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
6. (140702) AASF BOISE, ID
7. (130604) BOISE, ID
8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
D -001.00	BPS, UH-60 PAX FLOOR-03 W/BRACKETS	91.0	293.90	26.74			2019/09/24	0	0	0	0	0	0	0	0
D -002.00	BPS, UH-60 PAX FLOOR-04 W/BRACKETS	91.0	293.90	26.74			2019/09/24	0	0	0	0	0	0	0	0
D -003.00	SUPPORT SOUNDPROOFING 70500-02059-064	2.0	295.00	0.59	X		2019/09/24	1	1	1	1	1	1	1	1
D -004.00	SOUNDPROOFING, CEILING, CENTER 70500-02063	9.0	310.00	2.79	X		2019/09/24	1	1	1	1	1	1	1	1
D -005.00	ICS BOX, CEILING C-6533/ARC	1.8	322.00	0.58	X		2019/09/24	1	1	1	1	1	1	1	1
D -005.10	4 STATION ICS BOX	6.0	322.00	1.93			2019/11/13	1	1	1	1	1	1	1	1
D -006.00	TROOP SEAT, FORWARD, LH 70500-02151	16.3	322.00	5.25	X		2019/09/24	1	1	1	1	1	1	1	1
D -007.00	TROOP SEAT, FORWARD, LH 70500-02151	16.3	322.00	5.25	X		2019/09/24	1	1	1	1	1	1	1	1
D -008.00	TROOP SEAT, FORWARD, LH 70500-02151	16.3	322.00	5.25	X		2019/09/24	1	1	1	1	1	1	1	1
D -009.00	SUPPORT SOUNDPROOFING 70500-02059-058	2.0	326.00	0.65	X		2019/09/24	1	1	1	1	1	1	1	1
D -009.10	12 STATION ICS CABLES	11.2	331.00	3.71			2019/11/13	1	1	1	1	1	1	1	1
D -010.00	TROOP SEAT SUPPORT 70500-02160	8.3	331.00	2.75	X		2019/09/24	1	1	1	1	1	1	1	1
D -011.00	TROOP SEAT, CENTER 70500-02151	16.3	338.00	5.51	X		2019/09/24	1	1	1	1	1	1	1	1
D -012.00	TROOP SEAT, CENTER 70500-02151	16.3	338.00	5.51	X		2019/09/24	1	1	1	1	1	1	1	1
D -013.00	TROOP SEAT, CENTER 70500-02151	16.3	338.00	5.51	X		2019/09/24	1	1	1	1	1	1	1	1
D -014.00	TROOP SEAT, CENTER (ALTERNATE SEATING) 70500-02151	16.3	338.00	5.51	X		2019/09/24	1	1	1	1	1	1	1	0
D -015.00	BPS, UH-60 (MEDEVAC) PAX FLOOR-13.3 W/BRACKETS	76.0	341.20	25.93			2019/09/24	0	0	0	0	0	0	0	0
D -016.00	BPS, UH-60 (MEDEVAC) PAX FLOOR-14.3 W/BRACKETS	76.0	341.20	25.93			2019/09/24	0	0	0	0	0	0	0	0
D -017.00	DRIP PAN CEILING, CENTER 70500-02070	14.0	342.00	4.79	X		2019/09/24	1	1	1	1	1	1	1	1

CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: E - AFT CARGO COMPARTMENT STA 343 - 398

MDS: UH-60A
 SERIAL NO: 7822975
 CONSTANT: 1,000

1. (190924) AASF BOISE, ID
2. (180815) AASF BOISE, ID
3. (170821) AASF BOISE, ID
4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
6. (140702) AASF BOISE, ID
7. (130604) BOISE, ID
8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
								9	8	8	8	7	7	6	6
								2	1	2	3	0	0	0	1
E -001.00	SOUNDPROOFING, CEILING, LHS 70500-02072	5.0	344.00	1.72	X		2019/09/24	I	I	I	I	I	I	I	I
E -002.00	SOUNDPROOFING, CEILING, RHS 70500-02072	5.0	344.00	1.72	X		2019/09/24	I	I	I	I	I	I	I	I
E -003.00	SUPPORT, UPPER PEDESTAL (MEDEVAC) 70802-12600	11.0	344.00	3.78			2019/09/24	O	O	O	O	O	O	O	O
E -004.00	PEDESTAL ASSEMBLY (MEDEVAC) 70802-12600	313.0	344.00	107.67			2019/09/24	O	O	O	O	O	O	O	O
E -005.00	LITTER SUPPORTS (MEDEVAC) 70802-12420	324.0	344.00	111.46			2019/09/24	O	O	O	O	O	O	O	O
E -006.00	SUPPORT SOUNDPROOFING 70500-02059-060	2.0	360.00	0.72	X		2019/09/24	I	I	I	I	I	I	I	I
E -007.00	TRAPPED FUEL, AUXILIARY LINES	9.0	360.00	3.24			2019/09/24	O	O	O	O	O	O	O	O
E -008.00	RESCUE HOIST, INTERNAL (W/OIL) 42305R1	181.0	368.00	66.61			2019/09/24	O	O	O	O	O	O	O	O
E -009.00	ADAPTER, RESCUE HOIST KIT 70801-02000	19.0	368.00	6.99			2019/09/24	O	O	O	O	O	O	O	O
E -010.00	BPS, UH-60 (MEDEVAC) PAX FLOOR-15 W/BRACKETS	57.0	370.20	21.10			2019/09/24	O	O	O	O	O	O	O	O
E -011.00	ELECTRONIC CONTROL UNIT C-12510/AAR-57(V) A100631-100	19.0	371.00	7.05			2019/09/24	O	O	O	O	O	O	O	O
E -012.00	CEILING SOUNDPROOFING PANEL 70500-02064	14.0	379.00	5.31	X		2019/09/24	I	I	I	I	I	I	I	I
E -013.00	BPS, UH-60 (MEDEVAC) PAX FLOOR-16.3 W/BRACKETS	68.0	387.90	26.38			2019/09/24	O	O	O	O	O	O	O	O
E -014.00	SOUNDPROOFING, SIDEWALL PANEL, LHS 70500-02068	2.0	388.00	0.78	X		2019/09/24	I	I	I	I	I	O	I	I
E -015.00	SOUNDPROOFING, SIDEWALL PANEL, RHS 70500-02068	2.0	388.00	0.78	X		2019/09/24	I	I	I	I	I	I	I	I
E -016.00	TROOP SEAT, AFT 70500-02151	16.3	392.00	6.39	X		2019/09/24	I	I	I	I	I	I	I	I
E -017.00	TROOP SEAT, AFT 70500-02151	16.3	392.00	6.39	X		2019/09/24	I	I	I	I	I	I	I	I
E -018.00	TROOP SEAT, AFT 70500-02151	16.3	392.00	6.39	X		2019/09/24	I	I	I	I	I	I	I	I
E -019.00	TROOP SEAT, AFT 70500-02151	16.3	392.00	6.39	X		2019/09/24	I	I	I	I	I	I	I	I
E -020.00	PUMP HANDLE, APU STOWED 466536A	1.0	397.00	0.40	X		2019/09/24	I	I	I	I	I	I	I	I
E -021.00	AFT BULKHEAD SOUNDPROOFING BLANKETS 70500-03050	3.0	398.00	1.19	X		2019/09/24	I	I	I	I	I	I	I	I
E -022.00	AFT BULKHEAD SOUNDPROOFING, DOOR, LHS 70500-53050	3.0	398.00	1.19	X		2019/09/24	I	I	I	I	I	I	I	I
E -023.00	AFT BULKHEAD SOUNDPROOFING DOOR, RHS 70500-03050	3.0	398.00	1.19	X		2019/09/24	I	I	I	I	I	I	I	I

**CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: F - AFT SECTION STA 398 - AFT**

MDS: UH-60A
SERIAL NO: 7822975
CONSTANT: 1,000

1. (190924) AASF BOISE, ID
2. (180815) AASF BOISE, ID
3. (170821) AASF BOISE, ID
4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
6. (140702) AASF BOISE, ID
7. (130604) BOISE, ID
8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
F -001.00	ACCUMULATOR, HYDRAULIC W/FLUID 70651-03201	31.0	402.00	12.46	X		2019/09/24	I	I	I	I	I	I	I	I
F -002.00	ACCUMULATOR, HYD WINTERIZATION KIT W/FLUID 70651-03201	31.0	411.00	12.74			2019/09/24	O	O	O	O	O	O	O	O
F -003.00	TRAPPED FUEL	12.0	414.00	4.97			2019/09/24	O	O	O	O	O	O	O	O
F -004.00	PUMP PACKAGE (CEFS) HM029-045-11	24.0	420.00	10.08			2019/09/24	O	O	O	O	O	O	O	O
F -005.00	CARGO NET, LHS FDC-1555-149	1.9	421.00	0.80			2020/06/18	I	I	I	I	I	I	I	I
F -006.00	CARGO NET, RHS FDC-1555-149	1.9	421.00	0.80			2020/06/18	I	I	I	I	I	I	I	I
F -007.00	UNUSABLE FUEL WITH BOOST PUMPS INSTALLED	17.0	421.00	7.16	X		2019/09/24	I	I	I	I	I	I	I	O
F -008.00	HF RECEIVER TRANSMITTER RT-1749/URC	11.6	475.00	5.51			2020/06/18	I	I	I	I	I	I	I	I
F -009.00	HF AMPLIFIER COUPLER AM, 7531/URC 4700479-10	18.6	475.00	8.84			2020/06/18	I	I	I	I	I	I	I	I
F -010.00	AMPLIFIER, IFM AM-7189A/ARC AN/ARC-186/ARC-201(V)	10.0	476.00	4.76			2020/06/18	I	I	I	I	I	I	I	I
F -011.00	SEQUENCER, #1 SA-2669/APE-479V) A100685	3.5	515.00	1.80			2019/09/24	O	O	O	O	O	O	O	O
F -012.00	SEQUENCER, #2 SA-2669/ALE-47(V) A100685	3.5	515.00	1.80			2019/09/24	O	O	O	O	O	O	O	O
F -013.00	OIL, INTERMEDIATE GEARBOX (0.38 GAL) MIL-L-7808 / MIL-L-23699 / DOD-L-85734	3.0	664.00	1.99	X		2019/09/24	I	I	I	I	I	I	I	I
F -014.00	OIL, TAIL ROTOR GEARBOX MIL-L-23699 / MIL-L-7808 / DOD-L-85734	2.0	732.00	1.46	X		2019/09/24	I	I	I	I	I	I	I	I
F -015.00	IVHMS MWO						2019/09/24
F -015.01	INTERGRATED VEHICLE HEALTH MANAGEMENT UNIT (IVHMU) PN: 30279-302 (IVHMS)	20.0	474.00	9.48			2020/06/18	I	I	I	I	I	I	I	I

CHART A - BASIC WEIGHT CHECKLIST RECORD

COMPARTMENT: G - UPPER DECK STA 241 - 485

**MDS: UH-60A
SERIAL NO: 7822975
CONSTANT: 1,000**

- 1. (190924) AASF BOISE, ID
- 2. (180815) AASF BOISE, ID
- 3. (170821) AASF BOISE, ID
- 4. (160830) AASF BOISE, ID

- 5. (150708) AASF BOISE, ID
- 6. (140702) AASF BOISE, ID
- 7. (130604) BOISE, ID
- 8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								0	0	0	0	0	0	0	0
								9	8	8	8	7	7	6	6
								2	1	2	3	0	0	0	1
G -001.00	WORK PLATFORM 70219-04902	6.0	281.00	1.69	X		2019/09/24	I	I	I	I	I	I	I	I
G -002.00	GENERATOR, LHS 70550-02031	29.0	302.00	8.76	X		2019/09/24	I	I	I	I	I	I	I	I
G -003.00	GENERATOR, RHS 70550-02031	29.0	302.00	8.76	X		2019/09/24	I	I	I	I	I	I	I	I
G -004.00	OIL, MAIN GEARBOX MIL-L-23699	69.0	347.00	23.94	X		2019/09/24	I	I	I	I	I	I	I	I
G -005.00	OIL, MAIN GEARBOX MIL-L-7808	63.0	347.00	21.86			2019/09/24	O	O	O	O	O	O	O	O
G -006.00	ENGINE ASSEMBLY, LHS W/FULL ENGINE OIL T700-GE-701D	465.0	375.00	174.38	X		2019/11/13	I	I	I	I	I	I	I	I
G -007.00	ENGINE ASSEMBLY, RHS W/FULL ENGINE OIL T-700-GE-70D	465.0	375.00	174.38	X		2019/11/13	I	I	I	I	I	I	I	I
G -008.00	GENERATOR, AUXILIARY, APU 70550-02032-104	26.0	418.00	10.87	X		2019/09/24	I	I	I	I	I	I	I	I
G -009.00	APU, SOLAR T-62T-40-1 W/OIL NSN-2935-01-166-9129	89.0	431.00	38.36			2019/09/24	O	O	O	O	O	O	O	O
G -010.00	APU, T-62T-40-1 (HAMILTON STANDARD) W/OIL NSN 2835-01-369-2818	83.0	431.00	35.77	X		2019/09/24	I	I	I	I	I	I	O	O
G -011.00	FIRE EXTINGUISHER BOTTLE W/CARTRIDGE, LHS 70310-03101	5.9	453.00	2.67	X		2019/09/24	I	I	I	I	I	I	I	I
G -012.00	FIRE EXTINGUISHER BOTTLE W/CARTRIDGE, RHS 70310-03101	5.9	453.00	2.67	X		2019/09/24	I	I	I	I	I	I	I	I

**CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: H - EXTERNAL EQUIPMENT STA 0 - 770**

MDS: UH-60A
SERIAL NO: 7822975
CONSTANT: 1,000

1. (190924) AASF BOISE, ID
2. (180815) AASF BOISE, ID
3. (170821) AASF BOISE, ID
4. (160830) AASF BOISE, ID

5. (150708) AASF BOISE, ID
6. (140702) AASF BOISE, ID
7. (130604) BOISE, ID
8. (120615) Groton, CT

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	8	7	6	5	4	3	2
H -001.00	EOMS SENSOR, FWD LHS SU-202/AAR-579V) A100756	2.8	174.00	0.49			2019/09/24	0	0	0	0	0	0	0	0
H -002.00	EOMS SENSOR, FWD RHS SU-202/AAR-57(V) A100756	2.8	174.00	0.49			2019/09/24	0	0	0	0	0	0	0	0
H -002.10	ANTENNA CI-292-3 VHF (NEAR LANDING LIGHT) TECHNISONIC	0.5	222.00	0.11			2020/06/18	1	1	1	1	1	1	1	1
H -002.20	ANTENNA CI-285 UHF HIGH (FWD UNDERSIDE) TECHNISONIC	0.8	240.00	0.19			2020/06/18	1	1	1	1	1	1	1	1
H -002.30	ANTENNA CI-285 UHF LOW (AFT UNDERSIDE) TECHNISONIC	0.8	275.00	0.22			2020/06/18	1	1	1	1	1	1	1	1
H -003.00	DOOR, COCKPIT LHS 70217-01002-049	32.0	235.00	7.52	X		2019/09/24	1	1	1	1	1	1	1	1
H -004.00	DOOR, COCKPIT RHS 70217-01002-050	32.0	235.00	7.52	X		2019/09/24	1	1	1	1	1	1	1	1
H -005.00	WIRE CUTTER ASSEMBLY, LHS MLG 342-83005-5	11.0	282.00	3.10	X		2019/09/24	1	1	1	1	1	1	1	1
H -006.00	WIRE CUTTER ASSEMBLY, RHS MLG 342-83005-5	11.0	282.00	3.10	X		2019/09/24	1	1	1	1	1	1	1	1
H -007.00	ENGINE INLET BARRIER FILTER ASSY, LHS 70073-30007-011	81.7	298.30	24.37			2019/09/24	0	0	0	0	0	0	0	0
H -008.00	ENGINE INLET BARRIER FILTER ASSY, RHS 70073-30007-011	81.7	298.30	24.37			2019/09/24	0	0	0	0	0	0	0	0
H -009.00	FAIRING, UPPER REMOVABLE ESSS, LHS 70215-42401	3.0	301.00	0.90			2019/09/24	0	0	0	0	0	0	0	0
H -010.00	FAIRING, UPPER REMOVABLE ESSS, RHS 70215-42401	3.0	301.00	0.90			2019/09/24	0	0	0	0	0	0	0	0
H -011.00	AIR INLET ASSEMBLY, ENGINE, LHS 70302-10100	38.3	338.00	12.95	X		2019/09/24	1	1	1	1	1	1	1	1
H -012.00	AIR INLET ASSEMBLY, ENGINE, (W/ ICE DETECTOR), RHS 70302-10100	40.3	338.00	13.62	X		2019/09/24	1	1	1	1	1	1	1	1
H -013.00	MAIN ROTOR BLADES (4 EA) 70150-09100	844.0	341.00	287.80	X		2019/09/24	1	1	1	1	1	1	1	1
H -014.00	DISTRIBUTOR BOX, BLADE DE-ICE W/SLIP RING 70550-02127 & 70550-02128	24.0	341.00	8.18	X		2019/09/24	1	1	1	1	1	1	1	1
H -015.00	CARGO DOOR ASSEMBLY, LHS 70217-02701	43.0	344.00	14.79	X		2019/09/24	1	1	1	1	1	1	1	1
H -016.00	CARGO DOOR ASSEMBLY, RHS 70217-02701	43.0	344.00	14.79	X		2019/09/24	1	1	1	1	1	1	1	1
H -017.00	CARGO HOOK 70800-02503	22.0	353.00	7.77	X		2019/09/24	1	1	1	1	1	1	1	1
H -018.00	TRANSMITTER, IR JAMMER AN/ALQ-144A(V) NSN-5865-01-323-4999	25.6	400.00	10.24			2019/09/24	0	0	0	0	0	0	0	0
H -019.00	HIRSS ASSEMBLY W/O BAFFLE, LHS 70308-03610	111.0	417.00	46.29	X		2019/09/24	1	1	1	1	1	1	1	1
H -020.00	HIRSS ASSEMBLY W/O BAFFLE, RHS 70308-03610	110.0	417.00	45.87	X		2019/09/24	1	1	1	1	1	1	1	1
H -021.00	HIRSS BAFFLE, LHS 70308-03801	15.3	420.00	6.43	X		2019/09/24	1	1	1	1	1	1	1	1
H -022.00	HIRSS BAFFLE, RHS 70308-03801	15.3	420.00	6.43	X		2019/09/24	1	1	1	1	1	1	1	1
H -023.00	EXHAUST MODULE, LHS (ALTERNATE, OLD STYLE) 70308-03100	29.0	450.00	13.05			2019/09/24	0	0	0	0	0	0	0	0
H -024.00	EXHAUST MODULE, RHS (ALTERNATE, OLD STYLE) 70308-03100	29.0	450.00	13.05			2019/09/24	0	0	0	0	0	0	0	0
H -025.00	TROOP COMMANDERS ANTENNA A100740-101	2.2	460.00	1.01	X		2019/09/24	1	1	1	1	1	1	1	1
H -026.00	ANTENNA, L-BAND W/MOUNT (301)	3.1	475.00	1.47			2019/09/24	0	0	0	0	0	0	0	1
H -027.00	ELECTRONIC MODULE, LHS XM-130, 9311431	5.0	505.00	2.53			2019/09/24	0	0	0	0	0	0	0	0
H -028.00	DISPENSER MODULE, LHS XM-130, 9311434	6.0	505.00	3.03			2019/09/24	0	0	0	0	0	0	0	0
H -029.00	PAYLOAD MODULE, LHS XM-130, 9311451	4.0	505.00	2.02			2019/09/24	0	0	0	0	0	0	0	0
H -030.00	ICMD #1 (CHAFF) DISPENSER, FWD LHS D-61/ALQ-212(V) NSN-1095-01-457-9426	3.6	505.00	1.82			2019/09/24	0	0	0	0	0	0	0	0
H -031.00	CHAFF DISPENSER MODULE, FWD LHS A100724	4.0	505.00	2.02			2019/09/24	0	0	0	0	0	0	0	0
H -032.00	FLARE DISPENSER MOUNT ASSY, RHS A100674-101	4.1	514.50	2.11			2020/06/18	1	1	1	1	1	1	1	1
H -033.00	ICMD #2 (FLARE) DISPENSER, RHS D-61/ALQ-212(V) NSN-1095-01-457-9426	3.6	515.00	1.85			2019/09/24	0	0	0	0	0	0	0	0
H -034.00	FLARE DISPENSER MODULE, RHS A100724	4.0	515.00	2.06			2019/09/24	0	0	0	0	0	0	0	0
H -035.00	HF ANTENNA 4700516-10	7.0	528.00	3.70	X		2019/09/24	1	1	1	1	1	1	1	1
H -036.00	FLARE DISPENSER MOUNT ASSY, AFT LHS A100674-101	4.1	534.70	2.19			2020/06/18	1	1	1	1	1	1	1	1
H -037.00	ICMD #3 (FLARE) DISPENSER, AFT LHS D-61/ALQ-212(V) NSN-1095-01-457-9426	3.6	535.00	1.93			2019/09/24	0	0	0	0	0	0	0	0
H -038.00	FLARE DISPENSER MODULE, AFT LHS A100724	4.0	535.00	2.14			2019/09/24	0	0	0	0	0	0	0	0
H -039.00	TAIL ROTOR BLADES (2 EA) 70101-31000-043	79.4	732.00	58.12	X		2019/09/24	1	1	1	1	1	1	1	1

**CHART A - BASIC WEIGHT CHECKLIST RECORD
COMPARTMENT: H - EXTERNAL EQUIPMENT STA 0 - 770**

MDS: UH-60A
SERIAL NO: 7822975
CONSTANT: 1,000

- | | |
|----------------------------|----------------------------|
| 1. (190924) AASF BOISE, ID | 5. (150708) AASF BOISE, ID |
| 2. (180815) AASF BOISE, ID | 6. (140702) AASF BOISE, ID |
| 3. (170821) AASF BOISE, ID | 7. (130604) BOISE, ID |
| 4. (160830) AASF BOISE, ID | 8. (120615) Groton, CT |

Item Number	Item Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	In A/C	Man Inv.	Date	1	1	1	1	1	1	1	1
								9	0	0	0	0	0	0	0
H -040.00	EOMS SENSOR, AFT LHS SU-202/AAR-57(V) A100754	2.8	740.00	2.07			2019/09/24	0	0	0	0	0	0	0	0
H -041.00	EOMS SENSOR, AFT LHS SU-202/AAR-57(V) A100754	2.8	740.00	2.07			2019/09/24	0	0	0	0	0	0	0	0
H -042.00	HORIZONTAL STORES SUPPORT STRUCTURE	0.1					2019/09/24	0	0	0	0	0	0	0	0
H -043.00	HORIZONTAL STORES SUPPORT ASSEMBLY W/FAIRINGS, LH 70200-42400	202.0	305.00	61.61			2019/09/24	0	0	0	0	0	0	0	0
H -044.00	HORIZONTAL STORES SUPPORT ASSEMBLY W/FAIRINGS, RH 70200-42400	202.0	305.00	61.61			2019/09/24	0	0	0	0	0	0	0	0
H -045.00	HORIZONTAL STORES STRUTS AND FAIRINGS	0.1					2019/09/24	0	0	0	0	0	0	0	0
H -046.00	SUPPORT STRUTS AND FAIRINGS ASSEMBLY, LHS 70219-42430	28.0	302.00	8.46			2019/09/24	0	0	0	0	0	0	0	0
H -047.00	SUPPORT STRUTS AND FAIRINGS ASSEMBLY, RHS 70219-42430	28.0	302.00	8.46			2019/09/24	0	0	0	0	0	0	0	0
H -048.00	VERTICAL STORES PYLON BL 80	0.1					2019/09/24	0	0	0	0	0	0	0	0
H -049.00	RACK ATTACHMENT FITTING (BL 80), LH 70219-42412	25.0	316.00	7.90			2019/09/24	0	0	0	0	0	0	0	0
H -050.00	RACK ATTACHMENT FITTING (BL 80), RH 70219-42412	25.0	316.00	7.90			2019/09/24	0	0	0	0	0	0	0	0
H -051.00	PYLON FAIRING ASSEMBLY (BL 80), LH 70215-42407	8.0	316.00	2.53			2019/09/24	0	0	0	0	0	0	0	0
H -052.00	PYLON FAIRING ASSEMBLY (BL 80), RH 70215-42407	8.0	316.00	2.53			2019/09/24	0	0	0	0	0	0	0	0
H -053.00	14" BOMB RACK & HARDWARE ASSEMBLY (BL 80, LH (230 GAL) 70200-42400	18.0	316.00	5.69			2019/09/24	0	0	0	0	0	0	0	0
H -054.00	14" BOMB RACK & HARDWARE ASSEMBLY (BL 80), RH (230 GAL) 70200-42400	18.0	316.00	5.69			2019/09/24	0	0	0	0	0	0	0	0
H -055.00	30" BOMB RACK & HARDWARE ASSEMBLY (BL 80), LH (450 GAL) 70200-42400	65.0	316.00	20.54			2019/09/24	0	0	0	0	0	0	0	0
H -056.00	30" BOMB RACK & HARDWARE ASSEMBLY (BL 80, RH (450 GAL) 70200-42400	65.0	316.00	20.54			2019/09/24	0	0	0	0	0	0	0	0
H -057.00	VERTICAL STORES PYLON, BL 112	0.1					2019/09/24	0	0	0	0	0	0	0	0
H -058.00	RACK ATTACHMENT FITTING (BL 112), LH 70219-42412	25.0	316.00	7.90			2019/09/24	0	0	0	0	0	0	0	0
H -059.00	RACK ATTACHMENT FITTING (BL 112), RH 70219-42412	25.0	316.00	7.90			2019/09/24	0	0	0	0	0	0	0	0
H -060.00	PYLON FAIRING ASSEMBLY (BL 112), LH 70215-42407	10.0	316.00	3.16			2019/09/24	0	0	0	0	0	0	0	0
H -061.00	PYLON FAIRING ASSEMBLY (BL 112), RH 70215-42407	10.0	316.00	3.16			2019/09/24	0	0	0	0	0	0	0	0
H -062.00	14" BOMB RACK & HARDWARE ASSEMBLY (BL 112), RH (230 GAL) 70200-42400	18.0	316.00	5.69			2019/09/24	0	0	0	0	0	0	0	0
H -063.00	14" BOMB RACK & HARDWARE ASSEMBLY (BL 112), RH (230 GAL) 70200-42400	18.0	316.00	5.69			2019/09/24	0	0	0	0	0	0	0	0
H -064.00	ICMD #1 (CHAFF) PAYLOAD MODULE, LHS D-61/ALQ-212(V)	3.6	505.00	1.82			2019/09/24	0	0	0	0	0	0	0	1
H -065.00	ICMD #2 (FLARE) PAYLOAD MODULE, RHS D-61/ALQ-212(V)	3.6	515.00	1.85			2019/09/24	0	0	0	0	0	0	0	1
H -066.00	ICMD #3 (FLARE) PAYLOAD MODULE, LHS D-61/ALQ-212(V)	3.6	535.00	1.93			2019/09/24	0	0	0	0	0	0	0	1
H -067.00	ICMD #1 (CHAFF) PAYLOAD MODULE, LHS D-61/212(V)	3.6	505.00	1.82			2019/09/24	0	0	0	0	0	0	0	1
H -068.00	ICMD #2 (FLARE) PAYLOAD MODULE, RHS D-61/ALQ-212(V)	3.6	515.00	1.85			2019/09/24	0	0	0	0	0	0	0	1
H -069.00	ICMD #3 (FLARE) PAYLOAD MODULE, LHS D-61/ALQ-212(V)	3.6	535.00	1.93			2019/09/24	0	0	0	0	0	0	0	1
H -070.00	ELECTRO MAGNETIC MISSILE SENSOR, (LOWER TRANSITION) P/N 8355115G1	3.0	478.60	1.44			2019/09/24	0	0	0	0	0	0	0	1

CHART C - BASIC WEIGHT AND BALANCE RECORD

SERIAL NO: 7822975

CONSTANT: 1,000

MDS: UH-60A

Date	Act.	Item No.	Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	Basic Weight (lb)	Basic Long. Arm (in)	Basic Long. Mom. (in-lb)
2008/03/04	H		IMPLEMENTED MASTER CHART "A" RELEASED AS PER AEROMECH AED REDSTONE ARMY						
2008/03/04	H		INITIATED NEW DISK AWABS 9.2 CORPUS CHRISTI ARMY DEPOT EDWARD C. BALLESTEROS DSN: 861-1227						
2008/03/04	I		Calculated Weight and Moment per Inventory Completed at C. C. ARMY DEPOT				0.0	0.00	0.00
2008/03/04	W		BASIC A/C, WEIGHED AT :	11,327.5	359.87	4,076.43	11,327.5	359.87	4,076.43
2008/05/27	A	B -033.01	TECHNISONIC RT TFM-138	2.0	226.00	0.45	11,329.5	359.85	4,076.88
2008/05/27	A	B -033.02	ANTENNA ASSY TFM-138	3.0	205.00	0.62	11,332.5	359.81	4,077.50
2008/05/27	A		HOIST CABLE GUARD (70070-20551-011) RSN 1001031	8.0	343.19	2.75	11,340.5	359.79	4,080.24
2008/12/08	A	H -014.00	TRANSMITTER, IR JAMMER AN/ALQ-144A(V) NSN-5865-01-323-4999	26.0	400.00	10.40	11,366.5	359.89	4,090.64
2009/02/17	A	A -002.00	COMPUTER KIT-1C/TSEC	8.0	174.00	1.39	11,374.5	359.76	4,092.04
2009/02/17	A	A -006.00	SIGNAL DATA CONVERTER, (HUD) CV-4229/AVS-7	14.0	175.00	2.45	11,388.5	359.53	4,094.49
2009/02/17	A	A -011.00	PROCESSOR, DIGITAL CP-1597A/APR-39(V)	6.0	184.00	1.10	11,394.5	359.44	4,095.59
2009/02/17	A	A -019.00	SECURITY SET, LHS TSEC/KY-58	5.0	190.00	0.95	11,399.5	359.36	4,096.54
2009/02/17	A	A -020.00	SECURITY SET, CENTER TSEC/KY-58	5.0	190.00	0.95	11,404.5	359.29	4,097.49
2009/02/17	A	B -033.00	RCU, KY-58 CONTROL C-11466A	2.0	227.00	0.45	11,406.5	359.26	4,097.94
2009/02/17	A	B -048.00	RCU, KY-58 CONTROL C-11466A	2.0	228.00	0.46	11,408.5	359.24	4,098.40
2009/02/17	A	B -051.00	CONTROL DISPLAY UNIT AN/ARC-220 C-12436/URC	3.0	234.00	0.70	11,411.5	359.21	4,099.10
2009/02/17	A	B -050.00	VHF CONTROL AN/ARN-186(V) C-10604	2.0	231.00	0.46	11,413.5	359.19	4,099.56
2009/02/17	A	B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48	11,415.5	359.17	4,100.05
2009/02/17	R	B -050.00	VHF CONTROL AN/ARN-186(V) C-10604	2.0	231.00	0.46	11,413.5	359.19	4,099.59
2009/02/17	A	F -007.00	HF RECEIVER TRANSMITTER RT-1749/URC	12.0	475.00	5.70	11,425.5	359.31	4,105.29
2009/02/17	A	F -008.00	HF AMPLIFIER COUPLER AM, 7531/URC 4700479-10	19.0	475.00	9.03	11,444.5	359.50	4,114.31
2009/02/17	A	H -048.00	RESCUE HOIST CABLE GUARD	8.0	343.19	2.75	11,452.5	359.49	4,117.06
2009/02/17	A	D -014.00	RESCUE HOIST A KIT	10.0	324.00	3.24	11,462.5	359.46	4,120.30
2009/02/18	A	B -026.01	12 STATION ICS CALL PANEL	0.5	203.70	0.10	11,463.0	359.45	4,120.40
2009/02/18	A	B -026.02	12 STATION ICS CONTROL CABLE	0.7	252.60	0.18	11,463.7	359.45	4,120.58
2009/02/18	A	B -026.03	8 STATION ICS	10.3	211.50	2.18	11,474.0	359.31	4,122.75
2009/02/18	A	D -001.01	4 STATION ICS	6.0	300.50	1.80	11,480.0	359.28	4,124.56
2009/02/18	A	D -001.02	4 STATION ICS WALL MOINT	0.5	300.50	0.15	11,480.5	359.28	4,124.71
2009/02/18	A	D -007.01	12 STATION ICS CABLES	11.2	330.00	3.70	11,491.7	359.25	4,128.40
2009/03/11	A	B -014.00	RADAR WARNING INDICATOR IP-1150/APR-39(V)	2.0	206.00	0.41	11,493.7	359.22	4,128.82
2009/03/11	R	B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48	11,491.7	359.24	4,128.33
2009/03/11	I		Calculated Weight and Moment per Inventory Completed at BOISE, ID				11,491.7	359.24	4,128.33
2009/05/28	A	B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48	11,493.7	359.22	4,128.82
2009/10/16	R	A -014.00	RECEIVER, VOR R-2594/ARN-147	8.0	204.00	1.63	11,485.7	359.33	4,127.18
2009/10/16	A	A -013.00	RECEIVER, VOR R-2139/ARN-123(V)	9.0	204.00	1.84	11,494.7	359.21	4,129.02
2009/10/16	A	B -041.00	CONTROL RESCUE HOIST KIT 70550-01119	2.0	240.00	0.48	11,496.7	359.19	4,129.50
2009/10/16	A	F -012.00	OPTION II CABIN HEATER	15.7	419.20	6.58	11,512.4	359.27	4,136.08
2010/03/17	R	B -033.00	RCU, KY-58 CONTROL C-11466A	2.0	227.00	0.45	11,510.4	359.29	4,135.63
2010/03/17	A	B -045.00	RCU, KY-58 CONTROL C-11466A	2.0	219.00	0.44	11,512.4	359.27	4,136.06

H = Header **I = Inventory**
A = Addition **R = Removal**
S = Chart C Review **W = Weighing**

CHART C - BASIC WEIGHT AND BALANCE RECORD

SERIAL NO: 7822975

CONSTANT: 1,000

MDS: UH-60A

Date	Act.	Item No.	Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	Basic Weight (lb)	Basic Long. Arm (in)	Basic Long. Mom. (in-lb)
2010/03/17	I		Annual review and inventory completed at Boise, ID				11,512.4	359.27	4,136.06
2010/03/17	W		BASIC A/C, WEIGHED AT : BOISE, ID	11,587.0	359.36	4,163.91	11,587.0	359.36	4,163.91
2010/06/03	R	A -002.00	COMPUTER KIT-1C/TSEC	8.0	174.00	1.39	11,579.0	359.49	4,162.52
2010/06/03	R	A -019.00	SECURITY SET, LHS TSEC/KY-58	5.0	190.00	0.95	11,574.0	359.56	4,161.57
2010/06/03	R	A -020.00	SECURITY SET, CENTER TSEC/KY-58	5.0	190.00	0.95	11,569.0	359.64	4,160.62
2010/06/03	R	A -011.00	PROCESSOR, DIGITAL CP-1597A/APR-39(V)	6.0	184.00	1.10	11,563.0	359.73	4,159.51
2010/06/03	R	B -014.00	RADAR WARNING INDICATOR IP-1150/APR-39(V)	2.0	206.00	0.41	11,561.0	359.75	4,159.10
2010/06/03	R	B -026.01	12 STATION ICS CALL PANEL	0.5	203.70	0.10	11,560.5	359.76	4,159.00
2010/06/03	R	B -026.02	12 STATION ICS CONTROL CABLE	0.7	252.60	0.18	11,559.8	359.77	4,158.82
2010/06/03	R	B -026.03	8 STATION ICS	10.3	211.50	2.18	11,549.5	359.90	4,156.65
2010/06/03	R	B -033.01	TECHNISONIC RT TFM-138	2.0	226.00	0.45	11,547.5	359.92	4,156.19
2010/06/03	R	B -045.00	RCU, KY-58 CONTROL C-11466A	2.0	219.00	0.44	11,545.5	359.95	4,155.76
2010/06/03	R	B -048.00	RCU, KY-58 CONTROL C-11466A	2.0	228.00	0.46	11,543.5	359.97	4,155.30
2010/06/03	R	D -001.01	4 STATION ICS	6.0	300.50	1.80	11,537.5	360.00	4,153.50
2010/06/03	R	D -007.01	12 STATION ICS CABLES	11.2	330.00	3.70	11,526.3	360.03	4,149.80
2010/06/03	R	H -014.00	TRANSMITTER, IR JAMMER AN/ALQ-144A(V) NSN-5865-01-323-4999	26.0	400.00	10.40	11,500.3	359.94	4,139.40
2010/06/04	R	B -041.00	CONTROL RESCUE HOIST KIT 70550-01119	2.0	240.00	0.48	11,498.3	359.96	4,138.92
2010/10/22	A	A -002.00	COMPUTER KIT-1C/TSEC	8.0	174.00	1.39	11,506.3	359.83	4,140.31
2010/10/22	A	A -011.00	PROCESSOR, DIGITAL CP-1597A/APR-39(V)	6.0	184.00	1.10	11,512.3	359.74	4,141.42
2010/10/22	A	A -019.00	SECURITY SET, LHS TSEC/KY-58	5.0	190.00	0.95	11,517.3	359.66	4,142.37
2010/10/22	A	A -020.00	SECURITY SET, CENTER TSEC/KY-58	5.0	190.00	0.95	11,522.3	359.59	4,143.32
2010/10/22	A	B -014.00	RADAR WARNING INDICATOR IP-1150/APR-39(V)	2.0	206.00	0.41	11,524.3	359.56	4,143.73
2010/10/22	A	B -033.01	TECHNISONIC RT TFM-138	2.0	226.00	0.45	11,526.3	359.54	4,144.18
2010/10/22	A	B -041.00	CONTROL RESCUE HOIST KIT 70550-01119	2.0	240.00	0.48	11,528.3	359.52	4,144.66
2010/10/22	A	B -045.00	RCU, KY-58 CONTROL C-11466A	2.0	219.00	0.44	11,530.3	359.50	4,145.10
2010/10/22	A	B -048.00	RCU, KY-58 CONTROL C-11466A	2.0	228.00	0.46	11,532.3	359.47	4,145.55
2011/03/07	A	B -026.04	ALQ-144 CONTROL	1.5	206.00	0.31	11,533.8	359.45	4,145.86
2011/03/07	A	H -014.00	TRANSMITTER, IR JAMMER AN/ALQ-144A(V) NSN-5865-01-323-4999	26.0	400.00	10.40	11,559.8	359.54	4,156.26
2011/03/07	I		Annual review and inventory completed at BOISE, ID				11,559.8	359.54	4,156.26
2011/10/06	R	B -033.01	TECHNISONIC RT TFM-138	2.0	226.00	0.45	11,557.8	359.57	4,155.81
2011/10/06	R	B -033.02	ANTENNA ASSY TFM-138	3.0	205.00	0.62	11,554.8	359.61	4,155.20
2011/10/13	R	A -011.00	PROCESSOR, DIGITAL CP-1597A/APR-39(V)	6.0	184.00	1.10	11,548.8	359.70	4,154.09
2011/10/13	R	A -019.00	SECURITY SET, LHS TSEC/KY-58	5.0	190.00	0.95	11,543.8	359.77	4,153.14
2011/10/13	R	A -020.00	SECURITY SET, CENTER TSEC/KY-58	5.0	190.00	0.95	11,538.8	359.85	4,152.19
2011/10/13	R	B -014.00	RADAR WARNING INDICATOR IP-1150/APR-39(V)	2.0	206.00	0.41	11,536.8	359.87	4,151.78
2011/10/13	R	B -026.04	ALQ-144 CONTROL	1.5	206.00	0.31	11,535.3	359.89	4,151.47
2011/10/13	R	B -041.00	CONTROL RESCUE HOIST KIT 70550-01119	2.0	240.00	0.48	11,533.3	359.91	4,150.99
2011/10/13	R	B -045.00	RCU, KY-58 CONTROL C-11466A	2.0	219.00	0.44	11,531.3	359.94	4,150.55
2011/10/13	R	B -048.00	RCU, KY-58 CONTROL C-11466A	2.0	228.00	0.46	11,529.3	359.96	4,150.10

H = Header I = Inventory
A = Addition R = Removal
S = Chart C Review W = Weighing

CHART C - BASIC WEIGHT AND BALANCE RECORD

SERIAL NO: 7822975

CONSTANT: 1,000

MDS: UH-60A

Date	Act.	Item No.	Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	Basic Weight (lb)	Basic Long. Arm (in)	Basic Long. Mom. (in-lb)
2011/10/13	R	H -014.00	TRANSMITTER, IR JAMMER AN/ALQ-144A(V) NSN-5865-01-323-4999	26.0	400.00	10.40	11,503.3	359.87	4,139.70
2011/10/13	R	B -049.00	FM CONTROL PANEL, C-11466A/ARC-201 NSN-5821-01-231-5660	2.0	231.00	0.46	11,501.3	359.89	4,139.24
2011/10/13	R	B -070.00	VHF/FM RADIO RT-1477/ARC-201C(V) NSN-5821-01-306-4653	7.0	229.00	1.60	11,494.3	359.97	4,137.63
2011/10/13	R	A -006.00	SIGNAL DATA CONVERTER, (HUD) CV-4229/AVS-7	14.0	175.00	2.45	11,480.3	360.20	4,135.18
2011/10/13	R	B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48	11,478.3	360.22	4,134.70
2012/06/13	H		*** BEGINNING OF CMWS MWO 1-1520-237-50-93 (19 MAY 08)						
2012/06/13	A	B -080.00	CONTROL INDICATOR 2566/AAR-47(V)	1.5	225.00	0.34	11,479.8	360.20	4,135.04
2012/06/13	A	H -064.00	ICMD #1 (CHAFF) PAYLOAD MODULE, LHS D-61/ALQ-212(V)	3.6	505.00	1.82	11,483.4	360.25	4,136.85
2012/06/13	A	H -065.00	ICMD #2 (FLARE) PAYLOAD MODULE, RHS D-61/ALQ-212(V)	3.6	515.00	1.85	11,487.0	360.29	4,138.71
2012/06/13	A	H -066.00	ICMD #3 (FLARE) PAYLOAD MODULE, LHS D-61/ALQ-212(V)	3.6	535.00	1.93	11,490.6	360.35	4,140.63
2012/06/13	A	H -067.00	ICMD #1 (CHAFF) PAYLOAD MODULE, LHS D-61/212(V)	3.6	505.00	1.82	11,494.2	360.39	4,142.45
2012/06/13	A	H -068.00	ICMD #2 (FLARE) PAYLOAD MODULE, RHS D-61/ALQ-212(V)	3.6	515.00	1.85	11,497.8	360.44	4,144.31
2012/06/13	A	H -069.00	ICMD #3 (FLARE) PAYLOAD MODULE, LHS D-61/ALQ-212(V)	3.6	535.00	1.93	11,501.4	360.50	4,146.23
2012/06/13	A	H -070.00	ELECTRO MAGNETIC MISSILE SENSOR, (LOWER TRANSITION) P/N 8355115G1	3.0	478.60	1.44	11,504.4	360.53	4,147.67
2012/06/13	A		Fwd EOMS Sensor Structure	3.4	176.47	0.60	11,507.8	360.47	4,148.27
2012/06/13	A		Auxiliary Circuit Breaker Panel	1.9	210.53	0.40	11,509.7	360.45	4,148.67
2012/06/13	A		Relay Box	1.7	235.29	0.40	11,511.4	360.43	4,149.07
2012/06/13	A		Safe/Arm Box W/Jumper	1.4	214.29	0.30	11,512.8	360.41	4,149.37
2012/06/13	A		Chaff Controller	0.7	238.00	0.17	11,513.5	360.41	4,149.53
2012/06/13	A		Safety Switch Mount	0.3	255.00	0.08	11,513.8	360.40	4,149.61
2012/06/13	A		Wiring, Hardware, Misc Switches, ect	45.9	350.00	16.07	11,559.7	360.36	4,165.68
2012/06/13	A		ECU Mount Assy	9.8	372.00	3.65	11,569.5	360.37	4,169.32
2012/06/13	A		Terminal Hardware, Misc Switches, etc	45.9	350.00	16.07	11,615.4	360.33	4,185.39
2012/06/13	A		ECU Mount Assy	9.8	367.35	3.60	11,625.2	360.34	4,188.99
2012/06/13	A		Terminal Junction Box Assy	1.5	388.20	0.58	11,626.7	360.34	4,189.57
2012/06/13	A		Troop Commanders Antenna Mount	2.4	460.00	1.10	11,629.1	360.36	4,190.67
2012/06/13	A		Sequencer Mounts (# 1 & 2)	1.2	500.00	0.60	11,630.3	360.38	4,191.27
2012/06/13	A		LH Chaff Dispenser Structure	0.8	505.00	0.40	11,631.1	360.39	4,191.68
2012/06/13	A		RH flare Dispenser Structure	5.4	514.50	2.78	11,636.5	360.46	4,194.45
2012/06/13	A		RH Flare Dispenser Mount Assy	6.0	515.00	3.09	11,642.5	360.54	4,197.54
2012/06/13	A		LH Flare Dispenser Structure	5.4	534.70	2.89	11,647.9	360.62	4,200.43
2012/06/13	A		LH Flare Dispenser Mount Assy	6.0	535.00	3.21	11,653.9	360.71	4,203.64
2012/06/13	A		Sta 650 Disconnect Bracket	0.3	650.00	0.20	11,654.2	360.71	4,203.84
2012/06/13	A		Aft EOMS Sensors Structure	7.0	740.00	5.18	11,661.2	360.94	4,209.02
2012/06/13	A		Fifth Sensor Fixed Provisions - Structure and Wiring (Lower Transition) P/N 70070-95142-011	3.1	441.80	1.37	11,664.3	360.96	4,210.39
2012/06/13	H		*** END OF CMWS MWO 1-1520-237-50-93 (19 MAY 08)						
2012/06/13	H		*** BEGINNING OF IVHMS						
2012/06/13	A	B -079.01	REMOTE CONCENTRATOR (RDC) PN: 30201-0501 (IVHMS)	4.3	205.00	0.88	11,668.6	360.91	4,211.27
2012/06/13	A	B -079.02	COCKPIT DISPLAY UNIT (CDU) PN: 10150-0201 (IVHMS)	4.1	206.00	0.84	11,672.7	360.85	4,212.11
2012/06/13	A	B -079.03	DATA TRANSFER UNIT (DTU) PN: 30192-0201 (IVHMS)	1.8	245.00	0.44	11,674.5	360.83	4,212.55
2012/06/13	A	F -015.01	INTERGRATED VEHICLE HEALTH MANAGEMENT UNIT (IVHMU) PN: 30279-302 (IVHMS)	20.0	474.00	9.48	11,694.5	361.03	4,222.03
2012/06/13	A		ELECTRICAL INSTALLATION (IVHMS)	47.0	369.00	17.34	11,741.5	361.06	4,239.38
2012/06/13	A		SENSOR/STRUCTURAL INSTALLATION (IVHMS)	16.0	429.00	6.86	11,757.5	361.15	4,246.24

H = Header I = Inventory
A = Addition R = Removal
S = Chart C Review W = Weighing

CHART C - BASIC WEIGHT AND BALANCE RECORD

MDS: UH-60A

SERIAL NO: 7822975

CONSTANT: 1,000

Date	Act.	Item No.	Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	Basic Weight (lb)	Basic Long. Arm (in)	Basic Long. Mom. (in-lb)
2012/06/13	H		*** END OF IVHMS						
2012/06/13	H		New Chart A Applied						
2012/06/15	I		Calculated Weight and Moment per Inventory Completed at Groton, CT				11,757.5	361.15	4,246.24
2012/06/14	W		BASIC A/C, WEIGHED AT : Groton, CT	11,602.0	361.23	4,191.05	11,602.0	361.23	4,191.05
2012/08/27	A	A -019.00	SECURITY SET, CENTER TSEC/KY-58	4.9	190.00	0.93	11,606.9	361.16	4,191.98
2012/08/27	A	A -020.00	SECURITY SET, RHS TSEC/KY-58	4.9	190.00	0.93	11,611.8	361.09	4,192.91
2012/08/27	R	A -019.00	SECURITY SET, CENTER TSEC/KY-58	4.9	190.00	0.93	11,606.9	361.16	4,191.98
2012/08/27	A	B -033.00	RCU, KY-58 CONTROL C-11466A	2.1	227.00	0.48	11,609.0	361.14	4,192.45
2012/08/27	A	B -042.00	CONTROL RESCUE HOIST KIT 70550-01119	2.0	240.00	0.48	11,611.0	361.12	4,192.93
2012/08/27	R		ALQ-144 RETRIEVER TRANSMITTER MOUNT	5.0	400.00	2.00	11,606.0	361.10	4,190.93
2012/09/20	A	B -092.00	TECHNISONIC TDFM-6148-NV	4.5	228.00	1.03	11,610.5	361.05	4,191.96
2012/09/20	A	B -091.00	TECHNISONIC AMS-600	8.0	225.00	1.80	11,618.5	360.96	4,193.76
2012/09/20	A	H -067.01	ANTENNA CI-285 UHF LOW (AFT UNDERSIDE)	0.8	275.00	0.22	11,619.3	360.95	4,193.98
2012/09/20	A	H -065.01	ANTENNA CI-292-3 (NEAR LANDING LIGHT)	0.5	222.00	0.11	11,619.8	360.94	4,194.09
2012/09/20	A	H -065.02	ANTENNA CI-285 UHF LOW (FWD UNDERSIDE)	0.8	240.00	0.19	11,620.6	360.94	4,194.28
2012/09/20	A		ARC-201 RT LOOP BACK CONNECTOR ADAPTER	0.3	223.00	0.07	11,620.9	360.93	4,194.35
2012/09/20	A		HARNESS TDFM CONTROL HEAD TO AMS-600	0.3	225.00	0.07	11,621.2	360.93	4,194.42
2012/09/20	A		ANTENNA CI-292-3 VHF CABLE ASSY WITH HARDWARE	0.2	227.00	0.05	11,621.4	360.93	4,194.46
2012/09/20	A		HARNESS ADAPTER TDFM CONTROL HEAD TO 201 CONNECTOR	0.4	228.00	0.09	11,621.8	360.92	4,194.55
2012/09/20	A		ANTENNA CI-285 UHF LOW CABLE ASSY WITH HARDWARE	0.7	250.00	0.18	11,622.5	360.91	4,194.73
2012/09/20	A		ANTENNA CI-285 UHF HIGH (800 MHZ) CABLE ASSY WITH HARDWARE	0.5	265.00	0.13	11,623.0	360.91	4,194.86
2012/10/04	A	B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48	11,625.0	360.89	4,195.34
2012/10/04	A	A -006.00	SIGNAL DATA CONVERTER, (HUD) CV-4229/AVS-7	13.7	175.00	2.40	11,638.7	360.67	4,197.74
2013/02/04	A	A -019.00	SECURITY SET, CENTER TSEC/KY-58	4.9	190.00	0.93	11,643.6	360.60	4,198.67
2013/02/04	A	B -049.00	RCU, KY-58 CONTROL C-11466A	2.1	228.00	0.48	11,645.7	360.58	4,199.15
2013/03/08	R	B -091.00	TECHNISONIC AMS-600	8.0	225.00	1.80	11,637.7	360.67	4,197.35
2013/03/08	R	B -092.00	TECHNISONIC TDFM-6148-NV	4.5	228.00	1.03	11,633.2	360.72	4,196.33
2013/06/04	A	B -050.00	FM CONTROL PANEL, C-11466A/ARC-201 NSN-5821-01-231-5660	1.7	231.00	0.39	11,634.9	360.70	4,196.72
2013/06/04	A	B -077.00	VHF/FM RADIO RT-1477/ARC-201C(V) NSN-5821-01-306-4653	6.7	229.00	1.53	11,641.6	360.63	4,198.25
2013/06/04	A	D -014.00	TROOP SEAT, CENTER (ALTERNATE SEATING) 70500-02151	16.3	338.00	5.51	11,657.9	360.59	4,203.76
2013/06/04	A	F -007.00	UNUSABLE FUEL WITH BOOST PUMPS INSTALLED	17.0	421.00	7.16	11,674.9	360.68	4,210.92
2013/06/04	R	H -065.01	ANTENNA CI-292-3 (NEAR LANDING LIGHT)	0.5	222.00	0.11	11,674.4	360.69	4,210.81
2013/06/04	R	H -065.02	ANTENNA CI-285 UHF LOW (FWD UNDERSIDE)	0.8	240.00	0.19	11,673.6	360.70	4,210.62
2013/06/04	R	H -067.01	ANTENNA CI-285 UHF LOW (AFT UNDERSIDE)	0.8	275.00	0.22	11,672.8	360.70	4,210.40
2013/06/04	S		CHART C REVIEW COMPLIED WITH				11,672.8	360.70	4,210.40
2013/06/04	I		Calculated Weight and Moment per Inventory Completed at BOISE, ID				11,672.8	360.70	4,210.40
2013/08/12	H		*** Start Modification "UH-60A 12 POINT ICS"				11,672.8	360.70	4,210.40
2013/08/12	A	B -026.10	12 STATION ICS CALL PANEL	0.5	206.00	0.10	11,673.3	360.69	4,210.50
2013/08/12	A	B -058.10	CONTROL CABLE W13 (12 STATION ICS)	0.7	227.00	0.16	11,674.0	360.69	4,210.66
2013/08/12	A	C -007.10	8 STATION ICS BOXES	10.3	248.00	2.55	11,684.3	360.59	4,213.21
2013/08/12	A	D -005.10	4 STATION ICS BOX	6.0	322.00	1.93	11,690.3	360.57	4,215.14
2013/08/12	A	D -009.10	12 STATION ICS CABLES	11.2	331.00	3.71	11,701.5	360.54	4,218.85
2013/08/12	A		12 STATION ICS WALL MOUNT	0.5	322.00	0.16	11,702.0	360.54	4,219.01

H = Header I = Inventory
A = Addition R = Removal
S = Chart C Review W = Weighing

CHART C - BASIC WEIGHT AND BALANCE RECORD

SERIAL NO: 7822975

CONSTANT: 1,000

MDS: UH-60A

Date	Act.	Item No.	Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	Basic Weight (lb)	Basic Long. Arm (in)	Basic Long. Mom. (in-lb)
2013/08/12	H		*** End Modification "UH-60A 12 POINT ICS"				11,702.0	360.54	4,219.01
2013/08/14	A	B -035.10	TECHNISONIC AMS-6000	0.8	225.00	0.18	11,702.8	360.53	4,219.19
2013/08/14	A	B -035.11	TECHNISONIC TDFM-6148/NV	4.5	228.00	1.03	11,707.3	360.48	4,220.22
2013/08/14	A	H -002.10	ANTENNA CI-292-3 VHF (NEAR LANDING LIGHT) TECHNISONIC	0.5	222.00	0.11	11,707.8	360.47	4,220.33
2013/08/14	A	H -002.20	ANTENNA CI-285 UHF HIGH (FWD UNDERSIDE) TECHNISONIC	0.8	240.00	0.19	11,708.6	360.46	4,220.52
2013/08/14	A	H -002.30	ANTENNA CI-285 UHF LOW (AFT UNDERSIDE) TECHNISONIC	0.8	275.00	0.22	11,709.4	360.46	4,220.74
2014/07/02	R	E -014.00	SOUNDPROOFING, SIDEWALL PANEL, LHS 70500-02068	2.0	388.00	0.78	11,707.4	360.45	4,219.97
2014/07/02	I		Calculated Weight and Moment per Inventory Completed at AASF BOISE, ID				11,707.4	360.45	4,219.97
2014/07/02	W		BASIC A/C, WEIGHED AT : Boise, Idaho	11,735.0	359.96	4,224.18	11,735.0	359.96	4,224.18
2014/07/02	H		IAW TM 1-1520-237-23, calculated vs. actual Basic Weight and Arm inspection completed with no errors found				11,735.0	359.96	4,224.18
2014/07/02	S		CHART C REVIEW COMPLIED WITH				11,735.0	359.96	4,224.18
2015/07/08	A	C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83	11,745.1	359.90	4,227.01
2015/07/08	A	C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83	11,755.2	359.83	4,229.84
2015/07/08	A	E -014.00	SOUNDPROOFING, SIDEWALL PANEL, LHS 70500-02068	2.0	388.00	0.78	11,757.2	359.83	4,230.61
2015/07/08	I		Calculated Weight and Moment per Inventory Completed at AASF BOISE, ID				11,757.2	359.83	4,230.61
2015/07/08	S		CHART C REVIEW COMPLIED WITH				11,757.2	359.83	4,230.61
2016/08/30	A	B -035.12	TDFM-136B TECHNISONIC RADIO	4.0	228.00	0.91	11,761.2	359.79	4,231.53
2016/08/30	I		Calculated weight and moment per inventory completed at AASF BOISE, ID				11,761.2	359.79	4,231.53
2016/08/30	W		BASIC A/C, WEIGHED AT: Boise, ID	11,749.0	359.68	4,225.88	11,749.0	359.68	4,225.88
2016/08/30	S		CHART C REVIEW COMPLIED WITH				11,749.0	359.68	4,225.88
2017/01/19	R	B -015.00	ICE RATE METER 70550-01124	2.9	206.00	0.60	11,746.1	359.72	4,225.28
2017/01/19	A	B -015.05	DCIU, 79986-1007847	3.3	210.00	0.69	11,749.4	359.68	4,225.97
2017/01/19	A	B -053.00	SECURE COMMUNICATION CONTROL PANEL KY-100	6.0	253.00	1.52	11,755.4	359.62	4,227.49
2017/02/08	R	B -035.12	TDFM-136B TECHNISONIC RADIO	4.0	228.00	0.91	11,751.4	359.67	4,226.58
2017/03/21	R	C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83	11,741.3	359.73	4,223.75
2017/03/21	R	C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83	11,731.2	359.80	4,220.92
2017/08/21	I		Calculated weight and moment per inventory completed at AASF BOISE, ID				11,731.2	359.80	4,220.92
2017/08/21	S		CHART C REVIEW COMPLIED WITH				11,731.2	359.80	4,220.92
2018/08/15	A	C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83	11,741.3	359.73	4,223.75
2018/08/15	A	C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83	11,751.4	359.67	4,226.58
2018/08/15	A	B -035.12	TDFM-136B TECHNISONIC RADIO	4.0	228.00	0.91	11,755.4	359.62	4,227.49
2018/08/15	I		Calculated weight and moment per inventory completed at AASF BOISE, ID				11,755.4	359.62	4,227.49
2018/08/15	W		BASIC A/C, WEIGHED AT: BOISE, IDAHO	11,778.3	359.43	4,233.54	11,778.3	359.43	4,233.54
2018/08/15	S		CHART C REVIEW COMPLIED WITH				11,778.3	359.43	4,233.54
2019/09/09	A	B -035.00	VHF CONTROL, AN/ARC-186(V) C-10604	1.6	233.00	0.37	11,779.9	359.42	4,233.91
2019/09/09	R	B -040.10	CONTROL PANEL VHF/AM C-10604A (V)6/ARC-186	2.0	224.00	0.45	11,777.9	359.44	4,233.46
2019/09/09	R	C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83	11,767.8	359.51	4,230.63
2019/09/09	R	C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83	11,757.7	359.58	4,227.80
2019/09/24	I		Calculated weight and moment per inventory completed at AASF BOISE, ID				11,757.7	359.58	4,227.80
2019/09/24	S		CHART C REVIEW COMPLIED WITH				11,757.7	359.58	4,227.80
2019/11/13	R	B -026.10	12 STATION ICS CALL PANEL	0.5	206.00	0.10	11,757.2	359.58	4,227.70
2019/11/13	A	B -034.00	FM CONTROL PANEL, C-11466A/ARC-201 NSN-5821-01-231-5660	1.7	229.00	0.39	11,758.9	359.56	4,228.09
2019/11/13	R	B -035.12	TDFM-136B TECHNISONIC RADIO	4.0	228.00	0.91	11,754.9	359.61	4,227.18

H = Header
A = Addition
S = Chart C Review
I = Inventory
R = Removal
W = Weighing

CHART C - BASIC WEIGHT AND BALANCE RECORD

SERIAL NO: 7822975

CONSTANT: 1,000

MDS: UH-60A

Date	Act.	Item No.	Description	Weight (lb)	Long. Arm (in)	Long. Mom. (in-lb)	Basic Weight (lb)	Basic Long. Arm (in)	Basic Long. Mom. (in-lb)
2019/11/13	R	B -058.10	CONTROL CABLE W13 (12 STATION ICS)	0.7	227.00	0.16	11,754.2	359.62	4,227.02
2019/11/13	A	B -076.00	VHF/FM RADIO RT-1477/ARC-201C(V) NSN-5821-01-306-4653	6.7	223.00	1.49	11,760.9	359.54	4,228.51
2019/11/13	R	C -007.10	8 STATION ICS BOXES	10.3	248.00	2.55	11,750.6	359.64	4,225.96
2019/11/13	R	D -005.10	4 STATION ICS BOX	6.0	322.00	1.93	11,744.6	359.66	4,224.03
2019/11/13	R	D -009.10	12 STATION ICS CABLES	11.2	331.00	3.71	11,733.4	359.68	4,220.32
2019/11/14	A	C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83	11,743.5	359.61	4,223.15
2019/11/14	A	C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83	11,753.6	359.55	4,225.98
2020/06/18	R	A -002.00	COMPUTER KIT-1C/TSEC	8.3	174.00	1.44	11,745.3	359.68	4,224.53
2020/06/18	R	A -006.00	SIGNAL DATA CONVERTER, (HUD) CV-4229/AVS-7	13.7	175.00	2.40	11,731.6	359.89	4,222.13
2020/06/18	R	A -011.00	PROCESSOR, DIGITAL CP-1597A/APR-39(V)	5.9	184.00	1.09	11,725.7	359.98	4,221.05
2020/06/18	R	A -019.00	SECURITY SET, CENTER TSEC/KY-58	4.9	190.00	0.93	11,720.8	360.05	4,220.12
2020/06/18	R	A -020.00	SECURITY SET, RHS TSEC/KY-58	4.9	190.00	0.93	11,715.9	360.12	4,219.19
2020/06/18	R	B -014.00	RADAR WARNING INDICATOR IP-1150/APR-39(V)	2.2	206.00	0.45	11,713.7	360.15	4,218.73
2020/06/18	R	B -046.00	RCU, KY-58 CONTROL C-11466A	2.1	219.00	0.46	11,711.6	360.18	4,218.27
2020/06/18	R	B -049.00	RCU, KY-58 CONTROL C-11466A	2.1	228.00	0.48	11,709.5	360.20	4,217.80
2020/06/18	R	B -051.00	CONTROL DISPLAY UNIT AN/ARC-220 C-12436/URC	3.2	234.00	0.75	11,706.3	360.24	4,217.05
2020/06/18	R	B -052.00	HEADS-UP DISPLAY AN/AVS-7	2.0	242.00	0.48	11,704.3	360.26	4,216.56
2020/06/18	R	B -053.00	SECURE COMMUNICATION CONTROL PANEL KY-100	6.0	253.00	1.52	11,698.3	360.31	4,215.04
2020/06/18	R	B -066.00	DC-DC POWER CONVERTER, EDM (BFT) 143-1075-003 OR 143-1075-006	2.0	237.00	0.47	11,696.3	360.33	4,214.57
2020/06/18	R	B -079.01	REMOTE CONCENTRATOR (RDC) PN: 30201-0501 (IVHMS)	4.3	205.00	0.88	11,692.0	360.39	4,213.69
2020/06/18	R	B -079.02	COCKPIT DISPLAY UNIT (CDU) PN: 10150-0201 (IVHMS)	4.1	206.00	0.84	11,687.9	360.44	4,212.84
2020/06/18	R	B -079.03	DATA TRANSFER UNIT (DTU) PN: 30192-0201 (IVHMS)	1.8	245.00	0.44	11,686.1	360.46	4,212.40
2020/06/18	R	B -080.00	CONTROL INDICATOR 2566/AAR-47(V)	1.5	225.00	0.34	11,684.6	360.48	4,212.07
2020/06/18	R	C -029.00	MACHINE GUN MOUNT ARM, LHS M60D	10.1	280.00	2.83	11,674.5	360.55	4,209.24
2020/06/18	R	C -030.00	MACHINE GUN MOUNT ARM, RHS M60D	10.1	280.00	2.83	11,664.4	360.62	4,206.41
2020/06/18	R	F -005.00	CARGO NET, LHS FDC-1555-149	1.9	421.00	0.80	11,662.5	360.61	4,205.61
2020/06/18	R	F -006.00	CARGO NET, RHS FDC-1555-149	1.9	421.00	0.80	11,660.6	360.60	4,204.81
2020/06/18	R	F -008.00	HF RECEIVER TRANSMITTER RT-1749/URC	11.6	475.00	5.51	11,649.0	360.48	4,199.30
2020/06/18	R	F -009.00	HF AMPLIFIER COUPLER AM, 7531/URC 4700479-10	18.6	475.00	8.84	11,630.4	360.30	4,190.47
2020/06/18	R	F -010.00	AMPLIFIER, IFM AM-7189A/ARC AN/ARC-186/ARC-201(V)	10.0	476.00	4.76	11,620.4	360.20	4,185.71
2020/06/18	R	F -015.01	INTERGRATED VEHICLE HEALTH MANAGEMENT UNIT (IVHMU) PN: 30279-302 (IVHMS)	20.0	474.00	9.48	11,600.4	360.01	4,176.23
2020/06/18	R	H -002.10	ANTENNA CI-292-3 VHF (NEAR LANDING LIGHT) TECHNISONIC	0.5	222.00	0.11	11,599.9	360.01	4,176.11
2020/06/18	R	H -002.20	ANTENNA CI-285 UHF HIGH (FWD UNDERSIDE) TECHNISONIC	0.8	240.00	0.19	11,599.1	360.02	4,175.92
2020/06/18	R	H -002.30	ANTENNA CI-285 UHF LOW (AFT UNDERSIDE) TECHNISONIC	0.8	275.00	0.22	11,598.3	360.03	4,175.70
2020/06/18	R	H -032.00	FLARE DISPENSER MOUNT ASSY, RHS A100674-101	4.1	514.50	2.11	11,594.2	359.97	4,173.59
2020/06/18	R	H -036.00	FLARE DISPENSER MOUNT ASSY, AFT LHS A100674-101	4.1	534.70	2.19	11,590.1	359.91	4,171.40

H = Header
A = Addition
S = Chart C Review
I = Inventory
R = Removal
W = Weighing

Weight & Balance Technician
Certified copy as of 2020/07/06

FORM B - HISTORY

FORM B - AIRCRAFT WEIGHING RECORD						3 - POINT (TAIL)					
DATE WEIGHED		2008/03/04		MODEL/DESIGN		UH-60A		SERIAL NUMBER		7822975	
PLACE WEIGHED			TECHNICIAN			EDWARD C. BALLESTEROS			DUTY PHONE		
REACTION	SCALE READING	CORRECTIONS	NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
LEFT MAIN	3,900.5	0.0	3,900.5	247.00	963,423.50						
RIGHT MAIN	3,843.5	0.0	3,843.5	247.00	949,344.50						
TAIL	3,554.5	0.0	3,554.5	605.30	2,151,538.85						
TOTALS	11,298.5	0.0	11,298.5	359.72	4,064,306.85						
LONGITUDINAL MEASUREMENTS											
B = 0.00 Distance from the jig point to the center line of the main reactions.											
I = 0.00 Distance from the reference datum line to the jig point.											
E = 247.00 Distance from the reference datum line to the center line of the main reactions (E = I + B).											
D = 0.00 Distance between the main and the tail reaction.											
F = 605.30 Distance from the reference datum line to the center line of the tail reaction (F = E + D).											
LATERAL MEASUREMENTS											
LM = Distance from the lateral reference datum line to the Left Main reaction.											
RM = Distance from the lateral reference datum line to the Right Main reaction.											
NT = Distance from the lateral reference datum line to the Tail reaction.											
ADJUSTMENTS			NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
Level Weigh - No Correction											
Total (As Weighed Above)			11,298.5	359.72	4,064,306.85						
Total of Column I			-	0.0	0.00						
Total of Column II			+	29.0	12,125.00						
BASIC AIRCRAFT			11,327.5	359.87	4,076,431.85						
SIMPLIFIED LONG. MOMENT			4,076.43	LAT. MOMENT		CONSTANT		1000			
SCALE TYPE:			GENERAL ELECTRO DYNAMICS			REACTIONS USED					
SERIAL NUMBER(S):			I 4085			FWD REACTION, 247.0					
CALIBRATION ACCURACY:						AFT REACTION, 605.3					
DATE CALIBRATED:			2007/09/24								
CALIBRATION DUE DATE:											
ALTITUDE (ft):			0.00								
LATITUDE:											
CORRECTIONS											
REACTION	CALIBRATION	SCALE	TEMP	EQUIPMENT	OTHER	TOTAL					
LEFT MAIN	0.0	0.0	0.0	0.0	0.0	0.0					
RIGHT MAIN	0.0	0.0	0.0	0.0	0.0	0.0					
TAIL	0.0	0.0	0.0	0.0	0.0	0.0					
Remarks											
ACFT. WEIGHTED I/A/W AR 95-1 & TM 55-1500-342-23 (W/CHG 1 THRU 10)											
ACFT. WEIGHTED INSIDE A CLOSED HANGER IN A LEVEL ATTITUDE.											
ACFT. WEIGHTED WITHOUT FUEL (FUEL CELLS DRY)											
COLUMN I											
Items Weighed But Not Part of Basic Weight			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
TOTAL of Items Weighed But Not Part of Basic Weight			0.0	0.00	0.00						
COLUMN II											
Basic Weight Items Not in Aircraft When Weighed			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
TRAPPED FUEL			12.0	414.00	4,968.00						
UNUSABLE FUEL WITH BOOST PUMPS INSTALLED			17.0	421.00	7,157.00						
TOTAL Basic Weight Items Not in Aircraft When Weighed			29.0	418.10	12,125.00						

FORM B - HISTORY

FORM B - AIRCRAFT WEIGHING RECORD						3 - POINT (TAIL)		
DATE WEIGHED	2010/03/17	MODEL/DESIGN	UH-60A			SERIAL NUMBER	7822975	
PLACE WEIGHED	BOISE, ID	TECHNICIAN	BRIAN D. JOHNSON			DUTY PHONE	DSN 422-3995	
REACTION	SCALE READING	CORRECTIONS	NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
LEFT MAIN	4,772.0	0.0	4,772.0	296.75	1,416,091.00			
RIGHT MAIN	4,707.0	0.0	4,707.0	296.75	1,396,802.25			
TAIL	2,108.0	0.0	2,108.0	640.90	1,351,017.20			
TOTALS	11,587.0	0.0	11,587.0	359.36	4,163,910.45			
LONGITUDINAL MEASUREMENTS								
B = 49.75 Distance from the jig point to the center line of the main reactions.								
I = 247.00 Distance from the reference datum line to the jig point.								
E = 296.75 Distance from the reference datum line to the center line of the main reactions (E = I + B).								
D = 344.15 Distance between the main and the tail reaction.								
F = 640.90 Distance from the reference datum line to the center line of the tail reaction (F = E + D).								
LATERAL MEASUREMENTS								
LM = Distance from the lateral reference datum line to the Left Main reaction.								
RM = Distance from the lateral reference datum line to the Right Main reaction.								
NT = Distance from the lateral reference datum line to the Tail reaction.								
ADJUSTMENTS			NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
Level Weigh - No Correction								
Total (As Weighed Above)			11,587.0	359.36	4,163,910.45			
Total of Column I			- 0.0	0.00	0.00			
Total of Column II			+ 0.0	0.00	0.00			
BASIC AIRCRAFT			11,587.0	359.36	4,163,910.45			
SIMPLIFIED LONG. MOMENT			4,163.91	LAT. MOMENT	CONSTANT	1000		
SCALE TYPE: INTERCOMP			REACTIONS USED FWD REACTION, 296.75 AFT REACTION, 640.90					
SERIAL NUMBER(S): 117PY08906/907/908								
CALIBRATION ACCURACY: +/-0.1%								
DATE CALIBRATED: 2009/07/24								
CALIBRATION DUE DATE:								
ALTITUDE (ft): 0.00								
LATITUDE:								
CORRECTIONS								
REACTION	CALIBRATION	SCALE	TEMP	EQUIPMENT	OTHER	TOTAL		
LEFT MAIN	0.0	0.0	0.0	0.0	0.0	0.0		
RIGHT MAIN	0.0	0.0	0.0	0.0	0.0	0.0		
TAIL	0.0	0.0	0.0	0.0	0.0	0.0		
Remarks								
Acft washed, dry, fuel system empty, weighed in level condition, aircraft weighed at 0 degrees nose up attitude, inside enclosed hanger, using platform scales.								
COLUMN I								
Items Weighed But Not Part of Basic Weight			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
TOTAL of Items Weighed But Not Part of Basic Weight			0.0	0.00	0.00			
COLUMN II								
Basic Weight Items Not in Aircraft When Weighed			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
TOTAL Basic Weight Items Not in Aircraft When Weighed			0.0	0.00	0.00			

FORM B - HISTORY

FORM B - AIRCRAFT WEIGHING RECORD						3 - POINT (TAIL)	
DATE WEIGHED	2012/06/14	MODEL/DESIGN	UH-60A		SERIAL NUMBER	7822975	
PLACE WEIGHED	Groton, CT	TECHNICIAN	Keith B. Irving		DUTY PHONE	860-441-2917	
REACTION	SCALE READING	CORRECTIONS	NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
LEFT MAIN	3,958.0	0.0	3,958.0	247.00	977,626.00		
RIGHT MAIN	3,945.0	0.0	3,945.0	247.00	974,415.00		
TAIL	3,699.0	0.0	3,699.0	605.30	2,239,004.70		
TOTALS	11,602.0	0.0	11,602.0	361.23	4,191,045.70		
LONGITUDINAL MEASUREMENTS							
B = 0.00 Distance from the jig point to the center line of the main reactions.							
I = 0.00 Distance from the reference datum line to the jig point.							
E = 247.00 Distance from the reference datum line to the center line of the main reactions (E = I + B).							
D = 0.00 Distance between the main and the tail reaction.							
F = 605.30 Distance from the reference datum line to the center line of the tail reaction (F = E + D).							
LATERAL MEASUREMENTS							
LM = Distance from the lateral reference datum line to the Left Main reaction.							
RM = Distance from the lateral reference datum line to the Right Main reaction.							
NT = Distance from the lateral reference datum line to the Tail reaction.							
ADJUSTMENTS			NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
Level Weigh - No Correction							
Total (As Weighed Above)			11,602.0	361.23	4,191,045.70		
Total of Column I			- 0.0	0.00	0.00		
Total of Column II			+ 0.0	0.00	0.00		
BASIC AIRCRAFT			11,602.0	361.23	4,191,045.70		
SIMPLIFIED LONG. MOMENT			4,191.05	LAT. MOMENT	CONSTANT	1000	
SCALE TYPE: INTERCOMP			REACTIONS USED				
SERIAL NUMBER(S): 50113			FWD REACTION, 247.00				
CALIBRATION ACCURACY: +/-0.1%			AFT REACTION, 605.30				
DATE CALIBRATED: 2012/02/01							
CALIBRATION DUE DATE:							
ALTITUDE (ft): 0.00							
LATITUDE:							
CORRECTIONS							
REACTION	CALIBRATION	SCALE	TEMP	EQUIPMENT	OTHER	TOTAL	
LEFT MAIN	0.0	0.0	0.0	0.0	0.0	0.0	
RIGHT MAIN	0.0	0.0	0.0	0.0	0.0	0.0	
TAIL	0.0	0.0	0.0	0.0	0.0	0.0	
Remarks							
Acft washed, dry, fuel system empty using open port method, weighed in level condition, aircraft weighed at 0 degrees nose up attitude, inside enclosed hanger, using jackload cells scales. Scale settings: Altitude: 9' and Latitude 41Deg 19 Min.							
COLUMN I							
Items Weighed But Not Part of Basic Weight			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
TOTAL of Items Weighed But Not Part of Basic Weight			0.0	0.00	0.00		
COLUMN II							
Basic Weight Items Not in Aircraft When Weighed			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
TOTAL Basic Weight Items Not in Aircraft When Weighed			0.0	0.00	0.00		

FORM B - HISTORY

FORM B - AIRCRAFT WEIGHING RECORD						3 - POINT (TAIL)					
DATE WEIGHED		2014/07/02		MODEL/DESIGN		UH-60A		SERIAL NUMBER		7822975	
PLACE WEIGHED		Boise, Idaho		TECHNICIAN		Brian D. Johnson		DUTY PHONE		DSN 422-3995	
REACTION	SCALE READING	CORRECTIONS	NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
LEFT MAIN	4,813.0	0.0	4,813.0	296.50	1,427,054.50						
RIGHT MAIN	4,763.0	0.0	4,763.0	296.50	1,412,229.50						
TAIL	2,160.0	0.0	2,160.0	641.30	1,385,208.00						
TOTALS	11,736.0	0.0	11,736.0	359.96	4,224,492.00						
LONGITUDINAL MEASUREMENTS											
B = _____ Distance from the jig point to the center line of the main reactions.											
I = _____ Distance from the reference datum line to the jig point.											
E = 296.50 Distance from the reference datum line to the center line of the main reactions (E = I + B).											
D = _____ Distance between the main and the tail reaction.											
F = 641.30 Distance from the reference datum line to the center line of the tail reaction (F = E + D).											
LATERAL MEASUREMENTS											
LM = _____ Distance from the lateral reference datum line to the Left Main reaction.											
RM = _____ Distance from the lateral reference datum line to the Right Main reaction.											
NT = _____ Distance from the lateral reference datum line to the Tail reaction.											
ADJUSTMENTS			NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
Level Weigh - No Correction											
Total (As Weighed Above)			11,736.0	359.96	4,224,492.00						
Total of Column I			-	1.0	309.20	309.20					
Total of Column II			+	0.0	0.00	0.00					
BASIC AIRCRAFT			11,735.0	359.96	4,224,182.80						
SIMPLIFIED LONG. MOMENT			4,224.18	LAT. MOMENT		CONSTANT		1000			
SCALE TYPE:			INTERCOMP ACDAWS-GEN IIIII/IIII			REACTIONS USED					
SERIAL NUMBER(S):			1117PY08907, 1117PY08908, 1117PY08906			MAIN WHEELS AND TAIL WHEELS					
CALIBRATION ACCURACY:			+/-0.1% OF APPLIED LOAD								
DATE CALIBRATED:			2014/06/19								
CALIBRATION DUE DATE:											
ALTITUDE (ft):			2,800.00								
LATITUDE:			45								
CORRECTIONS											
REACTION	CALIBRATION	SCALE	TEMP	EQUIPMENT	OTHER	TOTAL					
LEFT MAIN	0.0	0.0	0.0	0.0	0.0	0.0					
RIGHT MAIN	0.0	0.0	0.0	0.0	0.0	0.0					
TAIL	0.0	0.0	0.0	0.0	0.0	0.0					
Remarks											
AIRCRAFT WAS WEIGHED IN THE FOLLOWING CONDITION:											
- CLEAN AND DRY											
- ENCLOSED HANGAR WITH BLOWERS OFF											
- FUEL: TRAPPED FUEL											
- SCALES: PLATFORMS											
- ATTITUDE: LONGITUDINALLY AND LATERALLY LEVEL											
COLUMN I											
Items Weighed But Not Part of Basic Weight			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
PLUMB BOB			1.0	309.20	309.20						
TOTAL of Items Weighed But Not Part of Basic Weight			1.0	309.20	309.20						
COLUMN II											
Basic Weight Items Not in Aircraft When Weighed			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM				
TOTAL Basic Weight Items Not in Aircraft When Weighed			0.0	0.00	0.00						

FORM B - HISTORY

FORM B - AIRCRAFT WEIGHING RECORD						3 - POINT (TAIL)		
DATE WEIGHED	2016/08/30	MODEL/DESIGN	UH-60A			SERIAL NUMBER	7822975	
PLACE WEIGHED	Boise, ID	TECHNICIAN	Brian D. Johnson			DUTY PHONE	DSN 422-3995	
REACTION	SCALE READING	CORRECTIONS	NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
LEFT MAIN	4,864.0	0.0	4,864.0	296.90	1,444,121.60			
RIGHT MAIN	4,748.0	0.0	4,748.0	296.90	1,409,681.20			
TAIL	2,138.0	0.0	2,138.0	641.90	1,372,382.20			
TOTALS	11,750.0	0.0	11,750.0	359.68	4,226,185.00			
LONGITUDINAL MEASUREMENTS								
B = _____	Distance from the jig point to the center line of the main reactions.							
I = _____	Distance from the reference datum line to the jig point.							
E = 296.90	Distance from the reference datum line to the center line of the main reactions (E = I + B).							
D = _____	Distance between the main and the tail reaction.							
F = 641.90	Distance from the reference datum line to the center line of the tail reaction (F = E + D).							
LATERAL MEASUREMENTS								
LM = _____	Distance from the lateral reference datum line to the Left Main reaction.							
RM = _____	Distance from the lateral reference datum line to the Right Main reaction.							
NT = _____	Distance from the lateral reference datum line to the Tail reaction.							
ADJUSTMENTS			NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
Level Weigh - No Correction								
Total (As Weighed Above)			11,750.0	359.68	4,226,185.00			
Total of Column I			-	1.0	309.20		309.20	
Total of Column II			+	0.0	0.00		0.00	
BASIC AIRCRAFT			11,749.0	359.68	4,225,875.80			
SIMPLIFIED LONG. MOMENT			4,225.88	LAT. MOMENT		CONSTANT		
						1000		
SCALE TYPE:	INTERCOMP ACDAWS GEN IIII/IIII			REACTIONS USED				
SERIAL NUMBER(S):	1117PY08908, 1117PY08907, 1117PY08906			MAIN WHEELS AND TAIL WHEELS				
CALIBRATION ACCURACY:	+/-0.1% OF APPLIED LOAD							
DATE CALIBRATED:	2016/03/31							
CALIBRATION DUE DATE:	2016/10/01							
ALTITUDE (ft):	3,000.00							
LATITUDE:	45							
CORRECTIONS								
REACTION	CALIBRATION	SCALE	TEMP	EQUIPMENT	OTHER	TOTAL		
LEFT MAIN	0.0	0.0	0.0	0.0	0.0	0.0		
RIGHT MAIN	0.0	0.0	0.0	0.0	0.0	0.0		
TAIL	0.0	0.0	0.0	0.0	0.0	0.0		
Remarks								
AIRCRAFT WAS WEIGHED IN THE FOLLOWING CONDITION:								
- CLEAN AND DRY								
- FUEL: TRAPPED FUEL								
- SCALES: PLATFORMS								
- ATTITUDE: LONGITUDINALLY AND LATERALLY LEVEL								
COLUMN I								
Items Weighed But Not Part of Basic Weight			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
PLUMB BOB			1.0	309.20	309.20			
TOTAL of Items Weighed But Not Part of Basic Weight			1.0	309.20	309.20			
COLUMN II								
Basic Weight Items Not in Aircraft When Weighed			WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM	
TOTAL Basic Weight Items Not in Aircraft When Weighed			0.0	0.00	0.00			

FORM B - HISTORY

FORM B - AIRCRAFT WEIGHING RECORD						3 - POINT (TAIL)		
DATE WEIGHED		2018/08/15	MODEL/DESIGN		UH-60A	SERIAL NUMBER		7822975
PLACE WEIGHED		BOISE, IDAHO	TECHNICIAN		ZANE W. CUTLER	DUTY PHONE		208-272-4061
REACTION		SCALE READING	CORRECTIONS	NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
LEFT MAIN		4,858.7	0.0	4,858.7	296.85	1,442,295.20		
RIGHT MAIN		4,784.0	0.0	4,784.0	296.85	1,420,130.40		
TAIL		2,136.7	0.0	2,136.7	641.85	1,371,419.50		
TOTALS		11,779.3	0.0	11,779.3	359.43	4,233,845.10		
LONGITUDINAL MEASUREMENTS								
B = _____ Distance from the jig point to the center line of the main reactions.								
I = _____ Distance from the reference datum line to the jig point.								
E = 296.85 Distance from the reference datum line to the center line of the main reactions (E = I + B).								
D = _____ Distance between the main and the tail reaction.								
F = 641.85 Distance from the reference datum line to the center line of the tail reaction (F = E + D).								
LATERAL MEASUREMENTS								
LM = _____ Distance from the lateral reference datum line to the Left Main reaction.								
RM = _____ Distance from the lateral reference datum line to the Right Main reaction.								
NT = _____ Distance from the lateral reference datum line to the Tail reaction.								
ADJUSTMENTS				NET WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
Level Weigh - No Correction								
Total (As Weighed Above)				11,779.3	359.43	4,233,845.10		
Total of Column I				-	1.0	309.20	309.20	
Total of Column II				+	0.0	0.00	0.00	
BASIC AIRCRAFT				11,778.3	359.43	4,233,535.90		
SIMPLIFIED LONG. MOMENT		4,233.54		LAT. MOMENT		CONSTANT		1000
SCALE TYPE:				INTER COMP AC15LP PLATFORM SCALES		REACTIONS USED		
SERIAL NUMBER(S):				0928PH16001, 0928PH16002, 0928PH16003		MAIN AND TAIL WHEELS		
CALIBRATION ACCURACY:				+/- 0.1% OF APPLIED LOAD				
DATE CALIBRATED:				2018/07/16				
CALIBRATION DUE DATE:				2019/01/12				
ALTITUDE (ft):				3,000.00				
LATITUDE:				45				
CORRECTIONS								
REACTION		CALIBRATION	SCALE	TEMP	EQUIPMENT	OTHER	TOTAL	
LEFT MAIN		0.0	0.0	0.0	0.0	0.0	0.0	
RIGHT MAIN		0.0	0.0	0.0	0.0	0.0	0.0	
TAIL		0.0	0.0	0.0	0.0	0.0	0.0	
Remarks								
AIRCRAFT WAS WEIGHED IN THE FOLLOWING CONDITION:								
- CLEAN AND DRY								
- ENCLOSED HANGAR WITH BLOWERS OFF								
- FUEL: TRAPPED FUEL								
- FUEL DENSITY = 6.8 LB/GALLON								
- SCALES: PLATFORMS								
- ATTITUDE: LONGITUDINALLY AND LATERALLY LEVEL								
COLUMN I								
Items Weighed But Not Part of Basic Weight				WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
PLUMB BOB				1.0	309.20	309.20		
TOTAL of Items Weighed But Not Part of Basic Weight				1.0	309.20	309.20		
COLUMN II								
Basic Weight Items Not in Aircraft When Weighed				WEIGHT	LONG. ARM	LONG. MOM	LAT. ARM	LAT. MOM
TOTAL Basic Weight Items Not in Aircraft When Weighed				0.0	0.00	0.00		

RECORD OF WEIGHT AND BALANCE PERSONNEL

MDS: UH-60A

SERIAL NO: 7822975

Last Name	First Name	M	Grade, Rate, or Rank	Where Qualified	When Qualified	Station	Date Assigned	Date Relieved
BALLESTEROS	EDWARD	C	WL-10	C. C. ARMY DEPOT	2004/05/20	C. C. ARMY DEPOT	2004/05/20	2008/04/24
LAYNE	GLENN	A	GS-09	BOISE, ID	2000/02/04	BOISE, ID	2008/04/24	2009/01/07
Johnson	Brian	D	GS-09	EAATS	2001/09/22	AASF Boise, ID	2009/01/07	2009/07/20
Layne	Glenn	A	GS-09	Boise, ID	2000/02/04	AASF Boise, ID	2009/07/20	2009/10/16
JOHNSON	BRIAN	D	GS-09	EAATS	2001/09/22	AASF BOISE, ID	2009/10/16	2010/10/26
Layne	Glenn	A	GS-09	Boise, ID	2000/02/04	AASF Boise, ID	2010/10/26	2011/07/26
Johnson	Brian	D	GS-09	Boise, ID	2001/09/22	AASF Boise, ID	2011/07/26	2011/10/20
Irving	Keith	B	WG-12	Groton, CT	2009/09/17	CT TASMG	2011/10/20	2012/06/16
Cutler	Zane	W	GS-09/SFC	WAATS	2011/08/24	AASF Boise, ID	2012/07/27	2013/02/28
Lower	Keith	B	GS-09	AR AASF	2011/02/04	AASF, AR	2013/02/28	2013/05/20
Johnson	Brian	D	GS-09/SFC	EAATS	2001/09/20	AASF Boise, ID	2013/05/28	2019/11/18
Johnson	Brian	D	GS-09/1SG	EAATS	2001/09/20	AASFBoise, ID	2019/11/19	2020/07/06