

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 1					
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION									
STATUS /		SYS A	DATE 28 May 14		NO 6	TIME 08:21		PID Conversion, Ulls		DATE		TIME		ACFT HRS	
										ROUNDS		ACTION CODE		WUC	
FAULTS/REMARKS TURN ON IVHMS FULL RAW DATA AT 6938.0 ACFT HRS IAW H-60-11-AMAM-03.						ACTION									
ACFT HRS 5758.4		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY DO NOT SIGN OFF UNTIL ACFT HRS ARE						WUC 00		TIPIID ,			TI MANHOURS				
STATUS /		SYS A	DATE 13 Sep 17		NO 2	TIME 07:07		PID Conversion, Ulls		DATE		TIME		ACFT HRS	
										ROUNDS		ACTION CODE		WUC	
FAULTS/REMARKS REMOVE SEALING COMPOUND FROM T/R BLADE, SN A009-07116 AT 6583.7 ACFT HRS (PMI)						ACTION									
ACFT HRS 6322.4		WHEN DISC B		HOW REC G		MAL EFF 2									
DELAY H-60-17SOF-05						WUC 00		TIPIID ,			TI MANHOURS				
STATUS /		SYS A	DATE 16 Jul 18		NO	TIME 21:09		PID CUTLER, ZANE		DATE		TIME		ACFT HRS	
										ROUNDS		ACTION CODE		WUC	
FAULTS/REMARKS INSTALLATION OF NO 1 ENGINE (2EA) IR FLAME DETECTOR SENSOR, PN 70310-00800-101, REQUIRED PER H-60-18-AMAM-04 BY 10 JUL 20						ACTION									
ACFT HRS 6387.7		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY IN SUPPLY AWAITING NEXT MME						WUC 12B		TIPIID ,			TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 2		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 16 Jul 18	NO	TIME 21:12	PID CUTLER, ZANE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSTALLATION OF NO 2 ENGINE (2EA) IR FLAME DETECTOR SENSOR, PN 70310-00800-101, REQUIRED PER H-60-18-AMAM-04 BY 10 JUL 20						ROUNDS	ACTION CODE		WUC			
						ACTION						
ACFT HRS 6387.7			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY IN SUPPLY AWAITING NEXT MME				WUC 12B		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 16 Jul 18	NO	TIME 21:12	PID CUTLER, ZANE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSTALLATION OF APU IR FLAME DETECTOR SENSOR, PN 70310-00800-101, REQUIRED PER H-60-18-AMAM-04 BY 10 JUL 20						ROUNDS	ACTION CODE		WUC			
						ACTION						
ACFT HRS 6387.7			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY IN SUPPLY AWAITING NEXT MME				WUC 12B		TIPIID ,			TI MANHOURS			
STATUS —	SYS H	DATE 31 Aug 18	NO	TIME 11:12	PID NELSON, NATH/	DATE	TIME	ACFT HRS				
FAULTS/REMARKS COMPLY WITH H-60-18-ASAM-07, REVISED HOIST PENDANT INSPECTION, BY 15 JUN 18						ROUNDS	ACTION CODE		WUC			
						ACTION						
ACFT HRS 6433.3			WHEN DISC O	HOW REC G	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY INSTALLED AWAITING MOC COMPLETE				WUC 14B		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 3					
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION									
STATUS /		SYS A	DATE 02 Jan 19		NO	TIME 14:48	PID CUTLER, ZANE			DATE		TIME	ACFT HRS		
FAULTS/REMARKS INSTALL ANGLE BRACKETS FOR M/R DE-ICE HARNESS PER H-60-19-AMAM-03, M/R DE-ICE/CHIP DETECTOR HARNESS CHAFING AND RE-ROUTING, AT THE NEXT MAIN TRANSMISSION REMOVAL						ACTION						ROUNDS		ACTION CODE	WUC
												PID	CAT	HRS	PID
ACFT HRS 6442.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY Awaiting XMSN REMOVAL				WUC 06A			TIPIID ,			TI MANHOURS					
STATUS /		SYS A	DATE 21 Feb 19		NO	TIME 16:31	PID ROGERS, MICHA			DATE		TIME	ACFT HRS		
FAULTS/REMARKS #2 SIDE OIL COOLER ACCESS DOOR IS CRACKED ALONG THE UNDERSIDE OF FWD EDGE.						ACTION						ROUNDS		ACTION CODE	WUC
												PID	CAT	HRS	PID
ACFT HRS 6461.9		WHEN DISC G		HOW REC G		MAL EFF 2									
DELAY WILL BE REPAIRED AT NEXT PMI				WUC 02			TIPIID ,			TI MANHOURS					
STATUS —		SYS A	DATE 09 May 19		NO	TIME 12:23	PID JOHNSON, BRIAN			DATE		TIME	ACFT HRS		
FAULTS/REMARKS H-60-17-ASAM-11, FUEL HOSE BORESCOPE INSP DUE AT 6583.7 ACFT HRS.						ACTION						ROUNDS		ACTION CODE	WUC
												PID	CAT	HRS	PID
ACFT HRS 6481.3		WHEN DISC O		HOW REC G		MAL EFF 1									
DELAY complete at PMI				WUC 10			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 4		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 19 Sep 19	NO	TIME 11:58	PID GILMAN, JOSHL	DATE	TIME	ACFT HRS				
FAULTS/REMARKS m/l/g l/h r/h tab at foot step cracked (stop drilled) permanant repaire at next strut removal or major maintenance						ROUNDS		ACTION CODE		WUC		
						ACTION						
ACFT HRS 6497.4			WHEN DISC G	HOW REC G	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY STRUT REMOVAL OR NEXT MME				WUC 00		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 12 Nov 19	NO	TIME 12:12	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS M/R Shaft nut SN: identification required at next removal / disassembly / PMI						ROUNDS		ACTION CODE		WUC		
						ACTION						
ACFT HRS 6509.9			WHEN DISC O	HOW REC O	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 18 Dec 19	NO	TIME 18:11	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS MAINTENANCE FOR AFT TIE ROD ASSY CAGE: 78286 PN: 70400-08111-042 NSN: 1680011644160 SN: M392-00105 INSTALLED ON HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549. IS DUE: 6618.0 AIRCRAFT HOURS ON HELICOPTER, UTILITY CAGE: 78286 PN:UH-60A NSN: 1520010350266 SN: 8123549						ROUNDS		ACTION CODE		WUC		
						ACTION						
ACFT HRS 2102.2			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 11D06		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 5		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 28 Jan 20	NO	TIME 15:57	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A401 PMI-2.						ROUNDS			ACTION CODE			WUC
						ACTION						
ACFT HRS 6536.6			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 11 Mar 20	NO	TIME 08:12	PID Nelson, Ryan	DATE	TIME	ACFT HRS				
FAULTS/REMARKS oil consumption check req after each flight on t/r gear box sight glass marked for t/r outboard retention seal leaking as per work package WP 0879						ROUNDS			ACTION CODE			WUC
						ACTION						
ACFT HRS 6558.8			WHEN DISC O	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 06		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 16 Mar 20	NO	TIME 16:04	PID WARE, JACOB	DATE	TIME	ACFT HRS				
FAULTS/REMARKS 2 ea forward rappel covers not installed due to broken screw						ROUNDS			ACTION CODE			WUC
						ACTION						
ACFT HRS 6558.8			WHEN DISC K	HOW REC G	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY waiting on roll pins				WUC 02		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 6				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS ⊗		SYS A	DATE 11 May 20		NO	TIME 15:13		PID CUTLER, ZANE			DATE	TIME		ACFT HRS
											ROUNDS		ACTION CODE	WUC
FAULTS/REMARKS OPERATE AIRCRAFT WITHIN LIMITATIONS AND RESTRICTIONS SPECIFIED IN THE FOLLOWING AWR'S: AWR 744 R11 24JAN19 PILOTS STEPS WITH TOW BALLAST PLATES; AWR 980 R213 21JUN19 RESCUE HOIST EQUIPMENT; AWR 1054 R20 8NOV18 BAMBI BUCKET; AWR 1120 R13 28APR20 M-240H; AWR 1122 R5 13SEP18 TDFM-136; AWR 1279 R8 15MAY18 DOORS / WINDOWS REMOVED; AWR 1324 R15 22SEP18 CMWS/ICMD; AWR 1425 R22 13JAN20 CMWS P3I; AWR 1444 R9 15MAY18 SINGLE AHRS; AWR 1452 R7 22APR19 LC-6 DIGITAL CLOCK; AWR 1455 R8 31OCT19 BATTLE CAUTION ADVISORY PANEL; AWR 1466 R9 23AUG19 GARMIN GPS; AWR 1513 R14 17APR20 IPAC						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8		WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS —		SYS A	DATE 16 May 20		NO	TIME 00:01		PID Generated, Com			DATE	TIME		ACFT HRS
											ROUNDS		ACTION CODE	WUC
FAULTS/REMARKS INSP A299 LUBRICATE SWASHPLATE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 6971.1 AIRCRAFT HOURS OR 15 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8		WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS —		SYS E	DATE 20 May 20		NO	TIME 00:01		PID Generated, Com			DATE	TIME		ACFT HRS
											ROUNDS		ACTION CODE	WUC
FAULTS/REMARKS INSP E802 KY-100 BATTERY REPLACEMENT FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 19 JUL 2020 REFERENCE: TM 11-5810-398-13&P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8		WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 7		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 20 May 20	NO	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A533 PITOT STATIC SYSTEM INSPECTION FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 19 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ROUNDS	ACTION CODE	WUC				
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6558.8	WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 21 May 20	NO	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 6971.1 AIRCRAFT HOURS OR 20 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ROUNDS	ACTION CODE	WUC				
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6558.8	WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 27 May 20	NO	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A621 AIRCRAFT WEIGHING CLASS 2 FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUL 2020 REFERENCE: AR 95-1						ROUNDS	ACTION CODE	WUC				
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6558.8	WHEN DISC O	HOW REC O	MAL EFF 1									
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 8				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	SYS A	DATE 27 May 20	NO	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS						
FAULTS/REMARKS INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUL 2020 REFERENCE: AR 95-1						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8						WHEN DISC O	HOW REC O	MAL EFF 1						
DELAY						WUC 00			TIPIID ,			TI MANHOURS		
STATUS —	SYS A	DATE 28 May 20	NO	TIME 08:48	PID Putnam, Skyler	DATE	TIME	ACFT HRS						
FAULTS/REMARKS 9 to 11 hour torque check due to removal of tail rotor pitch beam at 6567.8 to 5569.8 hours						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8						WHEN DISC H	HOW REC G	MAL EFF 1						
DELAY						WUC 02			TIPIID ,			TI MANHOURS		
STATUS —	SYS A	DATE 06 Jun 20	NO	TIME 14:20	PID PYNE, SEAN	DATE	TIME	ACFT HRS						
FAULTS/REMARKS ENGINE GEE762274C CSM GEC002051 REQUIRES REPLACEMENT PER H-60-20-ASAM-02 BY 31 DEC 23.						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8						WHEN DISC O	HOW REC G	MAL EFF 1						
DELAY						WUC 02			TIPIID ,			TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 9														
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION																		
STATUS —		SYS A	DATE 06 Jun 20		NO	TIME 14:41		PID PYNE, SEAN			DATE		TIME		ACFT HRS									
											ROUNDS		ACTION CODE		WUC									
FAULTS/REMARKS ENGINE GEE374564C CSM GEC004564C REQUIRES REPLACEMENT PER H-60-20-ASAM-02 BY 31 DEC 23.						ACTION						PID		CAT	HRS		PID		CAT	HRS				
ACFT HRS 6558.8		WHEN DISC O		HOW REC G		MAL EFF 1																		
DELAY				WUC 02				TIPIID ,				TI MANHOURS												
STATUS —		SYS A	DATE 11 Jun 20		NO	TIME 09:47		PID Putnam, Skyler			DATE		TIME		ACFT HRS									
											ROUNDS		ACTION CODE		WUC									
FAULTS/REMARKS PERFORM BORESCOPE INSPECTION OF THE ENGINE #1 ACCESSORY MODULE PER H-60-20-ASAM-03 AT OR BEFORE 6583.7 AIRCRAFT HOURS BUT NOT TO EXCEED 22 JAN 21						ACTION						PID		CAT	HRS		PID		CAT	HRS				
ACFT HRS 6558.8		WHEN DISC B		HOW REC G		MAL EFF 1																		
DELAY				WUC 04				TIPIID ,				TI MANHOURS												
STATUS —		SYS A	DATE 15 Jun 20		NO	TIME 00:01		PID Generated, Com			DATE		TIME		ACFT HRS									
											ROUNDS		ACTION CODE		WUC									
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 21 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ACTION						PID		CAT	HRS		PID		CAT	HRS				
ACFT HRS 6558.8		WHEN DISC O		HOW REC O		MAL EFF 1																		
DELAY				WUC 00				TIPIID ,				TI MANHOURS												

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 10				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	SYS A	DATE 16 Jun 20	NO	TIME 11:57	PID Generated, Cor	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS INSP A806 PMD DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 24 JUN 2020 REFERENCE: TM 1-1520-237-PMD						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS /	SYS A	DATE 16 Jun 20	NO	TIME 13:44	PID GOODALE, CHRI	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS AFT #1 cis processor mount screw is stripped						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6558.8		WHEN DISC K	HOW REC G	MAL EFF 2										
DELAY			WUC 19			TIPIID ,			TI MANHOURS					
STATUS X	SYS A	DATE 24 Jun 20	NO	TIME 05:51	PID Generated, Com	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC			
FAULTS/REMARKS INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 WAS DUE. STATUS UPGRADED TO X ON: 6569.8 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-PMD						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6571.8		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 11		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 24 Jun 20	NO	TIME 05:51	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A802 INSP AN/ARN-123 VOR FOR CONDITION, SECURITY AND DAMAGE TO HOST AIRCRAFT FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 WAS DUE. STATUS UPGRADED TO X ON: 01 JUL 2020 OR 6569.8 AIRCRAFT HOURS REFERENCE: AWR 1787						ACTION						
ACFT HRS 6571.8						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			
STATUS —	SYS A	DATE 28 Jun 20	NO	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 03 AUG 2020 REFERENCE: TM 1-1520-237-23&P						ACTION						
ACFT HRS 6574.3						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			
STATUS —	SYS E	DATE 29 Jun 20	NO	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP E145 AN/ARC-201A(V) SINCGARS HUB BATT REPL FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 04 AUG 2020 REFERENCE: TM 11-5821-333-12						ACTION						
ACFT HRS 6574.3						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 12		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 02 Jul 20	NO	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 WAS DUE. STATUS UPGRADED TO X ON: 01 JUL 2020 REFERENCE: TM 1-1520-237-23&P						ROUNDS	ACTION CODE		WUC			
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6574.3		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 05 Jul 20	NO	TIME 00:00	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8123549 IS DUE. STATUS WILL UPGRADE TO X ON: 10 AUG 2020 REFERENCE: TM 1-1520-237-23&P						ROUNDS	ACTION CODE		WUC			
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6574.3		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 06 Jul 20	NO	TIME 08:36	PID BRIDGES, ROBEF	DATE	TIME	ACFT HRS				
FAULTS/REMARKS AIRCRAFT INDUCTED INTO BEST PROGRAM ON 02 JULY 2020, NO SCHEDULED MAINTENANCE PERFORMED AFTER THIS DATE.						ROUNDS	ACTION CODE		WUC			
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 6574.3		WHEN DISC E	HOW REC G	MAL EFF 2								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 13		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS ⊙	SYS A	DATE 06 Jul 20	NO	TIME 08:38	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMARK/NOTICE TO BUYER: PRIOR TO DELIVERY OF THE AIRCRAFT TO THE BUYER THE FOLLOWING ITEMS WILL BE REMOVED FROM THE AIRCRAFT AT THE DIRECTION OF THE US GOVERNMENT; TO INCLUDE BUT NOT LIMITED TO: CMWS JUNCTION BOX; SA-26669/ALE-47 (V) CMWS SEQUENCER; SENSOR ELECTRO-OPTIC MISSILE CM-SU-202/AAR-57 (V); DIGITAL COCKPIT DISPLAY UNIT (CMWS); SAFE/ARM CONTROL PANEL (CMWS); CMWS RELAY BOX; MEMORY CARD PMCIA (UDM) MU-1126/AAR-57(V) (CMWS); RECEIVER/TRANSMITTER, RT-1477/ARC-201; CONTROL, C-11466A/ARC-201; KY-58(3EA); KY-58 CONTROL HEAD (3EA); KY-100 AIRTERM; ARC-220/						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6574.3						WHEN DISC W	HOW REC G	MAL EFF 1				
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS ×	SYS A	DATE 07 Jul 20	NO	TIME 08:43	PID CRABB, ARLANA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS DEPANELED AIRCRAFT FOR INDUCTION INTO BEST STORAGE. USED TM 1-1520-237-23&P, BEST SOW AND A SES GOP.						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS ×	SYS A	DATE 07 Jul 20	NO	TIME 08:46	PID CRABB, ARLANA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED MAIN ROTOR BLADES FOR INDUCTION INTO BEST PROGRAM. USED TM 1-1520-237-23&P WP 0790 AS A REFERENCE. (SN A007-00323, SN A007-13877, SN A007-03611, AND SN A007-15783)						ROUNDS	ACTION CODE	WUC				
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 14		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 09:14	PID CRABB, ARLAN/	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED STABILATOR FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0539						ROUNDS	ACTION CODE	WUC				
ACTION												
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6574.3		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 09:35	PID CRABB, ARLANA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED TAIL ROTOR PADDLES (SN A009-07116 AND SN A009-04926) FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0815 AS A REFERENCE						ROUNDS	ACTION CODE	WUC				
ACTION												
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6574.3		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 10:11	PID CRABB, ARLANA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED APX TRANSPONDER TRANSMITTER CONTROL (SN 0866) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4361 AS A REFERENCE						ROUNDS	ACTION CODE	WUC				
ACTION												
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6574.3		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 15				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 10:14	PID CRABB, ARLAN/	DATE	TIME	ACFT HRS						
FAULTS/REMARKS REMOVED APX TRANSPONDER RECIVER-TRANSMITTER 118 (SN 4955) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4362 AS A REFERENCE						ROUNDS	ACTION CODE	WUC						
ACTION														
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1						
DELAY						WUC 00			TI MANHOURS					
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 10:16	PID CRABB, ARLANA/	DATE	TIME	ACFT HRS						
FAULTS/REMARKS REMOVED DOPPLER SDC ASN-128 (SN 2534) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4095 AS A REFERENCE.						ROUNDS	ACTION CODE	WUC						
ACTION														
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1						
DELAY						WUC 00			TI MANHOURS					
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 10:17	PID CRABB, ARLANA/	DATE	TIME	ACFT HRS						
FAULTS/REMARKS REMOVED DOPPLER CDU ASN-128 (SN 3157B) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4097 AS A REFERENCE.						ROUNDS	ACTION CODE	WUC						
ACTION														
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1						
DELAY						WUC 00			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8123549				2. MODEL UH-60A			3. DATE			4. PAGE 16		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 10:19	PID CRABB, ARLAN/	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVD DOPPLER RT/ANTENNA ASN-128 (SN 3460C) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4100 AS A REFERENCE.						ACTION						
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TIPIID ,		TI MANHOURS	
STATUS X	SYS A	DATE 07 Jul 20	NO	TIME 10:20	PID CRABB, ARLANA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED RESCUE HOIST CONTROL HEAD (SN 966) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 1629 AS A REFERENCE.						ACTION						
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TIPIID ,		TI MANHOURS	
STATUS —	SYS A	DATE 07 Jul 20	NO	TIME 15:20	PID BRIDGES, ROBEF	DATE	TIME	ACFT HRS				
FAULTS/REMARKS DURING THE BEST PROGRAM INDUCTION PROCEDURE, THE FOLLOWING COMPONENTS WERE UNABLE TO HAVE THE S/N'S VERIFIED. ALL OF THESE COMPONENTS HAVE BEEN S/N MATCHED AGAINST MCDS AND THE RECORDS MATCH BETWEEN ACN AND MCDS. THESE COMPONENTS REQUIRE S/N VERIFICATION AT THE NEXT MAJOR MAINT EVENT. MAIN ROTOR NUT ASSY, (TEMP S/N ASSIGNED PER ASAM); T/R PITCH CHANGE SHAFT, S/N: B233-01974; L/H OUTBOARD SERVO BEAM FITTING, S/N: A338-00265; R/H OUTBOARD SERVO BEAM FITTING, S/N: F338-00582.						ACTION						
ACFT HRS 6574.3						WHEN DISC E	HOW REC G	MAL EFF 2				
DELAY						WUC 00			TIPIID ,		TI MANHOURS	

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. STATUS ×	2. SERIAL NUMBER 8123549	3. SYSTEM CODE A	4. TIME 08:46		
5. FAULT DATE 07 Jul 20		6. FAULT NUMBER			
7. FAULT REMOVED MAIN ROTOR BLADES FOR INDUCTION INTO BEST PROGRAM. USED TM 1-1520-237-23&P WP 0790 AS A REFERENCE. (SN A007-00323, SN A007-13877, SN A007-03611, AND SN A007-15783)					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED COTTER PINS FROM MAIN ROTOR BLADES (8 EA)				
×	DISCONNECTED DEICE ELECTRICAL CONNECTORS (4 EA) FROM MAIN ROTOR BLADES				
×	DISCONNECTED ANTI-FLAP SPRING (4 EA)				
×	REMOVED MAIN ROTOR BLADE PINS (8 EA)				
×	REMOVED MAIN ROTOR BLADES 4 EA (SN A007-15783, SN A007-03611, SN A007-13877 AND				
—	FOD CHECK REQUIRED				
—	TOOLBOX INVENTORY REQUIRED				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8123549	3. SYSTEM CODE A	4. TIME 09:14		
5. FAULT DATE 07 Jul 20		6. FAULT NUMBER			
7. FAULT REMOVED STABILATOR FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0539					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED COTTER PINS (4 EA) FROM STABILATOR ATTACHMENT HARDWARE.				
×	REMOVED HARDWARE FROM STABILATOR LIMIT SWITCH.				
×	REMOVED HARDWARE FROM LOWER STAB ACTUATOR.				
×	REMOVED STABILATOR HINGE FITTING HARDWARE (2 EA) FROM STABILATOR				
×	REMOVED STABILATOR ELECTRICAL CONNECTOR (2 EA) FROM TAIL PYLON.				
×	REMOVED STAB GROUNDING STRAP (2 EA) FROM TAIL PYLON.				
—	FOD CHECK REQUIRED				
—	TOOLBOX INVENTORY REQUIRED				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X	2. SERIAL NUMBER 8123549	3. SYSTEM CODE A	4. TIME 09:35		
5. FAULT DATE 07 Jul 20		6. FAULT NUMBER			
7. FAULT REMOVED TAIL ROTOR PADDLES (SN A009-07116 AND SN A009-04926) FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0815 AS A REFERENCE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X	REMOVED SAFETY FROM TAIL ROTOR PITCH BEAM NUT HARDWARE				
X	REMOVED PITCH BEAM NUT HARDWARE (2 EA)				
X	REMOVED TAIL ROTOR PITCH BEAM NUT				
X	REMOVED COTTER PINS (4 EA) FROM INBOARD PC LINK HARDWARE				
X	REMOVED HARDWARE (4 EA) FROM INBOARD PC LINKS				
X	REMOVED PITCH BEAM FROM TAIL ROTOR				
X	DISCONNECTED DEICE ELECTRICAL CONNECTORS (4 EA)				
X	REMOVED OUTBOARD RETENTION PLATE HARDWARE (12 EA)				
X	REMOVED OUTBOARD RETENTION PLATE				
X	REMOVED TAIL ROTOR PADDLES 2 EA (SN A009-07116 AND SN A009-04926) FROM TAIL ROTOR				
—	FOD CHECK REQUIRED				
—	TOOLBOX INVENTORY REQUIRED				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG