

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 1		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 27 Jan 15	NO 1	TIME 11:08	PID GRANBERRY, D	DATE		TIME		ACFT HRS		
						ROUNDS		ACTION CODE		WUC		
FAULTS/REMARKS MAINTENANCE TEST FLIGHT REQUIRED FOR INSTALLATION OF CEFS MWO AFTER ALL COMPONENTS ARE INSTALLED						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 9425.9		WHEN DISC K		HOW REC G		MAL EFF 1						
DELAY				WUC 02		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 25 Oct 17	NO 1	TIME 08:03	PID STOKA, GREGOF	DATE		TIME		ACFT HRS		
						ROUNDS		ACTION CODE		WUC		
FAULTS/REMARKS COMPLY WITH REQUIREMENTS OF THE ADDENDUM TO H-60-15-SOF-01 AT 12167.0 AIRCRAFT HOURS.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 9874.5		WHEN DISC Y		HOW REC G		MAL EFF 2						
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 03 Apr 18	NO 4	TIME 15:36	PID PATTERSON, AA	DATE		TIME		ACFT HRS		
						ROUNDS		ACTION CODE		WUC		
FAULTS/REMARKS REMOVE SEALING COMPOUND FROM TR BLADE, SN A009-07944, PER H-60-17-SOF-05 AT 10126.6 ACFT HRS.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 9879.9		WHEN DISC O		HOW REC O		MAL EFF 2						
DELAY To be complete @ next PMI				WUC 05B02		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 2		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 03 Apr 18	NO 5	TIME 15:38	PID PATTERSON, AA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVE SEALING COMPOUND FROM TR BLADE, SN A009-09903, PER H-60-17-SOF-05 AT 10126.6 ACFT HRS.						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 9879.9			WHEN DISC O	HOW REC O	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY To be complete @ next PMI				WUC 05B02		TIPIID ,			TI MANHOURS			
STATUS /	SYS E	DATE 09 Apr 18	NO 1	TIME 15:41	PID CHANOSKI, JAM	DATE	TIME	ACFT HRS				
FAULTS/REMARKS BFT CIRCUIT BREAKER SWITCH TRIPS AFTER PLACING SWITCH IN "ON" POSITION						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 9880.9			WHEN DISC M	HOW REC G	MAL EFF 4	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 02		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 22 Jun 18	NO 3	TIME 13:35	PID STRADER, JOSHI	DATE	TIME	ACFT HRS				
FAULTS/REMARKS 1" X 1" DENT ON #2 ENGINE COWLING.						ROUNDS	ACTION CODE	WUC				
						ACTION						
ACFT HRS 9899.6			WHEN DISC X	HOW REC G	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 02		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 3		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 03 Jan 19	NO 3	TIME 10:14	PID PATTERSON, AA	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSTALL ANGLE BRACKETS FOR MR DE-ICE HARNESS PER H-60-19-AMAM-03, MR DE-ICE/CHIP DETECTOR HARNESS CHAFING AND RE-ROUTING, AT THE NEXT MAIN TRANSMISSION REMOVAL.						ROUNDS		ACTION CODE		WUC		
						ACTION						
ACFT HRS 9943.4			WHEN DISC O	HOW REC O	MAL EFF 1	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 02		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 04 Mar 19	NO 6	TIME 15:37	PID STRADER, JOSHI	DATE	TIME	ACFT HRS				
FAULTS/REMARKS PITCH TRIM SERVO SEEPING AT OUTPUT PISTON						ROUNDS		ACTION CODE		WUC		
						ACTION						
ACFT HRS 9946.6			WHEN DISC X	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 12 Jun 19	NO 2	TIME 13:25	PID CHANOSKI, JAM	DATE	TIME	ACFT HRS				
FAULTS/REMARKS COPILOT'S DH LITE DOES NOT ILLUMINATE WHEN ALTITUDE GOES BELOW LOW BUG SET, LAMP TESTS OK						ROUNDS		ACTION CODE		WUC		
						ACTION						
ACFT HRS 9950.8			WHEN DISC L	HOW REC G	MAL EFF 3	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 19E05		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 4		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 13 Nov 19	NO 5	TIME 12:08	PID PATTERSON, AA	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS MAIN ROTOR SHAFT NUT PN 70103-08005-104 NOW TRACKED AS 2410 ITEM IAW H-60-19-ASAM-06. COMPONENT PREVIOUSLY INSTALLED ON ACFT AT UNKNOWN ACFT HOURS. ACFT TOTAL TIME IN EXCESS OF COMPONENT RC LIFE OF 9000 HRS. TRUE S/N ALSO UNKNOWN. IAW SAFETY MSG H-60-19-ASAM-06, PARA. 8, PART WILL BE REMOVED FROM SERVICE AT NEXT REMOVAL, DISASSEMBLY, OR PMI (10,126.6 ACFT HRS).						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 10012.5		WHEN DISC O	HOW REC O	MAL EFF 1		TIPIID ,			TI MANHOURS			
DELAY Awaiting Next PMI			WUC 05A01G			DATE			TIME			
STATUS —	SYS A	DATE 03 Sep 20	NO 5	TIME 11:02	PID ROYER, WADE	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS #1 Engine Cold Section Module SN# GE-C-003865 Requires replacement per H-60-20-ASAM-02 by 31 DEC 23.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 10052.2		WHEN DISC K	HOW REC G	MAL EFF 2		TIPIID ,			TI MANHOURS			
DELAY			WUC 04A			DATE			TIME			
STATUS —	SYS A	DATE 05 Nov 20	NO 1	TIME 16:19	PID Generated, Com	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS MAINTENANCE FOR O/B RETENTION PLATE (T/R) CAGE: 78286 PN: 70102-11101-042 NSN: 1615010836812 SN: B257-00248 INSTALLED ON HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010. IS DUE: 10164.0 AIRCRAFT HOURS ON HCPTTR UTILITY UH-60A CAGE: 78286 PN:UH-60A NSN: 1520010350266 SN: 8424010						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 11900.7		WHEN DISC O	HOW REC O	MAL EFF 1		TIPIID ,			TI MANHOURS			
DELAY			WUC 06G01B			DATE			TIME			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 5														
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION																		
STATUS —		SYS A	DATE 07 Dec 20		NO 1	TIME 13:59		PID Generated, Cor			ACFT HRS													
								ROUNDS			ACTION CODE	WUC												
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-21-AMAM-01 DESCRIPTION: MAIN LANDING GEAR DRAG BEAM INSPECTION. IS DUE: 06 JUL 2021 CALENDAR						ACTION						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS				
ACFT HRS 10069.9		WHEN DISC O		HOW REC O		MAL EFF 1																		
DELAY				WUC 00				TIPIID ,			TI MANHOURS													
STATUS —		SYS A	DATE 29 Dec 20		NO 3	TIME 15:34		PID Generated, Com			ACFT HRS													
								ROUNDS			ACTION CODE	WUC												
FAULTS/REMARKS INSP A400 PMI-1.						ACTION						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS				
ACFT HRS 10078.6		WHEN DISC O		HOW REC O		MAL EFF 1																		
DELAY				WUC 00				TIPIID ,			TI MANHOURS													
STATUS /		SYS A	DATE 06 Jan 21		NO 2	TIME 13:57		PID ROYER, WADE			ACFT HRS													
								ROUNDS			ACTION CODE	WUC												
FAULTS/REMARKS PILOTS ARMORED WING STIFF TO MOVE DUE TO LOWER GUIDE TUBE BEING BENT						ACTION						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS				
ACFT HRS 10078.6		WHEN DISC K		HOW REC G		MAL EFF 2																		
DELAY				WUC 00				TIPIID ,			TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 6		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 06 Jan 21	NO 3	TIME 14:00	PID ROYER, WADE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS PILOTS ARMORED WING UPPER AFT BUSHING DISBONDED						ROUNDS			ACTION CODE			WUC
						ACTION						
ACFT HRS 10078.6			WHEN DISC K	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 02		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 06 Jan 21	NO 4	TIME 14:01	PID ROYER, WADE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS PILOTS DOOR FRAME (AIRFRAME SIDE) VENT DISBONDED						ROUNDS			ACTION CODE			WUC
						ACTION						
ACFT HRS 10078.6			WHEN DISC K	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 02		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 06 Jan 21	NO 10	TIME 14:11	PID ROYER, WADE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS LH BROOM CLOSET FABRIC TORN IN MULTIPLE PLACES						ROUNDS			ACTION CODE			WUC
						ACTION						
ACFT HRS 10078.6			WHEN DISC K	HOW REC G	MAL EFF 2	PID	CAT	HRS	PID	CAT	HRS	
DELAY				WUC 02		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 7		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS /	SYS A	DATE 06 Jan 21	NO 11	TIME 14:12	PID ROYER, WADE	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS SEC 3 DRIVE SHAFT COVER CRACKED ON AFT END AS MARKED						ACTION						
												PID
ACFT HRS 10078.6		WHEN DISC K	HOW REC G	MAL EFF 2								
DELAY			WUC 02			TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 06 Jan 21	NO 12	TIME 14:13	PID ROYER, WADE	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS SEC 2 DRIVE SHAFT COVER CRACKED AS MARKED						ACTION						
												PID
ACFT HRS 10078.6		WHEN DISC K	HOW REC G	MAL EFF 2								
DELAY			WUC 02			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 26 Feb 21	NO 1	TIME 09:12	PID CRUMP, TIMOTH	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS R/H stab attachment fitting 3rd TQ check required at 10127.6 HR						ACTION						
												PID
ACFT HRS 10087.6		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 02			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 8		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 02 Apr 21	NO 1	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 IS DUE. STATUS WILL UPGRADE TO X ON: 01 JUN 2021 OR 10521.4 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23P						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 10096.2		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 28 Apr 21	NO 1	TIME 00:00	PID Generated, Com	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS INSP A534 FIRST AID KIT INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 IS DUE. STATUS WILL UPGRADE TO X ON: 28 MAY 2021 REFERENCE: TM 1-1500-204-23-1						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 10102.8		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS ⊗	SYS A	DATE 10 May 21	NO 1	TIME 08:47	PID Cipolla, Jack	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS OPERATE WITHIN LIMITS AND RESTRICTIONS OF ENCLOSED AWRS: AWR1452(R7), AWR1444(R10), AWR1455(R9), AWR1466(R9), AWR1682(R25), AWR1692(R10), AWR1750(R6), AWR1787(R4), AWR1872(R4), AWR1965(R9), AWR2120(R3), AWR2294(R0)						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS 10102.8		WHEN DISC B	HOW REC G	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 9		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS ⊗		SYS A	DATE 10 May 21		NO 2	TIME 09:39		PID Cipolla, Jack			ACFT HRS	
ROUNDS		ACTION CODE		WUC								
FAULTS/REMARKS CARGO HOOK SQUIB REMOVED, AIRCRAFT RESTRICTED FORM SLINGLOAD OPS						ACTION						
PID		CAT	HRS		PID	CAT	HRS		PID	CAT	HRS	
ACFT HRS 10102.8		WHEN DISC K		HOW REC O		MAL EFF 4						
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS /		SYS E	DATE 11 May 21		NO 2	TIME 15:30		PID CLAXTON, DON			ACFT HRS	
ROUNDS		ACTION CODE		WUC								
FAULTS/REMARKS REMOVED RT-1518C/ARC-164 (V), S/N MO1376, WT 9.0 ARM 222.0 MOM 2.0 - NOT ENTERED CHART C						ACTION						
PID		CAT	HRS		PID	CAT	HRS		PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC S		HOW REC C		MAL EFF 1						
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS /		SYS E	DATE 11 May 21		NO 3	TIME 15:30		PID CLAXTON, DON			ACFT HRS	
ROUNDS		ACTION CODE		WUC								
FAULTS/REMARKS REMOVED CP-1252C/ASN-128B, S/N 0662B, WT 5.0 ARM 216.0 MOM 1.08 - NOT ENTERED CHART C						ACTION						
PID		CAT	HRS		PID	CAT	HRS		PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC S		HOW REC C		MAL EFF 1						
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 10							
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION											
STATUS /		SYS E	DATE 11 May 21		NO 4	TIME 15:30		PID CLAXTON, DON			DATE		TIME		ACFT HRS		
FAULTS/REMARKS REMOVED CV-3338B/ASN-128D, S/N 3518, WT 13.0 ARM 174.0 MOM 2.26 - NOT ENTERED CHART C						ACTION						ROUNDS		ACTION CODE		WUC	
												PID	CAT	HRS		PID	CAT
ACFT HRS 10108		WHEN DISC S		HOW REC C		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS A	DATE 13 May 21		NO 1	TIME 00:01		PID Generated, Com			DATE		TIME		ACFT HRS		
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUN 2021 REFERENCE: MWO 1-1520-237-50-77						ACTION						ROUNDS		ACTION CODE		WUC	
												PID	CAT	HRS		PID	CAT
ACFT HRS 10102.8		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					
STATUS —		SYS E	DATE 17 May 21		NO 1	TIME 10:56		PID Generated, Com			DATE		TIME		ACFT HRS		
FAULTS/REMARKS INSP E320 EMERGENCY LOCATOR TRANSMITTER G-SWITCH (EBC-406HM) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 IS DUE. STATUS WILL UPGRADE TO X ON: 16 JUL 2021 REFERENCE: AWR 1516 R12						ACTION						ROUNDS		ACTION CODE		WUC	
												PID	CAT	HRS		PID	CAT
ACFT HRS 10108		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPIID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 11		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 17 May 21	NO 1	TIME 10:56	PID Generated, Cor	DATE	TIME	ACFT HRS				
						ROUNDS	ACTION CODE	WUC				
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 WAS DUE. STATUS UPGRADED TO X ON: 14 MAY 2021 REFERENCE: DA PAM 738-751						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 17 May 21	NO 2	TIME 10:56	PID Generated, Com	DATE	TIME	ACFT HRS				
						ROUNDS	ACTION CODE	WUC				
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 WAS DUE. STATUS UPGRADED TO X ON: 15 MAY 2021 REFERENCE: TM 1-1520-237-23P						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			
STATUS —	SYS A	DATE 17 May 21	NO 3	TIME 10:56	PID Generated, Com	DATE	TIME	ACFT HRS				
						ROUNDS	ACTION CODE	WUC				
FAULTS/REMARKS INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 IS DUE. STATUS WILL UPGRADE TO X ON: 15 JUL 2021 REFERENCE: AR 95-1						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY			WUC 00			TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 12		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS —	SYS A	DATE 18 May 21	NO 1	TIME 07:43	PID FARNES, KYLE	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS DURING THE BEST PROGRAM INDUCTION PROCESS, THE FOLLOWING COMPONENTS WERE UNABLE TO HAVE THE S/N'S VERIFIED. ALL OF THESE COMPONENTS HAVE BEEN S/N MATCHED AGAINST MCDS AND THE RECORDS MATCH BETWEEN ACN AND MCDS. THESE COMPONENTS REQUIRE S/N VERIFICATION AT THE NEXT MAJOR MAINT EVENT: ACCUMULATOR, P/N 70651-03201-105, S/N B401-04880; R/H MLG STRUT, PN:70250-12051-045 SN: C001-014282; M/R SHAFT EXTENDER PN: 70351-08186-043 SN:15152-02031; SEC II DRIVE SHAFT PN:70361-03009-047 SN: WG3005700010; STABILATOR ACTUATOR(UPPER)						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS	10108	WHEN DISC	B	HOW REC	G	MAL EFF	1					
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS /	SYS A	DATE 20 May 21	NO 1	TIME 07:46	PID FARNES, KYLE	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS REMOVED RT-1667A/APX-100 (V), S/N BI-2590, WT 8.0 ARM 227.0 MOM 1.82 - NOT ENTERED CHART C						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS	10108	WHEN DISC	B	HOW REC	G	MAL EFF	1					
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 21 May 21	NO 1	TIME 10:03	PID CRABB, ARLANA	DATE	TIME	ACFT HRS	ROUNDS	ACTION CODE	WUC	
FAULTS/REMARKS AIRCRAFT DEPANELED FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P, BEST SOW AND SES GOP AS A REFERENCE.						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	PID
ACFT HRS	10108	WHEN DISC	E	HOW REC	G	MAL EFF	1					
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 13						
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION										
STATUS X	SYS A	DATE 21 May 21	NO 2	TIME 10:04	PID CRABB, ARLAN	DATE	TIME	ACFT HRS								
FAULTS/REMARKS REMOVED MAIN ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0790, BEST SOW AND SES GOP AS A REFERENCE.						ROUNDS	ACTION CODE		WUC							
						ACTION										
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 10108		WHEN DISC E	HOW REC G	MAL EFF 1												
DELAY				WUC 00		TIPIID ,			TI MANHOURS							
STATUS X	SYS A	DATE 21 May 21	NO 3	TIME 10:10	PID CRABB, ARLAN	DATE	TIME	ACFT HRS								
FAULTS/REMARKS REMOVED TAIL ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0815 AS A REFERENCE.						ROUNDS	ACTION CODE		WUC							
						ACTION										
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 10108		WHEN DISC E	HOW REC G	MAL EFF 1												
DELAY				WUC 00		TIPIID ,			TI MANHOURS							
STATUS X	SYS A	DATE 21 May 21	NO 4	TIME 10:18	PID CRABB, ARLAN	DATE	TIME	ACFT HRS								
FAULTS/REMARKS REMOVED STABILATOR FOR INDUCTION TO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0539 AS A REFERENCE.						ROUNDS	ACTION CODE		WUC							
						ACTION										
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS		
ACFT HRS 10108		WHEN DISC E	HOW REC G	MAL EFF 1												
DELAY				WUC 00		TIPIID ,			TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 14		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 21 May 21	NO 5	TIME 10:32	PID CRABB, ARLAN/	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED DOPPLER RT/ANTENNA ASN-128 (SN UNK) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4181 AS A REFERENCE.						ROUNDS	ACTION CODE	WUC				
						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 21 May 21	NO 6	TIME 10:33	PID CRABB, ARLANA/	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMOVED FM RADIO RETRANSMISSION CONTROL HEAD (SN P-901) PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 4239 AS A REFERENCE.						ROUNDS	ACTION CODE	WUC				
						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC E	HOW REC G	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			
STATUS X	SYS A	DATE 22 May 21	NO 1	TIME 00:00	PID Generated, Com	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 WAS DUE. STATUS UPGRADED TO X ON: 21 MAY 2021 REFERENCE: TM 1-1500-344-23						ROUNDS	ACTION CODE	WUC				
						ACTION						
						PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1								
DELAY				WUC 00		TIPIID ,			TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 15				
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION								
STATUS —	SYS A	DATE 22 May 21	NO 2	TIME 00:00	PID Generated, Cor	DATE	TIME	ACFT HRS						
						ROUNDS	ACTION CODE	WUC						
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 IS DUE. STATUS WILL UPGRADE TO X ON: 28 MAY 2021 REFERENCE: TM 11-6140-203-23 P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS X	SYS A	DATE 23 May 21	NO 1	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS						
						ROUNDS	ACTION CODE	WUC						
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 WAS DUE. STATUS UPGRADED TO X ON: 22 MAY 2021 OR 10145.3 AIRCRAFT HOURS REFERENCE: TM 1-1520-237-23P						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					
STATUS X	SYS E	DATE 26 May 21	NO 1	TIME 00:01	PID Generated, Com	DATE	TIME	ACFT HRS						
						ROUNDS	ACTION CODE	WUC						
FAULTS/REMARKS INSP E240 EMERGENCY TRANSMITTER LOCATOR (ME406P OR ME406 BLACK) FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 WAS DUE. STATUS UPGRADED TO X ON: 25 MAY 2021 OR 10227.8 AIRCRAFT HOURS REFERENCE: AWR 1535 R9						ACTION								
						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 10108		WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY			WUC 00			TIPIID ,			TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 8424010				2. MODEL UH-60A			3. DATE			4. PAGE 16		
PART I - FAULT INFORMATION						PART II - CORRECTING INFORMATION						
STATUS X	SYS A	DATE 26 May 21	NO 1	TIME 00:01	PID Generated, Cor	DATE	TIME	ACFT HRS				
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 8424010 WAS DUE. STATUS UPGRADED TO X ON: 25 MAY 2021 REFERENCE: TM 1-1520-237-23P						ROUNDS	ACTION CODE	WUC				
ACFT HRS 10108						WHEN DISC O	HOW REC O	MAL EFF 1				
DELAY						WUC 00			TIPID ,	TI MANHOURS		
STATUS —	SYS A	DATE 27 May 21	NO 1	TIME 10:44	PID SLOTTA, KYLE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS AIRCRAFT INDUCTED INTO BEST PROGRAM ON 19MAY2021, NO SCHEDULED MAINTENANCE PERFORMED AFTER THIS DATE.						ROUNDS	ACTION CODE	WUC				
ACFT HRS 10108						WHEN DISC B	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TIPID ,	TI MANHOURS		
STATUS —	SYS A	DATE 27 May 21	NO 2	TIME 10:45	PID SLOTTA, KYLE	DATE	TIME	ACFT HRS				
FAULTS/REMARKS REMARK/NOTICE TO BUYER: PRIOR TO DELIVERY OF THE AIRCRAFT TO THE BUYER THE FOLLOWING ITEMS WILL BE REMOVED FROM THE AIRCRAFT AT THE DIRECTION OF THE US GOVERNMENT; TO INCLUDE BUT NOT LIMITED TO: CMWS JUNCTION BOX; SA-26669/ALE-47 (V) CMWS SEQUENCER; SENSOR ELECTRO-OPTIC MISSILE CM-SU-202/AAR-57 (V); DIGITAL COCKPIT DISPLAY UNIT (CMWS); SAFE/ARM CONTROL PANEL (CMWS); CMWS RELAY BOX; MEMORY CARD PMCIA (UDM) MU-1126/AAR-57(V) (CMWS); RECEIVER/TRANSMITTER, RT-1477/ARC-201; CONTROL, C-11466A/ARC-201; KY-58(3EA); KY-58 CONTROL HEAD (3EA); KY-100 AIRTERM; ARC-220/						ROUNDS	ACTION CODE	WUC				
ACFT HRS 10108						WHEN DISC B	HOW REC G	MAL EFF 1				
DELAY						WUC 00			TIPID ,	TI MANHOURS		

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. STATUS ×	2. SERIAL NUMBER 8424010	3. SYSTEM CODE A	4. TIME 10:04		
	5. FAULT DATE 21 May 21	6. FAULT NUMBER 2			
7. FAULT REMOVED MAIN ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0790, BEST SOW AND SES GOP AS A REFERENCE.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ALL MAINT TO BE COMPLETED USING TM 1-1520-237-23&P WP 0790, BEST SOW AND SES GOP				
×	REMOVED COTTER PINS FROM BLADE PINS (8 EA)				
×	DISCONNECTED DEICE ELECTRICAL CONNECTOR (4 EA)				
×	DISCONNECTED ANTI FLAP SPRING (4 EA)				
×	REMOVED BLADE PINS (8 EA)				
×	REMOVED MAIN ROTOR BLADES (4 EA) SN A007-15789, SN A007-09601, SN A007-02157 AND				
—	FOD CHECK REQUIRED.				
—	TOOLBOX INVENTORY REQUIRED				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8424010	3. SYSTEM CODE A	4. TIME 10:10		
	5. FAULT DATE 21 May 21	6. FAULT NUMBER 3			
7. FAULT REMOVED TAIL ROTOR BLADES FOR INDUCTION INTO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0815 AS A REFERENCE.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ALL MAINT TO BE COMPLETED USING TM 1-1520-237-23&P WP 0815, BEST SOW AND SES GOP				
×	REMOVED SAFETY FROM PITCH BEAM RETAINING NUT HARDWARE				
×	REMOVED COTTER PINS FROM PITCH CHANGE LINK HARDWARE BLADE SIDE ONLY (4 EA)				
×	REMOVED HARDWARE FROM PITCH BEAM NUT (2 EA)				
×	REMOVED PITCH BEAM RETAINING NUT				
×	REMOVED HARDWARE FROM PITCH CHANGE LINK BLADE SIDE ONLY (4 EA)				
×	REMOVED PITCH BEAM				
×	DISCONNECTED DEICE ELECTRICAL CONNECTORS (4 EA)				
×	REMOVED HARDWARE FROM RETENTION PLATES (12 EA)				
×	REMOVED OUTBOARD RETENTION PLATE				
×	REMOVED TAIL ROTOR BLADES (2 EA) SN A009-07944, AND SN A009-09903				
—	FOD CHECK REQUIRED.				
—	TOOLBOX INVENTORY REQUIRED				

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 8424010	3. SYSTEM CODE A	4. TIME 10:18		
	5. FAULT DATE 21 May 21	6. FAULT NUMBER 4			
7. FAULT REMOVED STABILATOR FOR INDUCTION TO BEST STORAGE PER CUSTOMER REQUEST. USED TM 1-1520-237-23&P WP 0539 AS A REFERENCE.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ALL MAINT TO BE COMPELTED USING TM 1-1520-237-23&P WP 0539, BEST SOW AND SES GOP				
×	REMOVED COTTER PINS FROM STAB ATTACHING HARDWARE (4 EA)				
×	REMOVED LIMIT SWITCH HARDWARE				
×	REMOVED LOWER ACTUATOR HARDWARE				
×	DISCONNECTED FORMATION LIGHT ELECTRICAL CONNECTORS (2 EA)				
×	DISCONNATED GROUNDING STRAPS (2 EA)				
×	REMOVED STAB HINGE HARDWARE (2 EA)				
×	REMOVED STABILATOR				
—	FOD CHECK REQUIRED				
—	TOOLBOX INVENTORY REQUIRED				
×	REMOVED HARDWARE FROM GROUNDING STRAPS (2 EA)				

DA FORM 2408-13-2-SG, OCT 97
 DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD
 For use of this form see DA PAM 738-751, the proponent agency is DCSLOG