

**U.S. GOVERNMENT LEASE FOR REAL PROPERTY
(Short Form)**

1. LEASE NUMBER
LAL00263

PART I - OFFER (Offeror completes Section A, C and D; Government shall complete Section B)

NOTE: All offers are subject to the terms and conditions outlined in Request for Lease Proposals No. 6AL0114 , Supplemental Lease Requirements document, General Clauses (GSA Form 3517A), and any other attachments included herein.

A. LOCATION AND DESCRIPTION OF PREMISES OFFERED FOR LEASE BY GOVERNMENT

1. NAME AND ADDRESS OF BUILDING (Include nine-digit ZIP Code) 600 Broad Street Gadsden, AL 35901-3753	2. LOCATION(S) IN BUILDING Block A – HOR Block B – SSA ODAR		
	2a. FLOOR(S) Block A - <u>1st</u> Block B - <u>1st</u>	2b. ROOM NUMBER(S) <u>Block A - Existing Space</u> <u>Block B - 119</u>	2e. NUMBER OF PARKING SPACES OFFERED Block A STRUCTURED _____ SURFACE 2 Block B STRUCTURED _____ SURFACE 1 Total STRUCTURED _____ SURFACE 3
2c. SQ. FT. Block A: Rentable <u>1443.10</u> ABOA <u>815.33</u> Common Area Factor – 1.76 Block B: RENTABLE <u>2020.94</u> ABOA <u>1144.41</u> Common Area Factor <u>1.76</u> Total in Blocks A & B: Rentable <u>3464.04</u> ABOA <u>1959.74</u> Common Area Factor – 1.76	2d. TYPE (Block A & B) x GENERAL OFFICE <input type="checkbox"/> WAREHOUSE <input type="checkbox"/> OTHER (Specify) _____	ANNUAL PARKING RATES (IF NOT INCLUDED IN RATES UNDER PART C BELOW) STRUCTURED _____/space SURFACE _____/space	

B. TERM

3a. To Have and To Hold the said Premises with its appurtenances for the term beginning upon acceptance of the Premises as required by this Lease and continuing for a period commencing on the Date of Conveyance through December 31, 2018, subject to termination and renewal rights as may be hereinafter set forth. The commencement date of this Lease, along with any applicable termination and renewal rights, shall be more specifically set forth in a Lease Amendment upon acceptance of the Space by the Government. The Government shall have the right to Terminate this lease in whole or part anytime after the date of Conveyance by giving the lessor 30 days written notification.

Block A HOR (term - Date of Conveyance– 12/31/2018)

Block B SSA ODAR (term - Date of Conveyance– 9/30/2017)

3b. The space has been accepted by the Government in an "as is" condition.

All other terms and conditions of this Lease, as same may have been amended, shall remain in full force and effect during any renewal term.

C. RENTAL

4. Rent shall be payable in arrears and will be due on the first workday of each month. When the date for commencement of the lease falls after the 15th day of the month, the initial rental payment shall be due on the first workday of the second month following the commencement date. Rent for a period of less than a month shall be prorated. Rent shall not be adjusted for changes in real estate taxes or operating costs.

5a. AMOUNT OF ANNUAL RENT 30,567.61 (Total for Blocks A & B)	5b. RATE PER MONTH 2,547.30 (Total for Blocks A & B)		
RENTAL RATE BREAKDOWN	FIRM TERM (\$/RSF/YEAR)	NON-FIRM TERM (\$/RSF/YEAR)	RENEWAL TERM (\$/RSF/YEAR)
6. BUILDING SHELL RENT (INCL. REAL ESTATE TAXES)	6a. \$4.79	6b. \$4.79	6c. \$0
7. OPERATING RENT	7a. \$4.03	7b. \$4.03	7b. \$0
8. TURNKEY TENANT IMPROVEMENT RENT (See blocks 11 and 12 below for additional breakdown of cost and amortization rate)	8a. n/a	8b. n/a	8c. n/a
9. BUILDING SPECIFIC AMORTIZED CAPITAL (IF APPLICABLE)	9a. n/a	9b. n/a	9c. n/a
10. TOTAL RENT	10a. \$8.82	10b. \$8.82	10c. n/a
11. TENANT IMPROVEMENT COSTS <u>0.00</u>	12. INTEREST RATE TO AMORTIZE TENANT IMPROVEMENTS <u>0.00</u>		
13. HVAC OVERTIME RATE PER HOUR <u>0.00</u>	14. ADJUSTMENT FOR VACANT PREMISES RATE (\$/ABOA SF/YEAR) <u>0.00</u>		

Rent effective 10/1/17 (upon termination of Block B)

Block A HOR (remaining term 10/1/17-12/31/2018)

	Rate/RSF	RSF	Total A/R	Eff. Date
Shell	\$4.79*	1443.10	\$6,918.79	10/1/17
Operating	\$4.03*	1443.10	\$5,815.51	10/1/17
Operating	\$4.11*	1443.10	\$5,937.64	1/1/18

* Rates / rsf are rounded

Parking rates are \$0 per space

Termination rights are set for both blocks at 30 days

D. OWNER IDENTIFICATION AND CERTIFICATION

15. RECORDED OWNER

15a. Name		15b. DUNS Number	
15c. Address	15d. City	15e. State	15f. ZIP + 4

16. BY SUBMITTING THIS OFFER, THE OFFEROR AGREES UPON ACCEPTANCE OF THIS PROPOSAL BY HEREIN SPECIFIED DATE, TO LEASE TO THE UNITED STATES OF AMERICA, THE PREMISES DESCRIBED, UPON THE TERMS AND CONDITIONS AS SPECIFIED HEREIN, IN FULL COMPLIANCE WITH AND ACCEPTANCE OF THE AFOREMENTIONED RLP, WITH ATTACHMENTS.

I have read the RLP with attachments in its entirety and am requesting no deviations

17. OFFEROR'S INTEREST IN PROPERTY

OWNER AUTHORIZED AGENT OTHER (*Specify*)

18. OFFEROR Check if same as Recorded Owner

18a. NAME	18b. ADDRESS	18c. CITY	18d. STATE	18e. ZIP + 4
18f. Title	18g. E-mail address		18h. Telephone Number	

18i. OFFEROR'S SIGNATURE	18j. DATE SIGNED
--------------------------	------------------

PART II - AWARD (To be completed by Government)

1. Your offer is hereby accepted. This award consummates the lease which consists of the following attached documents: (a) this GSA Form 3626, (b) Supplemental Lease Requirements, (c) Floor Plan delineating the Premises, (d) GSA Form 3517A, General Clauses (Acquisition of Leasehold Interests in Real Property \$150,000 or Less),

2. THIS DOCUMENT IS NOT BINDING ON THE GOVERNMENT OF THE UNITED STATES OF AMERICA UNLESS SIGNED BELOW BY AUTHORIZED LEASE CONTRACTING OFFICER.

3a. NAME OF LEASE CONTRACTING OFFICER (<i>Type or Print</i>)	3b. SIGNATURE OF LEASE CONTRACTING OFFICER	3c. DATE
----------------------------------------------------------------	--------------------------------------------	----------

TABLE OF CONTENTS – SUPPLEMENTAL LEASE REQUIREMENTS

SECTION 1 GENERAL TERMS, CONDITIONS, AND STANDARDS2

1.01 DEFINITIONS AND GENERAL TERMS (SMALL) (SEP 2015).....2

1.02 PUBLIC TRANSPORTATION (SMALL) (SEP 2015).....2

1.03 AUTHORIZED REPRESENTATIVES (JUN 2012).....2

1.04 HUBZONE SMALL BUSINESS CONCERNS ADDITIONAL PERFORMANCE REQUIREMENTS (SIMPLIFIED) (MAR 2012).....3

1.05 WAIVER OF RESTORATION (APR 2011).....3

1.06 NOVATION AND CHANGE OF OWNERSHIP (SMALL) (SEP 2015).....3

1.07 ASBESTOS (SMALL) (SEP 2015).....3

SECTION 2 CONSTRUCTION STANDARDS AND SHELL COMPONENTS.....4

2.01 WORK PERFORMANCE (SMALL) (SEP 2015).....4

2.02 RECYCLED CONTENT PRODUCTS (COMPREHENSIVE PROCUREMENT GUIDELINES) (SMALL) (SEP 2015).....4

2.03 ENVIRONMENTALLY PREFERABLE BUILDING PRODUCTS AND MATERIALS (SMALL) (SEP 2015).....4

2.04 EXISTING FIT-OUT, SALVAGED, OR REUSED BUILDING MATERIAL (SMALL) (SEP 2015).....4

2.05 WOOD PRODUCTS (SMALL) (SEP 2015).....4

2.06 ADHESIVES AND SEALANTS (AUG 2008).....4

2.07 BUILDING SHELL REQUIREMENTS (SMALL) (SEP 2015).....4

2.08 RESPONSIBILITY OF THE LESSOR AND LESSOR’S ARCHITECT/ENGINEER (SMALL) (SEP 2015).....4

2.09 MEANS OF EGRESS (MAY 2015).....4

2.10 AUTOMATIC FIRE SPRINKLER SYSTEM (SEP 2013).....5

2.11 FIRE ALARM SYSTEM (SEP 2013).....5

2.12 ENERGY INDEPENDENCE AND SECURITY ACT (SMALL) (SEP 2015).....5

2.13 ELEVATORS (SMALL) (SEP 2015).....5

2.14 DEMOLITION (JUN 2012).....5

2.15 ACCESSIBILITY (FEB 2007).....6

2.16 CEILINGS (SMALL) (SEP 2015).....6

2.17 EXTERIOR AND COMMON AREA DOORS AND HARDWARE (SEP 2013).....6

2.18 WINDOWS (SMALL) (SEP 2015).....6

2.19 PARTITIONS: PERMANENT (SMALL) (SEP 2015).....6

2.20 INSULATION: THERMAL, ACOUSTIC, AND HVAC (SMALL) (SEP 2015).....6

2.21 PAINTING – SHELL (SMALL) (XXX 2015).....6

2.22 FLOORS AND FLOOR LOAD (AUG 2011).....7

2.23 MECHANICAL, ELECTRICAL, PLUMBING: GENERAL (SMALL) (SEP 2015).....7

2.24 DRINKING FOUNTAINS (APR 2011).....7

2.25 RESTROOMS (SMALL) (SEP 2015).....7

2.26 PLUMBING FIXTURES: WATER CONSERVATION (SMALL) (SEP 2015).....7

2.27 HEATING, VENTILATION, AND AIR CONDITIONING – SHELL (SIMPLIFIED) (SEP 2013).....7

2.28 TELECOMMUNICATIONS: DISTRIBUTION AND EQUIPMENT (SMALL) (SEP 2015).....7

2.29 TELECOMMUNICATIONS: LOCAL EXCHANGE ACCESS (SIMPLIFIED) (JUN 2012).....7

2.30 LIGHTING: INTERIOR AND PARKING – SHELL (SMALL) (SEP 2015).....8

2.31 INDOOR AIR QUALITY DURING CONSTRUCTION (SMALL) (SEP 2015).....8

2.32 NATIONAL HISTORIC PRESERVATION ACT REQUIREMENTS - LEASE (SMALL) (SEP 2015).....8

SECTION 3 DESIGN, CONSTRUCTION, AND POST AWARD ACTIVITIES.....9

3.01 SCHEDULE FOR COMPLETION OF SPACE (SIMPLIFIED) (SEP 2013).....9

3.02 ACCESS TO THE GOVERNMENT PRIOR TO ACCEPTANCE (SIMPLIFIED) (SEP 2015).....9

3.03 ACCEPTANCE OF SPACE AND CERTIFICATE OF OCCUPANCY (SIMPLIFIED) (SEP 2015).....9

3.04 LEASE TERM COMMENCEMENT DATE AND RENT RECONCILIATION (SMALL) (SEP 2015).....9

3.05 AS-BUILT DRAWINGS (SMALL) (SEP 2015).....9

3.06 SEISMIC RETROFIT (SEP 2013).....9

SECTION 4 TENANT IMPROVEMENT COMPONENTS.....10

4.01 TENANT IMPROVEMENTS AND PRICING (SMALL) (SEP 2015).....10

4.02 FINISH SELECTIONS (SMALL) (SEP 2015).....10

4.03 WINDOW COVERINGS (SIMPLIFIED) (AUG 2011).....10

4.04 DOORS: SUITE ENTRY (SEP 2013).....10

4.05 DOORS: INTERIOR (SMALL) (SEP 2015).....10

4.06 DOORS: HARDWARE (SMALL) (SEP 2015).....10

4.07 PARTITIONS: SUBDIVIDING (SMALL) (SEP 2015).....11

4.08 PAINTING – TI (SMALL) (SEP 2015).....11

4.09 FLOOR COVERINGS AND PERIMETERS (SMALL) (SEP 2015).....11

4.10 HEATING AND AIR CONDITIONING (SMALL) (SEP 2015).....11

4.11 ELECTRICAL: DISTRIBUTION (SMALL) (SEP 2015).....11

4.12 TELECOMMUNICATIONS: DISTRIBUTION AND EQUIPMENT (JUN 2012).....11

4.13 TELECOMMUNICATIONS: LOCAL EXCHANGE ACCESS (AUG 2008).....12

4.14 DATA DISTRIBUTION (JUN 2012).....12

4.15	ELECTRICAL, TELEPHONE, DATA FOR SYSTEMS FURNITURE (JUN 2012)	12
4.16	LIGHTING: INTERIOR AND PARKING – TI (SMALL) (SEP 2015)	12
SECTION 5 UTILITIES, SERVICES, AND OBLIGATIONS DURING THE LEASE TERM		13
5.01	PROVISION OF SERVICES, ACCESS, AND NORMAL HOURS (SIMPLIFIED) (JUN 2012)	13
5.02	UTILITIES (APR 2011)	13
5.03	HEATING AND AIR CONDITIONING (SMALL) (SEP 2015)	13
5.04	OVERTIME HVAC USAGE (SMALL) (SEP 2016)	13
5.05	JANITORIAL SERVICES (SMALL) (SEP 2015)	13
5.06	SELECTION OF CLEANING PRODUCTS (SMALL) (SEP 2015)	14
5.07	SELECTION OF PAPER PRODUCTS (APR 2015)	14
5.08	MAINTENANCE OF PROVIDED FINISHES (SMALL) (SEP 2015)	14
5.09	IDENTITY VERIFICATION OF PERSONNEL (SMALL) (SEP 2015)	14
5.10	RANDOLPH-SHEPPARD COMPLIANCE (SMALL) (SEP 2015)	14
5.11	INDOOR AIR QUALITY (SEP 2013)	14
5.12	RADON IN AIR (SEP 2013)	15
5.13	RADON IN WATER (JUN 2012)	15
5.14	HAZARDOUS MATERIALS (SEP 2013)	15
5.15	MOLD (SIMPLIFIED) (SEP 2013)	15
5.16	OCCUPANT EMERGENCY PLANS (SMALL) (SEP 2015)	15
SECTION 6 ADDITIONAL TERMS AND CONDITIONS		16
6.01	SECURITY STANDARDS (SMALL) (SEP 2015)	16

SECTION 1 GENERAL TERMS, CONDITIONS, AND STANDARDS

1.01 DEFINITIONS AND GENERAL TERMS (SMALL) (SEP 2015)

Unless otherwise specifically noted, all terms and conditions set forth in this Lease shall be interpreted by reference to the following definitions, standards, and formulas:

A. Common Area Factor (CAF). The Common Area Factor (CAF) is a conversion factor determined by the Building owner and applied by the owner to the ABOA SF to determine the RSF for the leased Space. The CAF is expressed as a percentage of the difference between the amount of rentable SF and ABOA SF, divided by the ABOA SF. For example 11,500 RSF and 10,000 ABOA SF will have a CAF of 15% [(11,500 RSF-10,000 ABOA SF)/10,000 ABOA SF]. For the purposes of this Lease, the CAF shall be determined in accordance with the applicable ANSI/BOMA standard for the type of space to which the CAF shall apply.

B. Rentable Space or Rentable Square Feet (RSF). Rentable Space is the area for which a tenant is charged rent. It is determined by the Building owner and may vary by city or by building within the same city. The Rentable Space may include a share of Building support/common areas such as elevator lobbies, Building corridors, and floor service areas. Floor service areas typically include restrooms, janitor rooms, telephone closets, electrical closets, and mechanical rooms. The Rentable Space does not include vertical building penetrations and their enclosing walls, such as stairs, elevator shafts, and vertical ducts. Rentable Square Feet is calculated using the following formula for each type of Space (e.g., office, warehouse, etc.) included in the Premises: ABOA SF of Space x (1 + CAF) = RSF.

C. Space. The Space shall refer to that part of the Premises to which the Government has exclusive use, such as Office Area, or other type of Space. Parking areas to which the Government has rights under this Lease are not included in the Space.

D. Office Area. For the purposes of this Lease, Space shall be measured in accordance with the standard (Z65.1-1996) provided by American National Standards Institute/Building Owners and Managers Association (ANSI/BOMA) for Office Area, which means "the area where a tenant normally houses personnel and/or furniture, for which a measurement is to be computed." References to ABOA mean ANSI/BOMA Office Area.

1.02 PUBLIC TRANSPORTATION (SMALL) (SEP 2015)

Public transportation (for example commuter rail, light rail, buses, or subway station) shall be located within the immediate vicinity of the Building, but generally not exceeding ½ mile, as determined by the LCO.

1.03 AUTHORIZED REPRESENTATIVES (JUN 2012)

The signatories to this Lease shall have full authority to bind their respective principals with regard to all matters relating to this Lease. No other persons shall be understood to have any authority to bind their respective principals except to the extent that such authority may be explicitly delegated by notice to the other party, or to the extent that such authority is transferred by succession of interest. The Government shall have the right to substitute its Lease Contracting Officer (LCO) by notice without an express delegation by the prior LCO.

1.04 HUBZONE SMALL BUSINESS CONCERNS ADDITIONAL PERFORMANCE REQUIREMENTS (SIMPLIFIED) (MAR 2012)

If the Lessor is a qualified HUBZone small business concern (SBC) that did not waive the price evaluation preference then as required by 13 C.F.R. 126.700, the HUBZone SBC must spend at least 50% of the cost of the contract incurred for personnel on its own employees or employees of other qualified HUBZone SBC's and must meet the performance of the work requirements for subcontracting in 13 C.F.R. § 125.6(c). If the Lessor is a HUBZone joint venture, the aggregate of the qualified HUBZone SBC's to the joint venture, not each concern separately, must perform the applicable percentage of work required by this clause.

If the Lessor is a HUBZone small business concern (SBC) that did not waive the price evaluation preference, the Lessor shall provide a certification within 10 days after Lease award to the LCO (or representative designated by the LCO) that the Lessor was an eligible HUBZone SBC on the date of award. If it is determined within 20 days after award that a HUBZone SBC Offeror that has been awarded the Lease was not an eligible HUBZone SBC at the time of award, and the HUBZone SBC Lessor failed to provide the LCO with information regarding a change to its HUBZone eligibility prior to award, then the Lease shall be subject, at the LCO's discretion, to termination, and the Government will be relieved of all obligations to the Lessor in such an event and not be liable to the Lessor for any costs, claims, or damages of any nature whatsoever.

1.05 WAIVER OF RESTORATION (APR 2011)

The Lessor shall have no right to require the Government to restore the Premises upon termination of the Lease, and waives all claims against the Government for waste, damages, or restoration arising from or related to (a) the Government's normal and customary use of the Premises during the term of the Lease (including any extensions thereof), as well as (b) any initial or subsequent alteration to the Premises regardless of whether such alterations are performed by the Lessor or by the Government. At its sole option, the Government may abandon property in the Space following expiration of the Lease, in which case the property will become the property of the Lessor, and the Government will be relieved of any liability in connection therewith.

1.06 NOVATION AND CHANGE OF OWNERSHIP (SMALL) (SEP 2015)

Consistent with GSAM 570.115, in the event of a transfer of ownership of the leased premises or a change in the lessor's legal name, FAR 42.12 applies.

1.07 ASBESTOS (SMALL) (SEP 2015)

The leased space shall be free of all asbestos containing materials, except undamaged asbestos flooring in the space or undamaged boiler or pipe insulation outside the space, in which case an asbestos management program conforming to Environmental Protection Agency guidance shall be implemented. The space shall be free of other hazardous materials and in compliance with applicable Federal, State, and local environmental laws and regulations. If asbestos abatement work is to be performed in the Space after occupancy, the Lessor shall submit to the Government the occupant safety plan and a description of the methods of abatement and re-occupancy clearance, in accordance with OSHA, EPA, DOT, state, and local regulations and guidance, at least 4 weeks prior to the abatement work.

SECTION 2 CONSTRUCTION STANDARDS AND SHELL COMPONENTS

2.01 WORK PERFORMANCE (SMALL) (SEP 2015) (THE GOVERNMENT ACCEPT THE SPACE AS IS)

All work in performance of this Lease shall be done by skilled and licensed workers or mechanics and shall be acceptable to the LCO.

2.02 RECYCLED CONTENT PRODUCTS (COMPREHENSIVE PROCUREMENT GUIDELINES) (SMALL) (SEP 2015)

The Lessor shall comply with U.S. Environmental Protection Agency (EPA) in the Comprehensive Procurement Guidelines (CPG), 40 CFR Part 247, and its accompanying Recovered Materials Advisory Notice (RMAN), and to the extent feasible, the Resource Conservation and Recovery Act (RCRA), Section 6002, 1976. Any waiver or deviation from these requirements must be approved by the LCO.

2.03 ENVIRONMENTALLY PREFERABLE BUILDING PRODUCTS AND MATERIALS (SMALL) (SEP 2015)

The Lessor shall use environmentally preferable products and materials in accordance with EPA's environmentally preferable purchasing Web site, www.epa.gov/epp and USDA Bio-Preferred products Web site www.biopreferred.gov. The Lessor is encouraged to consider the lifecycle analysis of the product in addition to the initial cost.

2.04 EXISTING FIT-OUT, SALVAGED, OR REUSED BUILDING MATERIAL (SMALL) (SEP 2015)

The Lessor shall reuse items or materials in the construction phase of the project, as long as such meet the quality standards set forth by the Government in this Lease.

2.05 WOOD PRODUCTS (SMALL) (SEP 2015)

For all new installations of wood products, the Lessor is encouraged to use independently certified forest products. Refer to the Forest Certification Resource Center (www.certifiedwood.org), the Forest Stewardship Council United States (www.fscus.org), or the Sustainable Forestry Initiative (www.sfipprogram.org).

Particle board, strawboard, and plywood materials shall comply with Department of Housing and Urban Development (HUD) standards for formaldehyde emission controls. All materials comprised of combustible substances, such as wood plywood and wood boards, shall be treated with fire retardant chemicals by a pressure impregnation process or other methods that treats the materials throughout as opposed to surface treatment.

2.06 ADHESIVES AND SEALANTS (AUG 2008)

All adhesives employed on this project (including, but not limited to, adhesives for carpet, carpet tile, plastic laminate, wall coverings, adhesives for wood, or sealants) shall be those with the lowest possible volatile organic compounds (VOC) content below 20 grams per liter and which meet the requirements of the manufacturer of the products adhered or involved. The Lessor shall use adhesives and sealants with no formaldehyde or heavy metals. Adhesives and other materials used for the installation of carpets shall be limited to those having a flash point of 140 degrees F or higher.

2.07 BUILDING SHELL REQUIREMENTS (SMALL) (SEP 2015)

A. The Building Shell shall be designed, constructed, and maintained in accordance with the standards set forth herein and completed prior to acceptance of Space.

B. Base structure and Building enclosure components shall be complete. All common areas accessible by the Government, such as lobbies, fire egress corridors and stairwells, elevators, garages, and service areas, shall be complete. Restrooms shall be complete and operational. All newly installed Building shell components, including but not limited to, heating, ventilation, and air conditioning (HVAC), electrical, ceilings, sprinklers, etc., shall be furnished, installed, and coordinated with TIs. Circulation corridors are provided as part of the base Building only on multi-tenanted floors where the corridor is common to more than one tenant. On single tenant floors, only the fire egress corridor(s) necessary to meet code is provided as part of the shell.

2.08 RESPONSIBILITY OF THE LESSOR AND LESSOR'S ARCHITECT/ENGINEER (SMALL) (SEP 2015)

THE LESSOR REMAINS SOLELY RESPONSIBLE FOR DESIGNING, CONSTRUCTING, OPERATING, AND MAINTAINING THE LEASED PREMISES IN FULL ACCORDANCE WITH THE REQUIREMENTS OF THE LEASE. The Lessor shall, without additional compensation, correct or revise any errors or deficiencies in its designs, drawings, specifications, or other services, as noted by the Government's review or otherwise.

2.09 MEANS OF EGRESS (MAY 2015)

A. Prior to occupancy, the Premises and any parking garage areas shall meet or will be upgraded to meet either the applicable egress requirements in the National Fire Protection Association, Life Safety Code (NFPA 101) or the International Code Council, International Building Code (IBC), each current as of the Lease Award Date, or use an alternative approach or method that achieves an equivalent level of safety deemed acceptable by the Government.

B. The Space shall have unrestricted access to a minimum of two remote exits on each floor of Government occupancy.

C. Interlocking or scissor stairs located on the floor(s) where Space is located shall only count as one exit stair.

- D. A fire escape located on the floor(s) where Space is located shall not be counted as an approved exit stair.
- E. Doors shall not be locked in the direction of egress unless equipped with special locking hardware in accordance with requirements of NFPA 101 or the IBC.

2.10 AUTOMATIC FIRE SPRINKLER SYSTEM (SEP 2013)

- A. Any portion of the Space located below-grade, including parking garage areas, and all areas in a Building referred to as "hazardous areas" (defined in National Fire Protection Association (NFPA) 101) that are located within the entire Building (including non-Government areas) shall be protected by an automatic fire sprinkler system or an equivalent level of safety.
- B. For Buildings in which any portion of the Space is on or above the sixth floor, then, at a minimum, the Building up to and including the highest floor of Government occupancy shall be protected by an automatic fire sprinkler system or an equivalent level of safety.
- C. For Buildings in which any portion of the Space is on or above the sixth floor, and lease of the Space will result, either individually or in combination with other Government Leases in the Building, in the Government leasing 35,000 or more ANSI/BOMA Office Area SF of Space in the Building, then the entire Building shall be protected throughout by an automatic fire sprinkler system or an equivalent level of safety.
- D. Automatic fire sprinkler system(s) shall be installed in accordance with the requirements of NFPA 13, Standard for the Installation of Sprinkler Systems that was in effect on the actual date of installation.
- E. Automatic fire sprinkler system(s) shall be maintained in accordance with the requirements of NFPA 25, Standard for the Inspection, Testing, and Maintenance of Water-based Fire Protection Systems (current as of the Lease Award Date).
- F. "Equivalent level of safety" means an alternative design or system (which may include automatic fire sprinkler systems), based upon fire protection engineering analysis, which achieves a level of safety equal to or greater than that provided by automatic fire sprinkler systems.

2.11 FIRE ALARM SYSTEM (SEP 2013)

- A. A Building-wide fire alarm system shall be installed in the entire Building in which any portion of the Space is located on the 3rd floor or higher.
- B. The fire alarm system shall be installed in accordance with the requirements of NFPA 72, National Fire Alarm and Signaling Code, that was in effect on the actual date of installation.
- C. The fire alarm system shall be maintained in accordance with the requirements of NFPA 72, National Fire Alarm and Signaling Code (current as of the Lease Award Date).
- D. The fire alarm system shall transmit all fire alarm signals to the local fire department via any of the following means: directly to the local fire department, to the (911) public communications center, to a central station, to a remote supervising station, or to a proprietary supervising station.
- E. If the Building's fire alarm control unit is over 25 years old as of the date of award of this Lease, Lessor shall install a new fire alarm system in accordance with the requirements of NFPA 72, National Fire Alarm and Signaling Code (current as of the Lease Award Date), prior to Government acceptance and occupancy of the Space.

2.12 ENERGY INDEPENDENCE AND SECURITY ACT (SMALL) (SEP 2015)

- A. The Lessor shall either earn the ENERGY STAR® Label or complete all cost effective energy efficiency and conservation improvements, agreed to by Lessor prior to acceptance of the Space (or not later than one year after the Lease Award Date of a succeeding or superseding Lease).

2.13 ELEVATORS (SMALL) (SEP 2015)

- A. The Lessor shall provide suitable passenger and, when required by the Government, freight elevator service to any of the Premises not having ground level access. Service shall be available during the normal hours of operation specified in the in this Lease
- B. Code: Elevators shall conform to the current requirements of the American Society of Mechanical Engineers ASME A17.1/CSA B44, Safety Code for Elevators and Escalators (current as of the Lease Award Date) Elevators shall be provided with Phase I emergency recall operation and Phase II emergency in-car operation in accordance with ASME A17.1/CSA B44. Fire alarm initiating devices (e.g., smoke detectors) used to initiate Phase I emergency recall operation shall be installed in accordance with the requirements of NFPA 72, National Fire Alarm and Signaling Code. The elevators shall be inspected and maintained in accordance with the current edition of the ASME A17.2, Inspector's Manual for Elevators. Except for the reference to ASME A17.1 in ABAAS, Section F105.2.2, all elevators must meet ABAAS requirements for accessibility in Sections 407, 408, and 409 of ABAAS.
- C. Safety Systems: Elevators shall be equipped with telephones or other two-way emergency communication systems. The system used shall be marked and shall reach an emergency communication location staffed 24 hours per day, 7 days per week.

2.14 DEMOLITION (JUN 2012)

The Lessor shall remove existing abandoned electric, telephone, and data cabling and devices, as well as any other improvements or fixtures in place to accommodate the Government's requirements. Any demolition of existing improvements that is necessary to satisfy the Government's layout shall be done at the Lessor's expense.

2.15 ACCESSIBILITY (FEB 2007)

The Building, leased Space, and areas serving the leased Space shall be accessible to persons with disabilities in accordance with the Architectural Barriers Act Accessibility Standard (ABAAS), Appendices C and D to 36 CFR Part 1191 (ABA Chapters 1 and 2, and Chapters 3 through 10). To the extent the standard referenced in the preceding sentence conflicts with local accessibility requirements, the more stringent shall apply.

2.16 CEILINGS (SMALL) (SEP 2015)

A complete acoustical ceiling system (which includes grid and lay-in tiles or other Building standard ceiling system as approved by the LCO) throughout the Premises and all common areas accessible to Government tenants shall be required. The acoustical ceiling system shall be furnished, installed, and coordinated with TIs.

Ceilings shall be uniform in color and appearance throughout the Space, with no obvious damage to tiles or grid.

Newly installed tiles or panels shall contain recycled content.

2.17 EXTERIOR AND COMMON AREA DOORS AND HARDWARE (SEP 2013)

A. Exterior Building doors and doors necessary to the lobbies, common areas, and core areas shall be required. This does not include suite entry or interior doors specific to TIs.

B. Exterior doors shall be weather tight and shall open outward. Hinges, pivots, and pins shall be installed in a manner which prevents removal when the door is closed and locked. These doors shall have a minimum clear opening of 32" clear wide x 80" high (per leaf). Doors shall be heavy duty, flush, 1) hollow steel construction, 2) solid core wood, or 3) insulated tempered glass. As a minimum requirement, hollow steel doors shall be fully insulated, flush, #16-gauge hollow steel. Solid-core wood doors and hollow steel doors shall be at least 1-3/4 inches thick. Door assemblies shall be of durable finish and shall have an aesthetically pleasing appearance acceptable to the LCO. The opening dimensions and operations shall conform to the governing building, fire safety, accessibility, and energy codes and/or requirements. Fire door assemblies shall be listed and labeled. Labels on fire door assemblies shall be maintained in a legible condition. Fire door assemblies and their accompanying hardware, including frames and closing devices shall be installed in accordance with the requirements of NFPA 80, Standard for Fire Doors and Other Opening Protectives.

C. Exterior doors and all common area doors shall have door handles or door pulls with heavyweight hinges. All doors shall have corresponding doorstops (wall or floor mounted) and silencers. All public use doors and restroom doors shall be equipped with kick plates. All doors shall have automatic door closers. All Building exterior doors shall have locking devices installed to reasonably deter unauthorized entry.

2.18 WINDOWS (SMALL) (SEP 2015)

All windows shall be locked and weather tight. Windows accessible from fire escapes must be readily operable from the inside of the Building.

2.19 PARTITIONS: PERMANENT (SMALL) (SEP 2015)

Permanent partitions shall extend from the structural floor slab to the structural ceiling slab, surrounding the Space, stairs, corridors, elevator shafts, restrooms, all columns, and janitor closets. They shall have a flame spread rating of 25 or less and a smoke development rating of 450 or less (ASTM E-84). Stairs, elevators, and other floor openings shall be enclosed by partitions and shall have the fire resistance required by the applicable building code, fire code and ordinances adopted by the jurisdiction in which the Building is located (such as the International Building Code, etc.) current as of the Lease Award Date. Newly installed gypsum board material must be Greenguard Gold Certified or have 0 grams per liter of VOCs.

2.20 INSULATION: THERMAL, ACOUSTIC, AND HVAC (SMALL) (SEP 2015)

A. No insulation installed with this project shall be material manufactured using chlorofluorocarbons (CFCs), nor shall CFCs be used in the installation of the product.

B. All insulation containing fibrous materials exposed to air flow shall be rated for that exposure or shall be encapsulated.

C. Insulating properties for all materials shall meet or exceed applicable industry standards. Polystyrene products shall meet American Society for Testing and Materials (ASTM) C578 91.

D. All insulation shall be low emitting with not greater than .05 ppm formaldehyde emissions.

E. The maximum flame spread and smoke developed index for insulation shall meet the requirements of the applicable local codes and ordinances (current as of the Lease Award Date) adopted by the jurisdiction in which the Building is located.

2.21 PAINTING – SHELL (SMALL) (XXX 2015)

The Lessor shall bear the expense for all painting associated with the Building shell including all common areas. Exterior perimeter walls and interior core walls within the Space shall be spackled and prime painted with low VOC primer. If any Building shell areas are already painted prior to TIs, then the Lessor shall repaint, at the Lessor's expense, as necessary during TIs.

2.22 FLOORS AND FLOOR LOAD (AUG 2011)

A. All adjoining floor areas shall be of a common level

B. Under-floor surfaces shall be smooth and level. Office areas shall have a minimum live load capacity of 50 pounds per ABOA SF plus 20 pounds per ABOA SF for moveable partitions. Storage areas shall have a minimum live load capacity of 100 pounds per ABOA SF, including moveable partitions. Lessor may be required to provide a report by a registered structural engineer showing the floor load capacity, at the Lessor's expense. Calculations and structural drawings may also be required.

2.23 MECHANICAL, ELECTRICAL, PLUMBING: GENERAL (SMALL) (SEP 2015)

A. The Lessor shall be responsible for meeting the applicable requirements of all federal, state, and local codes and ordinances. When codes conflict, the more stringent standard shall apply.

B. The Lessor shall provide and operate all Building equipment and systems in accordance with applicable technical publications, manuals, and standard procedures.

C. Convenience outlets shall be installed in accordance with NFPA Standard 70, National Electrical Code, or local code, whichever is more stringent. The Lessor shall provide duplex utility outlets in restrooms, corridors, and dispensing areas.

2.24 DRINKING FOUNTAINS (APR 2011)

On each floor of Government-occupied Space, the Lessor shall provide a minimum of two drinking fountains with chilled potable water within 200 feet of travel from any Government-occupied area on the floor. The fountains shall comply with Section F211 of the Architectural Barriers Act Accessibility Standard.

2.25 RESTROOMS (SMALL) (SEP 2015)

Separate restroom facilities for men and women shall be provided in accordance with local code or ordinances, on each floor occupied by the Government in the Building. The facilities shall be located so that employees will not be required to travel more than 200 feet, on one floor to reach the restrooms. Each restroom shall have sufficient water closets enclosed with modern stall partitions and doors, urinals (in men's room), and hot (set in accordance with applicable building codes) and cold water. Water closets and urinals shall not be visible when the exterior door is open.

2.26 PLUMBING FIXTURES: WATER CONSERVATION (SMALL) (SEP 2015)

For new installations and whenever plumbing fixtures are being replaced), all fixtures must conform to EPA WaterSense. Information on EPA WaterSense fixtures can be found at <http://www.epa.gov/watersense/>.

2.27 HEATING, VENTILATION, AND AIR CONDITIONING – SHELL (SIMPLIFIED) (SEP 2013)

Central HVAC systems shall be installed and operational, including, as appropriate, main and branch lines, VAV boxes, dampers, flex ducts, and diffusers, for an open office layout, including all Building common areas. Systems shall be designed with sufficient systems capacity to meet all requirements in this Lease; equipment shall be concealed. Areas having excessive heat gain or heat loss, or affected by solar radiation at different times of the day, shall be independently controlled.

Any ductwork to be reused and/or to remain in place shall be cleaned, tested, and demonstrated to be clean in accordance with the standards set forth by NADCA. The cleaning, testing, and demonstration shall occur immediately prior to Government occupancy to avoid contamination from construction dust and other airborne particulates.

Air filtration shall be provided and maintained with filters having a minimum efficiency rating as determined by the latest edition of American Society of Heating, Refrigeration and Air-Conditioning Engineers (ASHRAE) Standard 52.2, Method of Testing General Ventilation Air Cleaning Devices for Removal Efficiency by Particle Size. During working hours in periods of heating and cooling, ventilation shall be provided in accordance with the latest edition of ASHRAE Standard 62.1. Pre-filters shall have a Minimum Efficiency Reporting Value (MERV) efficiency of 8. Final filters shall have a MERV efficiency of 13. Restrooms shall be properly exhausted, with a minimum of 10 air changes per hour.

2.28 TELECOMMUNICATIONS: DISTRIBUTION AND EQUIPMENT (SMALL) (SEP 2015)

A. Building telecommunication rooms must be completed, operational, and ready for use by Government's telecommunications provider. The telephone closets shall be equipped with deadlocking latch bolt and include a telephone backboard.

B. Telecommunications switch rooms, wire closets, and related spaces shall meet applicable Telecommunications Industry Association (TIA), Electronic Industries Alliance (EIA) and NFPA standards. Bonding and grounding shall be in accordance with NFPA Standard 70, NEC National Electrical Code, and other applicable NFPA standards and/or local code requirements.

2.29 TELECOMMUNICATIONS: LOCAL EXCHANGE ACCESS (SIMPLIFIED) (JUN 2012)

A. The Government may elect to contract its own telecommunications service in the Space.

B. The Lessor shall allow the Government's designated telecommunications providers access to utilize existing Building wiring to connect its services to the Government's Space, or, if existing Building wiring is insufficient, the Lessor shall provide access from the point of entry into the Building to the Government's floor Space, subject to any inherent limitations in the pathway involved.

C. The Lessor shall allow the Government's designated telecommunications providers to affix telecommunications antennas to roof, parapet, or Building envelope (access from the antennas to the Premises shall be provided) and to affix transmission devices in appropriate common areas so as to allow the use of cellular telephones and other emerging technologies.

2.30 LIGHTING: INTERIOR AND PARKING – SHELL (SMALL) (SEP 2015)

NOTE: FOR PRICING ESTIMATING PURPOSES, FIXTURES WILL BE INSTALLED AT THE AVERAGE RATIO OF 1 FIXTURE PER 80 ABOA SF.

A. INTERIOR FIXTURES: High efficiency light fixtures (and associated ballasts or drivers) shall be installed as either ceiling grid or pendant mounted for an open-office plan. Ceiling grid fixtures shall be either 2' wide by 4' long or 2' wide by 2' long. Lessor shall provide, as part of Shell Rent, a minimum overall lighting fixture efficiency of 85 percent. Lamps shall maintain a uniform color level throughout the lease term.

B. LIGHTING LEVELS: Fixtures shall have a minimum of two tubes and shall provide 50 foot-candles at desktop level (30" above finished floor) with a maximum uniformity ratio of 1.5:1. Lessor shall provide, as part of Shell Rent, 10 average foot-candles in all other Building areas within the Premises with a uniformity ratio of 4:1. Emergency egress lighting levels shall be provided in accordance with the local applicable building codes (but not less than 1 foot-candle) by either an onsite emergency generator or fixture mounted battery packs.

C. POWER DENSITY: The maximum fixture power density shall not exceed 1.4 watts per ABOA SF.

D. BUILDING PERIMETER: Exterior parking areas, vehicle driveways, pedestrian walks, and the Building perimeter lighting levels shall be designed per Illuminating Engineering Society (IES) standards. Provide 5 foot-candles for doorway areas, 3 foot-candles for transition areas and at least 5 foot-candles throughout the parking lot. Parking lot fixtures shall provide a maximum to minimum uniformity ratio of 10:1.

E. PARKING STRUCTURES: The minimum illuminance level for parking structures is 3 foot-candles as measured on the floor with a uniformity ratio of 10:1.

F. EXTERIOR POWER BACKUP: Exterior egress, walkway, parking lot, and parking structure lighting must have emergency power backup to provide for safe evacuation of the Building.

2.31 INDOOR AIR QUALITY DURING CONSTRUCTION (SMALL) (SEP 2015)

A. All MSDS shall comply with Occupational Safety and Health Administration (OSHA) requirements. The Lessor and its agents shall comply with all recommended measures in the MSDS to protect the health and safety of personnel.

B. Where demolition or construction work occurs adjacent to occupied Space, the Lessor shall erect appropriate barriers (noise, dust, odor, etc.) and take necessary steps to minimize interference with the occupants. This includes maintaining acceptable temperature, humidity, and ventilation in the occupied areas during window removal, window replacement, or similar types of work.

2.32 NATIONAL HISTORIC PRESERVATION ACT REQUIREMENTS - LEASE (SMALL) (SEP 2015)

A. Where a Memorandum of Agreement or other pre-award agreement concluding the Section 106 consultation includes mitigation, design review or other continuing responsibilities of the Government, Lessor must allow the Government access to the Property to carry out compliance activities. For Tenant Improvements and other tenant-driven alterations within an existing historic building, that could affect historic properties, compliance also may require on-going design review. In these instances, Lessor will be required to retain, at its sole cost and expense, the services of a preservation architect who meets or exceeds the *Secretary of the Interior's Professional Qualifications Standards for Historic Architecture*, as amended and annotated and previously published in the Code of Federal Regulations, 36 C.F.R. part 61, and the *GSA Qualifications Standards for Preservation Architects*. These standards are available at: [HTTP://WWW.GSA.GOV/HISTORICPRESERVATION](http://www.gsa.gov/historicpreservation)>Project Management Tools> Qualification Requirements for Preservation Architects. The preservation architect will be responsible for developing preservation design solutions and project documentation required for review by the Government, the State Historic Preservation Officer (SHPO), the Tribal Historic Preservation Officer (THPO), if applicable, and other consulting parties in accordance with Section 106. For Tenant Improvements and other tenant-driven alterations within an existing historic building, the preservation architect must develop context-sensitive design options consistent with the *Secretary of the Interior's Standards for the Treatment of Historic Properties*.

B. The costs for development of design alternatives and review submittals for work required under the Lease are the sole responsibility of Lessor. In addition, building shell costs relating to such design alternatives are the sole responsibility of Lessor and must be included in the shell rent

SECTION 3 DESIGN, CONSTRUCTION, AND POST AWARD ACTIVITIES

3.01 SCHEDULE FOR COMPLETION OF SPACE (SIMPLIFIED) (SEP 2013) THE GOVERNMENT ACCEPTS THE SPACE AS IS

Design and construction activities for the Space shall commence upon Lease award. The Lessor shall schedule the following activities to achieve timely completion of the work required by this Lease:

A. Design Intent Drawings. The Lessor shall prepare and deliver to the Government, as part of the shell cost, design intent drawings (DIDs) meeting all requirements set forth in the Lease within 10 Working Days of the Lease Award Date. The Government shall respond within 10 Working Days of receipt of the DIDs by either issuing a Notice to Proceed or providing notice indicating the manner in which the DIDs do not meet all requirements of the Lease. If the DIDs do not conform to the Lease requirements, the Lessor shall revise and resubmit the DIDs within 3 Working Days. The Lessor shall be responsible for delays to Acceptance of the Premises attributable to the Lessor's failure to prepare DIDs conforming to the Lease requirements.

B. Notice to Proceed (NTP). If the DIDs conform to the Lease requirements, the Government shall issue NTP; however, the Government shall not be obligated to issue a NTP less than 10 Working Days from receipt of DIDs, as originally submitted or revised. Issuance of NTP shall not be construed as a waiver of any requirement set forth in this Lease.

C. Construction Schedule. The Lessor shall complete all required build-out conforming to the Lease and approved DIDs within 40 Working Days of issuance of NTP.

3.02 ACCESS TO THE GOVERNMENT PRIOR TO ACCEPTANCE (SIMPLIFIED) (SEP 2015)

Subject to the Lessor's permission, which shall not be unreasonably withheld, the Government or its contractors shall have access to the Premises prior to acceptance of the Space to prepare the Space for occupancy. If the work to be completed by the Government is a prerequisite for the issuance of a Certificate of Occupancy, or its equivalent, the Government shall be entitled to at least 10 Working Days to complete work by its own contractors.

3.03 ACCEPTANCE OF SPACE AND CERTIFICATE OF OCCUPANCY (SIMPLIFIED) (SEP 2015)

A. The Government shall accept the Space only if the construction of Building shell and TIs, as applicable, conforming to this Lease and any layout drawings is substantially complete, as determined by the Lease Contracting Officer, and a Certificate of Occupancy (C of O) has been issued. The Space shall be considered substantially complete only if the Space may be used for its intended purpose and completion of remaining work will not interfere unreasonably with the Government's enjoyment of the Space.

B. The Lessor shall provide a valid C of O, issued by the local jurisdiction, for the intended use of the Government. If the local jurisdiction does not issue C of O's or if the C of O is not available, the Lessor may satisfy this condition by providing a report prepared by a licensed fire protection engineer that indicates the Space and Building are compliant with all applicable local codes and ordinances and all fire protection and life safety-related requirements of this Lease.

3.04 LEASE TERM COMMENCEMENT DATE AND RENT RECONCILIATION (SMALL) (SEP 2015)

The Lease Term Commencement Date, and final measurement verification of the Premises, shall be memorialized by Lease Amendment.

3.05 AS-BUILT DRAWINGS (SMALL) (SEP 2015)

Not later than 60 days after the acceptance of the Space, the Lessor, at Lessor's expense, shall furnish to the Government a complete set of Computer Aided Design (CAD) files of as-built floor plans showing the Space under Lease, as well as corridors, stairways, and core areas. The plans shall have been generated by a CAD program which is compatible with the latest release of AutoCAD.

3.06 SEISMIC RETROFIT (SEP 2013) INTENTIONALLY DELETED

SECTION 4 TENANT IMPROVEMENT COMPONENTS

4.01 TENANT IMPROVEMENTS AND PRICING (SMALL) (SEP 2015) (THE GOVERNMENT ACCEPTS THE SPACE AS IS) THERE WILL BE NO TENANT IMPROVEMENT UNLESS OTHERWISE NEGOTIATED WITH THE NEW OWNER.

- A. The Lease is a fully serviced, turnkey Lease with a fixed rent that covers all Lessor costs, including all demolition, shell upgrades, TIs, insurance, operating costs, taxes, parking, and security upgrades. Rent will be based upon a proposed rental rate per rentable square foot (RSF), limited by the offered rate and the maximum ABOA SF solicited under this RLP. The Tenant Improvements to be delivered by the Lessor will be based upon information provided with this Lease, The Lessor will be required to design and build the TIs and will be compensated for the TI costs through the rent. Offerors are encouraged to consider the use of existing fit-out and other improvements to minimize waste.
- B. The TI Unit Costs listed below will be used to make the adjustment for variances between turnkey pricing based on the agency specific requirements package (ASRs), and the approved design intent drawings. The prices quoted will also be used to order alterations during the first year of the Lease. The prices quoted shall be the cost to furnish, install, and maintain each item, unless otherwise specified. These prices may be indexed or renegotiated to apply to subsequent years of the Lease upon mutual agreement of the Lessor and the Government. Final rent calculations will be reconciled and the Lease will be amended after acceptance of the Space.
1. The cost per linear foot of office subdividing ceiling-high partitioning. _____
 2. The cost per floor-mounted duplex electrical outlet. _____
 3. The cost per wall-mounted duplex electrical outlet. _____
 4. The cost per floor-mounted fourplex (double duplex) electrical outlet. _____
 5. The cost per wall-mounted fourplex (double duplex) electrical outlet. _____
 6. The cost per dedicated clean electrical computer receptacle. _____
 7. The cost per floor-mounted telephone outlet. _____
 8. The cost per wall-mounted telephone outlet. _____
 9. The cost per interior door. _____
- C. The Government shall have the right to make lump sum payments for any or all TI work.

4.02 FINISH SELECTIONS (SMALL) (SEP 2015)

The Lessor must consult with the Government prior to developing a minimum of three (3) options of coordinated finish samples. The finish options must be approved by GSA prior to installation. The Lessor may not make any substitutions.

4.03 WINDOW COVERINGS (SIMPLIFIED) (AUG 2011)

All exterior windows shall be equipped with window blinds in new or like new condition, as approved by the Government.

4.04 DOORS: SUITE ENTRY (SEP 2013)

Suite entry doors shall be provided as part of the TIs and shall have a minimum clear opening of 32" wide x 84" high (per leaf). Doors shall meet the requirements of being a flush, solid core, 1-3/4-inch thick, wood door with a natural wood veneer face or an equivalent pre-approved by the Government. Hollow core wood doors are not acceptable. They shall be operable by a single effort; and shall meet the requirement of NFPA 101, Life Safety Code or the International Building Code (current as of the Lease Award Date). Doors shall be installed in a metal frame assembly which is primed and finished with a low VOC semi gloss oil-based paint finish with no formaldehyde.

4.05 DOORS: INTERIOR (SMALL) (SEP 2015)

Doors within the Space shall have a minimum clear opening of 32" wide x 80" high and shall be flush, solid core, wood with a natural wood veneer face or an equivalent door pre-approved by the LCO. They shall meet the requirements of NFPA 101, Life Safety Code or the International Building Code (current as of the Lease Award Date). Doors shall be installed in a metal frame assembly which is primed and finished with a low VOC semi-gloss oil-based paint with no formaldehyde.

4.06 DOORS: HARDWARE (SMALL) (SEP 2015)

Doors shall have door handles or door pulls with heavyweight hinges. All doors shall have corresponding doorstops (wall- or floor-mounted) and silencers. All door entrances leading into the Space from public corridors and exterior doors shall have automatic door closers. Doors designated by the Government shall be equipped with 5-pin, tumbler cylinder locks and strike plates. All locks shall be master keyed. Furnish at least two master

keys for each lock to the Government. Any exterior entrance shall have a high security lock, with appropriate key control procedures, as determined by Government specifications. Hinge pins and hasps shall be secured against unauthorized removal by using spot welds or pinned mounting bolts. The exterior side of the door shall have a lock guard or astragal to prevent tampering of the latch hardware. Doors used for egress only shall not have any operable exterior hardware. All security-locking arrangements on doors used for egress shall comply with requirements of NFPA 101 or the International Building Code current as of the Lease Award Date.

4.07 PARTITIONS: SUBDIVIDING (SMALL) (SEP 2015)

- A. Office subdividing partitions shall comply with applicable building codes and local requirements and ordinances. Partitioning shall extend from the finished floor to the finished ceiling and shall be designed to provide a minimum sound transmission class (STC) of 37. They shall have a flame spread rating of 25 or less and a smoke development rating of 450 or less (ASTM E-84).
- B. HVAC shall be rebalanced and lighting repositioned, as appropriate, after installation of partitions.
- C. If installed in accordance with the "Automatic Fire Sprinkler System" and "Fire Alarm System" paragraphs, sprinklers and fire alarm notification appliances shall be repositioned as appropriate after installation of partitions to maintain the level of fire protection and life safety.
- D. Partitioning requirements may be satisfied with existing partitions if they meet the Government's standards and layout requirements.
- E. Newly installed gypsum board material must be Greenguard Gold Certified or have 0 grams per liter of VOCs.

4.08 PAINTING – TI (SMALL) (SEP 2015)

Prior to acceptance, all surfaces within the Space which are designated by GSA for painting shall be newly finished in colors acceptable to the Government, using products that minimize VOC off-gassing

4.09 FLOOR COVERINGS AND PERIMETERS (SMALL) (SEP 2015)

- A. Unless otherwise specified, broadloom carpet or carpet tiles shall be installed in accordance with manufacturing instructions to lay smoothly and evenly throughout the Space. Floor perimeters at partitions shall have wood, rubber, vinyl, or carpet base.
- B. The use of existing carpet may be approved by the Government; however, existing carpet shall be repaired, stretched, and cleaned before occupancy and shall meet the static buildup requirement as stated in the specifications below.
- C. Any alternate flooring shall be pre-approved by the Government.
- D. SPECIFICATIONS FOR CARPET TO BE NEWLY INSTALLED OR REPLACED

1. Product sustainability and environmental requirements. ANSI/NSF 140 2007e Sustainable Carpet Assessment Standard at a "Gold" level minimum.
2. Recycled content: Recycled content is measured by total product weight of pre-consumer and/or post-consumer materials. Recycled content must be at least 10% post-consumer recovered content
3. Low emitting materials. The carpet and floor adhesive (for glue-down installations) must meet the Green Label Plus (GLP) and floor adhesive (for direct glue down) requirements of the Carpet and Rug Institute (CRI). GLP number must be provided. Adhesives must meet VOC content standards per South Coast Air Quality Management District Rule #1168.
4. Performance requirements for broadloom and modular tile.
 - a. Static: Less than or equal to 3.5 kV when tested by AATCC Test Method 134 (Step Test Option).
 - b. Flammability: Meets CPSC-FF-1-70, DOC-FF-1-70 Methenamine Tablet Test criteria.
 - c. Flooring Radiant Panel Test: Meets NFPA 253 Class I or II depending upon occupancy and fire code when tested under ASTM E-648 for glue down installation.
 - d. Smoke Density: NBS Smoke Chamber - Less than 450 Flaming Mode when tested under ASTM E-662.
5. Texture Appearance Retention Rating (TARR). Moderate; \geq 3.0 TARR.

4.10 HEATING AND AIR CONDITIONING (SMALL) (SEP 2015)

Provide individual thermostat control for office Space Areas that routinely have extended hours of operation shall be environmentally controlled through dedicated heating and air conditioning equipment. Portable space heaters are prohibited.

4.11 ELECTRICAL: DISTRIBUTION (SMALL) (SEP 2015)

- A. All electrical outlets shall be installed in accordance with NFPA Standard 70.
- B. The Lessor shall in all cases safely conceal outlets and associated wiring (for electricity, voice, and data) to the workstation(s) in a method acceptable to the Government.

4.12 TELECOMMUNICATIONS: DISTRIBUTION AND EQUIPMENT (JUN 2012)

Telecommunications floor or wall outlets shall be provided as part of the TIs. At a minimum, each outlet shall house one 4-pair wire jack for voice and one 4-pair wire jack for data. The Lessor shall ensure that all outlets and associated wiring, copper, coaxial cable, optical fiber, or other transmission medium used to transmit telecommunications (voice, data, video, Internet, or other emerging technologies) service to the workstation shall be safely concealed under raised floors, in floor ducts, walls, columns, or molding. All outlets/junction boxes shall be provided with rings and pull strings to facilitate the installation of cable. Some transmission medium may require special conduit, inner duct, or shielding as specified by the Government.

4.13 TELECOMMUNICATIONS: LOCAL EXCHANGE ACCESS (AUG 2008)

Provide sealed conduit to house the agency telecommunications system when required.

4.14 DATA DISTRIBUTION (JUN 2012)

The Government shall be responsible for the cost of purchasing and installing data cable. The Lessor shall safely conceal data outlets and the associated wiring used to transmit data to workstations in floor ducts, walls, columns, or below access flooring. The Lessor shall provide, as part of the TI, outlets with rings and pull strings to facilitate the installation of the data cable. When cable consists of multiple runs, the Lessor shall provide ladder type or other acceptable cable trays to prevent Government-provided cable coming into contact with suspended ceilings or sprinkler piping. Cable trays shall form a loop around the perimeter of the Space such that they are within a 30-foot horizontal distance of any single drop.

4.15 ELECTRICAL, TELEPHONE, DATA FOR SYSTEMS FURNITURE (JUN 2012)

A. The Lessor shall provide as part of the TIs separate data, telephone, and electric junction boxes for the base feed connections to Government provided modular or systems furniture, when such feeds are supplied via wall outlets or floor penetrations. When overhead feeds are used, junction boxes shall be installed for electrical connections. Raceways shall be provided throughout the furniture panels to distribute the electrical, telephone, and data cable. The Lessor shall provide all electrical service wiring and connections to the furniture at designated junction points. Each electrical junction shall contain an 8-wire feed consisting of 3 general purpose 120-V circuits with 1 neutral and 1 ground wire, and a 120-V isolated ground circuit with 1 neutral and 1 isolated ground wire. A 20-ampere circuit shall have no more than 8 general purpose receptacles or 4 isolated ground "computer" receptacles.

B. The Government shall be responsible for the cost of purchasing data and telecommunications cable. Said cable shall be installed and connected to systems furniture by the Lessor/contractor with the assistance and/or advice of the Government or computer vendor. The Lessor shall provide wall mounted data and telephone junction boxes, which shall include rings and pull strings to facilitate the installation of the data and telecommunications cable. When cable consists of multiple runs, the Lessor shall provide ladder-type or other acceptable cable trays to prevent Government provided cable coming into contact with suspended ceilings or sprinkler piping. Cable trays shall form a loop around the perimeter of the Space such that they are within a 30-foot horizontal distance of any single drop. Said cable trays shall provide access to both telecommunications data closets and telephone closets.

C. The Lessor shall furnish and install suitably sized junction boxes near the "feeding points" of the furniture panels. All "feeding points" shall be shown on Government approved design intent drawings. The Lessor shall temporarily cap off the wiring in the junction boxes until the furniture is installed. The Lessor shall make all connections in the power panel and shall keep the circuit breakers off. The Lessor shall identify each circuit with the breaker number and shall identify the computer hardware to be connected to it. The Lessor shall identify each breaker at the panel and identify the devices that it serves.

D. The Lessor's electrical contractor must connect power poles or base feeds in the junction boxes to the furniture electrical system and test all pre-wired receptacles in the systems furniture. Other Government contractors will be installing the data cable in the furniture panels for the terminal and printer locations, installing the connectors on the terminal/printer ends of the cable, and continuity testing each cable. Work shall be coordinated and performed in conjunction with the furniture, telephone, and data cable installers. Much of this work may occur over a weekend on a schedule that requires flexibility and on-call visits. The Lessor must coordinate the application of Certification of Occupancy with furniture installation.

4.16 LIGHTING: INTERIOR AND PARKING – TI (SMALL) (SEP 2015)

FIXTURES: Any additional lighting fixtures and/or components required beyond what would have been provided under the paragraph, "Lighting: Interior and Parking – Shell (SMALL)" are part of the TIs.

SECTION 5 UTILITIES, SERVICES, AND OBLIGATIONS DURING THE LEASE TERM

5.01 PROVISION OF SERVICES, ACCESS, AND NORMAL HOURS (SIMPLIFIED) (JUN 2012)

The Government's normal hours of operations are established as 7:00 AM to 6:00 PM, Monday through Friday, with the exception of Federal holidays. Services, maintenance, and utilities shall be provided during these hours. The Government shall have access to the Premises and its Appurtenant Areas at all times without additional payment, including the use, during other than normal hours, of necessary services and utilities such as elevators, restrooms, lights, and electric power. Cleaning shall be performed during normal hours.

5.02 UTILITIES (APR 2011) The Lessor is responsible for providing all utilities necessary for base Building and tenant operations as part of the rental consideration.

5.03 HEATING AND AIR CONDITIONING (SMALL) (SEP 2015)

A. In all office areas, temperatures shall conform to local commercial equivalent temperature levels and operating practices in order to maximize tenant satisfaction. These temperatures shall be maintained throughout the leased Premises and service areas, regardless of outside temperatures, during the hours of operation specified in the Lease. The Lessor shall perform any necessary systems start-up required to meet the commercially equivalent temperature levels prior to the first hour of each day's operation. At all times, humidity shall be maintained below 60% relative humidity.

B. During non working hours, heating temperatures shall be set no higher than 55° Fahrenheit, and air conditioning shall not be provided except as necessary to return Space temperatures to a suitable level for the beginning of working hours. Thermostats shall be secured from manual operation by key or locked cage. A key shall be provided to the Government's designated representative.

C. Thermal comfort. During all working hours, comply with the latest edition of ASHRAE Standard 55, Thermal Comfort Conditions for Human Occupancy.

D. Warehouse or garage areas require heating and ventilation only. Cooling of this Space is not required. Temperature of warehouse or garage areas shall be maintained at a minimum of 50° Fahrenheit.

E. The Lessor shall conduct HVAC system balancing after any HVAC system alterations during the term of the Lease and shall make a reasonable attempt to schedule major construction outside of office hours.

F. Normal HVAC systems' maintenance shall not disrupt tenant operations.

G. The Space shall have a Server room which shall receive cooling at all times (24 hrs a day, 365 days a year). The temperature of this room shall be maintained at 72 degrees F, with humidity control not to exceed 60% relative humidity, regardless of outside temperature or seasonal changes. Notwithstanding the foregoing, Lessor shall provide this service at no additional cost to the Government if the Lessor provides this service to other tenants in the Building at no additional charge.

5.04 OVERTIME HVAC USAGE (SMALL) (SEP 2016)

A. Overtime usage services may be ordered by the Government's authorized representative only at the rate prescribed in the Lease.

B. Failure to submit a proper invoice within 120 days of providing overtime utilities shall constitute a waiver of the Lessor's right to receive any payment for such overtime utilities pursuant to this Lease.

5.05 JANITORIAL SERVICES (SMALL) (SEP 2015)

The Lessor shall maintain the Premises and all areas of the Property to which the Government has routine access in a clean condition and shall provide supplies and equipment for the term of the Lease. The following schedule describes the level of services intended. Performance will be based on the LCO's evaluation of results, not the frequency or method of performance.

A. Daily. Empty trash receptacles. Sweep entrances, lobbies, and corridors. Spot sweep floors, and spot vacuum carpets. Clean drinking fountains. Sweep and damp mop or scrub restrooms. Clean all restroom fixtures, and replenish restroom supplies. Dispose of all trash and garbage generated in or about the Building. Spray buff resilient floors in main corridors, entrances, and lobbies. Clean elevators and escalators. Remove carpet stains. Police sidewalks, parking areas, and driveways. Sweep loading dock areas and platforms. Clean glass entry doors to the Space.

B. Three times a week. Sweep or vacuum stairs.

C. Weekly. Damp mop and spray buff all resilient floors in restrooms and health units. Sweep sidewalks, parking areas, and driveways (weather permitting).

D. Every two weeks. Spray buff resilient floors in secondary corridors, entrance, and lobbies. Damp mop and spray buff hard and resilient floors in office Space.

E. Monthly. Completely sweep and/or vacuum carpets.

- F. Twice a year. Wash all interior and exterior windows and other glass surfaces.
- G. Every two years. Shampoo carpets in all offices and other non-public areas.
- H. As required. Properly maintain plants and lawns. Provide initial supply, installation, and replacement of light bulbs, tubes, ballasts, and starters. Provide and empty exterior ash cans and clean area of any discarded cigarette butts. Remove snow and ice from entrances, exterior walks, and parking lots of the building by the beginning of the normal working hours and continuing throughout the day
- I. Pest control. Control pests as appropriate, using Integrated Pest Management techniques, as specified in the GSA Environmental Management Integrated Pest Management Technique Guide (E402-1001).

5.06 SELECTION OF CLEANING PRODUCTS (SMALL) (SEP 2015)

The Lessor shall use cleaning products (including general purpose cleaners, floor cleaners, hand soap, etc.) that comply with either the Green Seal standard, the UL/EcoLogo standard, EPA's Design for the Environment (DfE) designation, or a substitute acceptable to the LCO. Hand soap products shall also be USDA Certified BioPreferred.

5.07 SELECTION OF PAPER PRODUCTS (APR 2015)

The Lessor shall select paper and paper products (e.g., restroom tissue and paper towels) conforming to the Green Seal Standard (GS-1), or a substitute acceptable to the LCO.

5.08 MAINTENANCE OF PROVIDED FINISHES (SMALL) (SEP 2015) INTENTIONALLY DELETED

5.09 IDENTITY VERIFICATION OF PERSONNEL (SMALL) (SEP 2015)

A. The Government reserves the right to verify identities of personnel with routine pre-occupancy and/or unaccompanied access to Government space. The Lessor shall comply with the agency personal identity verification procedures below that implement Homeland Security Presidential Directive-12 (HSPD-12), Office of Management and Budget (OMB) guidance M-05-24 and M11-11, and Federal Information Processing Standards Publication (FIPS PUB) Number 201, as amended.

B. The Government reserves the right to conduct additional background checks on Lessor personnel and contractors with routine access to Government leased space throughout the term of the Lease.

C. Upon request, the Lessor will notify the Government whether they will use either the manual process and submit completed fingerprint charts and background investigation forms, or use the electronic process of ID verification, completed through the e-QIP system (www.opm.gov). This would be done for each employee of the Lessor, as well as employees of the Lessor's contractors or subcontractors who will provide building operating services requiring routine access to the Government's leased space for a period greater than 6 months. The Government may also require this information for the Lessor's employees, contractors, or subcontractors who will be engaged to perform alterations or emergency repairs in the Government's space.

5.10 RANDOLPH-SHEPPARD COMPLIANCE (SMALL) (SEP 2015)

The Government may provide vending machines within the Government's leased area under the provisions of the Randolph-Sheppard Act (20 USC 107 et. seq.). During the term of the Lease, the Lessor may not establish vending facilities within the leased Space that will compete with any Randolph-Sheppard vending facilities.

5.11 INDOOR AIR QUALITY (SEP 2013)

A. The Lessor shall control contaminants at the source and/or operate the Space in such a manner that the GSA indicator levels for carbon monoxide (CO), carbon dioxide (CO₂), and formaldehyde (HCHO) are not exceeded. The indicator levels for office areas shall be: CO 9 ppm time weighted average (TWA 8 hour sample); CO₂ 1,000 ppm (TWA); HCHO 0.1 ppm (TWA).

B. The Lessor shall make a reasonable attempt to apply insecticides, paints, glues, adhesives, and HVAC system cleaning compounds with highly volatile or irritating organic compounds, outside of working hours. Except in an emergency, the Lessor shall provide at least 72 hours advance notice to the Government before applying noxious chemicals in occupied Spaces and shall adequately ventilate those Spaces during and after application.

C. The Lessor shall promptly investigate indoor air quality (IAQ) complaints and shall implement the necessary controls to address the complaint.

D. The Government reserves the right to conduct independent IAQ assessments and detailed studies in Space that it occupies, as well as in space serving the Space (e.g., common use areas, mechanical rooms, HVAC systems, etc.). The Lessor shall assist the Government in its assessments and detailed studies by:

1. Making available information on Building operations and Lessor activities;
2. Providing access to Space for assessment and testing, if required; and
3. Implementing corrective measures required by the LCO.

E. The Lessor shall provide to the Government material safety data sheets (MSDS) upon request for the following products prior to their use during the term of the Lease: adhesives, caulking, sealants, insulating materials, fireproofing or firestopping materials, paints, carpets, floor and wall patching or leveling materials, lubricants, clear finish for wood surfaces, janitorial cleaning products, pesticides, rodenticides, and herbicides. The Government reserves the right to review such products used by the Lessor within:

1. The Space;
2. Common Building areas;
3. Ventilation systems and zones serving the Space; and
4. The area above suspended ceilings and engineering space in the same ventilation zone as the Space.

F. Where hazardous gasses or chemicals (any products with data in the Health and Safety section of the MSDS sheets) may be present or used, including large-scale copying and printing rooms, segregate areas with deck-to-deck partitions with separate outside exhausting at a rate of at least 0.5 cubic feet per minute per SF, no air recirculation. The mechanical system must operate at a negative pressure compared with the surrounding spaces of at least an average of 5 Pa (pascal) (0.02 inches of water gauge) and with a minimum of 1 Pa (0.004 inches of water gauge) when the doors to the rooms are closed.

5.12 RADON IN AIR (SEP 2013)

If Space planned for occupancy by the Government is on the second floor above grade or lower, the Lessor shall, prior to occupancy, test the leased Space for 2 days to 3 days using charcoal canisters. The Lessor is responsible to provide Space in which radon levels in air are below the GSA action levels of 4 picoCuries per liter (pCi/L) for childcare and 25 pCi/L for all other space. After the initial testing, a follow-up test for a minimum of 90 days using alpha track detectors shall be completed. For further information on radon, go to: <http://www.epa.gov/radon/zonemap.html>.

5.13 RADON IN WATER (JUN 2012)

A. If the water source is not from a public utility, the Lessor shall demonstrate that water provided to the Premises is in compliance with EPA requirements and shall submit certification to the LCO prior to the Government occupying the Space.

B. If the EPA action level is reached or exceeded, the Lessor shall institute appropriate abatement methods which reduce the radon levels to below this action.

5.14 HAZARDOUS MATERIALS (SEP 2013)

A. The leased Space shall be free of hazardous materials, hazardous substances, and hazardous wastes, as defined by and according to applicable Federal, state, and local environmental regulations. Should there be reason to suspect otherwise, the Government reserves the right, at Lessor's expense, to require documentation or testing to confirm that the Space is free of all hazardous materials.

B. Lessor shall, to the extent of its knowledge, notify Government of the introduction of any hazardous materials onto the Property by Lessor or others, including but not limited to, co-tenants occupying Space in the Building.

5.15 MOLD (SIMPLIFIED) (SEP 2013)

A. Actionable mold is mold of types and concentrations in excess of that found in the local outdoor air.

B. The Lessor shall provide Space to the Government that is free from actionable mold and free from any conditions that reasonably can be anticipated to permit the growth of actionable mold or are indicative of the possibility that actionable mold will be present (indicators).

5.16 OCCUPANT EMERGENCY PLANS (SMALL) (SEP 2015)

The Lessor is required to cooperate, participate and comply with the development and implementation, and any subsequent revisions of the Government's Occupant Emergency Plan (OEP) and if necessary, a supplemental Shelter-in Place (SIP) Plan.

SECTION 6 ADDITIONAL TERMS AND CONDITIONS

DEFAULT IS SECURITY LEVEL I. ATTACH SECURITY LEVEL II IF APPLICABLE. SECURITY STANDARDS (SMALL) (SEP 2015)

The Lessor agrees to the requirements of Security Level I attached to this Lease for Block A and Block B. Level I Security is included in shell rent.

- (1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and
- (2) The management and daily business operations of which are controlled by one or more veterans.

“Women-owned small business concern” means a small business concern—

- (1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and
- (2) Whose management and daily business operations are controlled by one or more women.

“Women-owned small business (WOSB) concern eligible under the WOSB Program” (in accordance with 13 CFR part 127), means a small business concern that is at least 51 percent directly and unconditionally owned by, and the management and daily business operations of which are controlled by, one or more women who are citizens of the United States.

- (b)
 - (1) The North American Industry Classification System (NAICS) code for this acquisition is— 531120, unless the real property is self-storage (#531130), land (#531190), or residential (#531110).
 - (2) The small business size standard is \$38.5 Million in annual average gross revenue of the concern for the last 3 fiscal years.
 - (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(c) Representations.

- (1) The offeror represents as part of its offer that it is, is not a small business concern.
- (2) *[Complete only if the offeror represented itself as a small business concern in paragraph (c)(1) of this provision.]* The offeror represents that it is, is not, a small disadvantaged business concern as defined in 13 CFR 124.1002.
- (3) *[Complete only if the offeror represented itself as a small business concern in paragraph (c)(1) of this provision.]* The offeror represents as part of its offer that it is, is not a women-owned small business concern.
- (4) Women-owned small business (WOSB) concern eligible under the WOSB Program. *[Complete only if the offeror represented itself as a women-owned small business concern in paragraph (c)(3) of this provision.]* The offeror represents as part of its offer that—
 - (i) It is, is not a WOSB concern eligible under the WOSB Program, has provided all the required documents to the WOSB Repository, and no change in circumstances or adverse decisions have been issued that affects its eligibility; and
 - (ii) It is, is not a joint venture that complies with the requirements of 13 CFR part 127, and the representation in paragraph (c)(4)(i) of this provision is accurate for each WOSB concern eligible under the WOSB Program participating in the joint venture. *[The offeror shall enter the name or names of the WOSB concern eligible under the WOSB Program and other small businesses that are participating in the joint venture: _____.]* Each WOSB concern eligible under the WOSB Program participating in the joint venture shall submit a separate signed copy of the WOSB representation.

- (c) If the Offeror deletes or modifies subparagraph (a)(2) above, the Offeror must furnish with its offer a signed statement setting forth in detail the circumstances of the disclosure.

7. 52.203-11 - CERTIFICATION AND DISCLOSURE REGARDING PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS (SEP 2007)

(Applicable when the estimated value of the acquisition exceeds \$100,000)

- (a) *Definitions.* As used in this provision—"Lobbying contact" has the meaning provided at 2 U.S.C. 1602(8). The terms "agency," "influencing or attempting to influence," "officer or employee of an agency," "person," "reasonable compensation," and "regularly employed" are defined in the FAR clause of this solicitation entitled "Limitation on Payments to Influence Certain Federal Transactions" (52.203-12).
- (b) *Prohibition.* The prohibition and exceptions contained in the FAR clause of this solicitation entitled "Limitation on Payments to Influence Certain Federal Transactions" (52.203-12) are hereby incorporated by reference in this provision.
- (c) *Certification.* The offeror, by signing its offer, hereby certifies to the best of its knowledge and belief that no Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress on its behalf in connection with the awarding of this contract.
- (d) *Disclosure.* If any registrants under the Lobbying Disclosure Act of 1995 have made a lobbying contact on behalf of the offeror with respect to this contract, the offeror shall complete and submit, with its offer, OMB Standard Form LLL, Disclosure of Lobbying Activities, to provide the name of the registrants. The offeror need not report regularly employed officers or employees of the offeror to whom payments of reasonable compensation were made.
- (e) *Penalty.* Submission of this certification and disclosure is a prerequisite for making or entering into this contract imposed by 31 U.S.C. 1352. Any person who makes an expenditure prohibited under this provision or who fails to file or amend the disclosure required to be filed or amended by this provision, shall be subject to a civil penalty of not less than \$10,000, and not more than \$100,000, for each such failure.

8. 52.209-5 - CERTIFICATION REGARDING RESPONSIBILITY MATTERS (APR 2010)

(Applicable when the estimated value of the acquisition exceeds the simplified lease acquisition threshold)

- (a) (1) The Offeror certifies, to the best of its knowledge and belief, that—
- (i) The Offeror and/or any of its Principals—
- (A) Are are not presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any Federal agency;
- (B) Have have not , within a three-year period preceding this offer, been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) contract or subcontract; violation of Federal or State antitrust statutes relating to the submission of offers; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, tax evasion, violating Federal criminal tax laws, or receiving stolen property (if offeror checks "have", the offeror shall also see 52.209-7, if included in this solicitation);

INITIALS: _____ & _____
LESSOR GOVERNMENT

- (C) Are are not presently indicted for, or otherwise criminally or civilly charged by a governmental entity with, commission of any of the offenses enumerated in paragraph (a)(1)(i)(B) of this provision;
- (D) Have , have not , within a three-year period preceding this offer, been notified of any delinquent Federal taxes in an amount that exceeds \$3,000 for which the liability remains unsatisfied.

(1) Federal taxes are considered delinquent if both of the following criteria apply:

- (i) *The tax liability is finally determined.* The liability is finally determined if it has been assessed. A liability is not finally determined if there is a pending administrative or judicial challenge. In the case of a judicial challenge to the liability, the liability is not finally determined until all judicial appeal rights have been exhausted.
- (ii) *The taxpayer is delinquent in making payment.* A taxpayer is delinquent if the taxpayer has failed to pay the tax liability when full payment was due and required. A taxpayer is not delinquent in cases where enforced collection action is precluded.

(2) *Examples.*

- (i) The taxpayer has received a statutory notice of deficiency, under I.R.C. § 6212, which entitles the taxpayer to seek Tax Court review of a proposed tax deficiency. This is not a delinquent tax because it is not a final tax liability. Should the taxpayer seek Tax Court review, this will not be a final tax liability until the taxpayer has exercised all judicial appeal rights.
- (ii) The IRS has filed a notice of Federal tax lien with respect to an assessed tax liability, and the taxpayer has been issued a notice under I.R.C. § 6320 entitling the taxpayer to request a hearing with the IRS Office of Appeals contesting the lien filing, and to further appeal to the Tax Court if the IRS determines to sustain the lien filing. In the course of the hearing, the taxpayer is entitled to contest the underlying tax liability because the taxpayer has had no prior opportunity to contest the liability. This is not a delinquent tax because it is not a final tax liability. Should the taxpayer seek tax court review, this will not be a final tax liability until the taxpayer has exercised all judicial appeal rights.
- (iii) The taxpayer has entered into an installment agreement pursuant to I.R.C. § 6159. The taxpayer is making timely payments and is in full compliance with the agreement terms. The taxpayer is not delinquent because the taxpayer is not currently required to make full payment.
- (iv) The taxpayer has filed for bankruptcy protection. The taxpayer is not delinquent because enforced collection

action is stayed under 11 U.S.C. 362 (the Bankruptcy Code).

(ii) The Offeror has has not , within a three-year period preceding this offer, had one or more contracts terminated for default by any Federal agency.

(2) "Principal," for the purposes of this certification, means an officer, director, owner, partner, or a person having primary management or supervisory responsibilities within a business entity (e.g., general manager; plant manager; head of a division or business segment; and similar positions).

This Certification Concerns a Matter Within the Jurisdiction of an Agency of the United States and the Making of a False, Fictitious, or Fraudulent Certification May Render the Maker Subject to Prosecution Under Section 1001, Title 18, United States Code.

- (b) The Offeror shall provide immediate written notice to the Contracting Officer if, at any time prior to contract award, the Offeror learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- (c) A certification that any of the items in paragraph (a) of this provision exists will not necessarily result in withholding of an award under this solicitation. However, the certification will be considered in connection with a determination of the Offeror's responsibility. Failure of the Offeror to furnish a certification or provide such additional information as requested by the Contracting Officer may render the Offeror nonresponsible.
- (d) Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render, in good faith, the certification required by paragraph (a) of this provision. The knowledge and information of an Offeror is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- (e) The certification in paragraph (a) of this provision is a material representation of fact upon which reliance was placed when making award. If it is later determined that the Offeror knowingly rendered an erroneous certification, in addition to other remedies available to the Government, the Contracting Officer may terminate the contract resulting from this solicitation for default.

9. 52.222-38 - COMPLIANCE WITH VETERANS' EMPLOYMENT REPORTING REQUIREMENTS (SEP 2010)

By submission of its offer, the offeror represents that, if it is subject to the reporting requirements of 38 U.S.C. 4212(d) (i.e., if it has any contract containing Federal Acquisition Regulation clause 52.222-37, Employment Reports on Veterans), it has submitted the most recent VETS-100A Report required by that clause.

10. 52.225-20 - PROHIBITION ON CONDUCTING RESTRICTED BUSINESS OPERATIONS IN SUDAN—CERTIFICATION (AUG 2009)

(a) *Definitions.* As used in this provision—

"Business operations" means engaging in commerce in any form, including by acquiring, developing, maintaining, owning, selling, possessing, leasing, or operating equipment, facilities, personnel, products, services, personal property, real property, or any other apparatus of business or commerce.

"Marginalized populations of Sudan" means—

(1) Adversely affected groups in regions authorized to receive assistance under section 8(c) of the Darfur Peace and Accountability Act (Pub. L. 109-344) (50 U.S.C. 1701 note); and

(2) Marginalized areas in Northern Sudan described in section 4(9) of such Act.

INITIALS: _____ & _____
LESSOR GOVERNMENT

(1) Represents, to the best of its knowledge and belief, that the offeror does not export any sensitive technology to the government of Iran or any entities or individuals owned or controlled by, or acting on behalf or at the direction of, the government of Iran;

(2) Certifies that the offeror, or any person owned or controlled by the offeror, does not engage in any activities for which sanctions may be imposed under section 5 of the Iran Sanctions Act. These sanctioned activities are in the areas of development of the petroleum resources of Iran, production of refined petroleum products in Iran, sale and provision of refined petroleum products to Iran, and contributing to Iran's ability to acquire or develop certain weapons or technologies; and

(3) Certifies that the offeror, and any person owned or controlled by the offeror, does not knowingly engage in any transaction that exceeds \$3,000 with Iran's Revolutionary Guard Corps or any of its officials, agents, or affiliates, the property and interests in property of which are blocked pursuant to the International Emergency Economic Powers Act (50 U.S.C. 1701 *et seq.*) (see OFAC's Specially Designated Nationals and Blocked Persons List at <http://www.treasury.gov/ofac/downloads/t11sdn.pdf>).

(d) *Exception for trade agreements.* The representation requirement of paragraph (c)(1) and the certification requirements of paragraphs (c)(2) and (c)(3) of this provision do not apply if—

(1) This solicitation includes a trade agreements notice or certification (*e.g.*, 52.225-4, 52.225-6, 52.225-12, 52.225-24, or comparable agency provision); and

(2) The offeror has certified that all the offered products to be supplied are designated country end products or designated country construction material.

12. 52.204-3 - TAXPAYER IDENTIFICATION (OCT 1998)

(a) *Definitions.*

"Common parent," as used in this provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the Offeror is a member.

"Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the Offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All Offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M, and implementing regulations issued by the IRS. If the resulting contract is subject to the payment reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the Offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the Offeror's relationship with the Government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the Offeror's TIN.

(d) *Taxpayer Identification Number (TIN).*

- TIN: _____
- TIN has been applied for.
- TIN is not required because:
- Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;
- Offeror is an agency or instrumentality of a foreign government;

INITIALS: _____ & _____
LESSOR GOVERNMENT

ADDENDUM to the System for Award Management (SAM) REPRESENTATIONS AND CERTIFICATIONS (Acquisitions of Leasehold Interests in Real Property)	Request for Lease Proposals Number 6AL0114	Dated
------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------	-------

Complete appropriate boxes, sign the form, and attach to offer.
The Offeror makes the following additional Representations. NOTE: The "Offeror," as used on this form, is the owner of the property offered, not an individual or agent representing the owner.

1. ANNUAL REPRESENTATIONS AND CERTIFICATIONS FOR LEASEHOLD ACQUISITIONS (APR 2015)

- (a) (1) The North American Industry Classification System (NAICS) code for this acquisition is 531120, unless the real property is self-storage (#531130), land (#531190), or residential (#531110).
 - (2) The small business size standard is 38.5 Million in annual average gross revenue of the concern for the last 3 fiscal years.
 - (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.
 - (b) The System for Award Management (SAM) is a centrally located, searchable database which assists in the development, maintenance, and provision of sources for future procurements. The Offeror, by signing this addendum, hereby certifies he is registered in SAM.
- Registration Active and Copy Attached

2. 552.203-72 REPRESENTATION BY CORPORATIONS REGARDING AN UNPAID DELINQUENT FEDERAL TAX LIABILITY OR A FELONY CONVICTION UNDER ANY FEDERAL LAW (DEVIATION) (OCT 2013)

- (a) In accordance with Sections 630 and 631 of Division of the Consolidated Appropriations Act, 2012 (Pub. L. 112-74), and Section 101 of the Continuing Appropriations Act, 2014 (Pub. L. 113-16) none of the funds made available by the Continuing Appropriations Act 2014 may be used to enter into a contract action with any corporation that--
 - (1) Has any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability, where the awarding agency is aware of the unpaid tax liability, unless the agency has considered suspension or debarment of the corporation and made a determination that this further action is not necessary to protect the interests of the Government, or
 - (2) Was convicted, or had an officer or agent of such corporation acting on behalf of the corporation convicted of a felony criminal violation under any Federal law within the preceding 24 months, where the awarding agency is aware of the conviction, unless the agency has considered suspension or debarment of the corporation or such officer or agent and made a determination that this action is not necessary to protect the interests of the Government.
- (b) The Contractor represents that—
 - (1) It is is not a corporation that has any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted or

SECURITY REQUIREMENTS - FACILITY SECURITY LEVEL I

THESE PARAGRAPHS CONTAIN SECURITY REQUIREMENTS, AND, UNLESS INDICATED OTHERWISE, ARE TO BE PRICED AS PART OF THE BUILDING SHELL. WHERE THEY ARE IN CONFLICT WITH ANY OTHER REQUIREMENTS ON THIS LEASE, THE STRICTEST SHALL APPLY.

DEFINITIONS:

CRITICAL AREAS - The areas that house systems that if damaged or compromised could have significant adverse consequences for the facility, operation of the facility, or mission of the agency or its occupants and visitors. These areas may also be referred to as "limited access areas," "restricted areas," or "exclusionary zones." Critical areas do not necessarily have to be within Government-controlled space (e.g., generators, air handlers, electrical feeds which could be located outside Government-controlled space).

SENSITIVE AREAS – Sensitive areas include vaults, Sensitive Compartmented Information Facilities (SCIFs), evidence rooms, war rooms, and sensitive documents areas. Sensitive areas are primarily housed within Government-controlled space.

FACILITY ENTRANCES, LOBBY, COMMON AREAS, NON-PUBLIC, AND UTILITY AREAS.

FACILITY ENTRANCES AND LOBBY

EMPLOYEE ACCESS CONTROL AT ENTRANCES (SHELL)

The Lessor shall provide key or electronic access control for the entrance to this building. All Government employees, under this lease, shall be allowed access to the leased space (including after-hours access).

COMMON AREAS, NON-PUBLIC, AND UTILITY AREAS.

PUBLIC RESTROOM ACCESS

The Government reserves the right to control access to public restrooms located within the Space.

SECURING CRITICAL AREAS

The Lessor shall secure areas designated as Critical Areas to restrict access:

A. Keyed locks, keycards, or similar security measures shall strictly control access to mechanical areas. Additional controls for access to keys, keycards, and key codes shall be strictly maintained. The Lessor shall develop and maintain accurate HVAC plans and HVAC system labeling within mechanical areas.

B. Roofs with HVAC systems shall also be secured. Fencing or other barriers may be required to restrict access from adjacent roofs based on a Government Building Security Assessment. Roof access shall be strictly controlled through keyed locks, keycards, or similar measures. Fire and life safety egress shall be carefully reviewed when restricting roof access.

C. At a minimum, Lessor shall secure building mechanical and janitorial areas including sprinkler rooms, electrical closets, telecommunications rooms and janitor closets.

VISITOR ACCESS CONTROL

Entrances are open to the public during business hours. After hours, visitor entrances are secured, and have a means to verify the identity of persons requesting access prior to allowing entry into the Space.

INTERIOR (GOVERNMENT SPACE)

DESIGNATED ENTRANCES

The Government shall have a designated main entrance.

IDENTITY VERIFICATION

The Government reserves the right to verify the identity of persons requesting access to the Space prior to allowing entry.

FORMAL KEY CONTROL PROGRAM

The Government reserves the right to implement a formal key control program. The lessor shall have a means of allowing the electronic disabling of lost or stolen access media, if electronic media is used.

SITES

SIGNAGE

POSTING OF SIGNAGE IDENTIFYING THE SPACE AS GOVERNMENTAL

The Lessor shall not post sign(s) or otherwise identify the facility and parking areas as a Government, or specific Government tenant, occupied facility, including during construction, without written Government approval.

POSTING OF REGULATORY SIGNAGE

The Government may post or request the Lessor to post regulatory, statutory and site specific signage at the direction of the Government.

LANDSCAPING

LANDSCAPING REQUIREMENTS

Lessor shall maintain landscaping (trees, bushes, hedges, land contour, etc.) around the facility. Landscaping shall be neatly trimmed in order to minimize the opportunity for concealment of individuals and packages/containers. Landscaping shall not obstruct the views of security guards and CCTV cameras, or interfere with lighting or IDS equipment.

CRIME PREVENTION THROUGH ENVIRONMENTAL DESIGN

The Lessor shall separate from public access, restricted areas as designated by the Government, through the application of Crime Prevention Through Environmental Design (CPTED) principles by using trees, hedges, berms, or a combination of these or similar features, and by fences, walls, gates and other barriers, where feasible and acceptable to the Government.

SECURITY SYSTEMS

No requirements

STRUCTURE

Lessor shall provide written emergency shutdown procedures for air handlers.

OPERATIONS AND ADMINISTRATION

LESSOR TO WORK WITH FACILITY SECURITY COMMITTEE (FSC)

The Lessor shall cooperate and work with the buildings Facility Security Committee (FSC) throughout the term of the lease.

ACCESS TO BUILDING INFORMATION

Building Information—including mechanical, electrical, vertical transport, fire and life safety, security system plans and schematics, computer automation systems, and emergency operations procedures—shall be strictly controlled. Such information shall be released to authorized personnel only, approved by the Government, by the development of an access list and controlled copy numbering. The Contracting Officer may direct that the names and locations of Government tenants not be disclosed in any publicly accessed document or record. If that is the case, the Government may request that such information not be posted in the building directory.

Lessor shall have emergency plans and associated documents readily available in the event of an emergency.